

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [onerbl](#) /
- › [onerbl 12V AC DC Adapter Instruction Manual for Fadakwalt Cordless Drills](#)

## onerbl 12V AC DC Adapter

# onerbl 12V AC DC Adapter Instruction Manual

Compatible with Fadakwalt 8212 & 8212A Cordless Drills

## PRODUCT OVERVIEW

---

This onerbl 12V AC DC Adapter is designed to provide reliable power for your compatible Fadakwalt 8212 and 8212A cordless drills. It features a robust design with built-in safety protections to ensure efficient and secure charging.



Image: The onerbl 12V AC DC Adapter, showing its compact design and DC barrel connector.

## Key Features

- **Input:** AC 100-240V 50/60Hz (Worldwide AC Input)
- **Output:** 12V DC, 3 Amps
- **Power:** 36.5 Watts
- **Safety:** Over Voltage Protection, Over Heat Protection, Short-Circuit Protection, Over-Current Protection
- **Compatibility:** Specifically designed for FADAKWALT 8212 and 8212A 3/8" Cordless Drills.

## SETUP INSTRUCTIONS

### 1. Unpacking and Initial Inspection

Carefully remove the AC DC adapter from its packaging. Inspect the adapter and its cable for any signs of damage. If any damage is observed, do not use the product and contact customer support.

### 2. Connecting the Adapter

1. Ensure your Fadakwalt cordless drill is powered off.

2. Locate the charging port on your Fadakwalt 8212 or 8212A cordless drill.
3. Insert the DC barrel connector of the onerbl adapter firmly into the drill's charging port.
4. Plug the AC plug of the adapter into a standard AC 100-240V wall outlet.



Image: Close-up view of the adapter showing input and output specifications, and the DC barrel connector.

# compatible device:



Image: Various colored Fadakwatt cordless drills, illustrating the compatible devices for this adapter.

## OPERATING INSTRUCTIONS

### Charging Your Device

1. Once connected as described in the setup section, the adapter will begin to supply power to your Fadakwatt drill.
2. Monitor your drill's battery indicator (if available) to determine charging status.
3. Disconnect the adapter from the drill and the wall outlet once charging is complete or when the drill is ready for use.



Image: The onerbl AC DC adapter plugged into a power strip, demonstrating typical usage.

## SAFETY INFORMATION

---

### Important Safety Precautions

- Use only with compatible devices as specified.
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to strong impacts.
- Do not attempt to open or modify the adapter.
- Unplug the adapter from the wall outlet when not in use or during electrical storms.
- Keep out of reach of children.

# SMART CHIP



Guard Your Electricity Safety



short-circuit  
protection



over-voltage  
protection



over-current  
protection



Image: Graphic illustrating the adapter's smart chip with multiple protection features: short-circuit, over-voltage, and over-current protection.

## MAINTENANCE

### Care and Storage

- Clean the adapter with a dry, soft cloth. Do not use liquid cleaners.
- Store the adapter in a cool, dry place away from direct sunlight.
- Avoid tightly coiling the cable to prevent damage.




Image: Diagram showing the internal copper wire and PVC jacket of the cable, highlighting the durable design and quality

## TROUBLESHOOTING

### Common Issues and Solutions

Problem	Possible Cause	Solution
Adapter not powering device	Loose connection, faulty outlet, incompatible device	Ensure all connections are secure. Try a different wall outlet. Verify device compatibility.
Device not charging	Device battery issue, adapter fault	Test the adapter with another compatible device if possible. If the issue persists, the drill's battery or charging circuit may be faulty.
Adapter feels hot	Normal operation, excessive load, poor ventilation	A slight warmth is normal. Ensure adequate ventilation around the adapter. If it's excessively hot, discontinue use and contact support.

## SPECIFICATIONS

### Technical Details

Specification	Detail
Brand	onerbl
Model Number	048bae53-4baa-4243-9b6e-490848237315
Input Voltage	AC 100-240V, 50/60Hz
Output Voltage	DC 12V
Output Current	3 Amps
Wattage	36.5 Watts
Connector Type	DC Barrel
Cable Length	Approx. 76 inches (6.3 feet)
Color	Black
Material	Plastic
Compatible Devices	FADAKWALT 8212, FADAKWALT 8212A DRIL 3/8"




Image: Diagram showing the physical dimensions of the adapter (1.6 x 2.6 x 1.2 inches) and the cable length (76 inches).

## WARRANTY AND SUPPORT

### Warranty Information

This product is covered by a standard manufacturer's warranty. Please refer to the seller's return policy for specific details regarding returns and replacements. Typically, a 30-day return/replacement policy is offered.

### Customer Support

For any questions, concerns, or troubleshooting assistance not covered in this manual, please contact the seller directly through the platform where the product was purchased. Provide your order number and a detailed description of the issue for prompt support.

