

[manuals.plus](#) /› [LUDOMIDE](#) /› [LUDOMIDE Fansconce Wall Mount Fan with Lights and Remote Instruction Manual](#)

LUDOMIDE Fansconce Wall Mount Fan

LUDOMIDE Fansconce Wall Mount Fan with Lights and Remote

Instruction Manual - Model B0CTCJDCQG

1. INTRODUCTION

Thank you for purchasing the LUDOMIDE Fansconce Wall Mount Fan with Lights and Remote. This manual provides essential information for the safe installation, operation, and maintenance of your new fan. Please read this manual thoroughly before installation and use, and retain it for future reference.

This product combines a fan and lighting fixture, offering adjustable wind speeds, reversible airflow, and a timer function, suitable for various indoor and covered outdoor environments.

2. IMPORTANT SAFETY INSTRUCTIONS

To reduce the risk of fire, electric shock, or injury to persons, observe the following:

- **Read all instructions** before installing and operating the fan.
- **Disconnect power** at the main circuit breaker or fuse box before beginning installation or performing any maintenance.
- **Consult a qualified electrician** if you are unsure about wiring or installation procedures.
- **Ensure the mounting structure** can support the weight of the fan (approximately 7.62 kg).
- **Do not insert fingers or any objects** into the fan blades or motor housing while the fan is operating.
- **Do not operate the fan** with a damaged cord or plug.
- **This fan is designed for indoor use** and covered outdoor areas. Do not expose to direct water or extreme weather conditions.
- **Use only E26 base bulbs** (not included) as specified. Do not exceed the maximum wattage.
- **Keep children away** from the fan during operation and maintenance.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation. If any parts are missing or damaged, contact customer support.

- Fansconce Wall Mount Fan Unit (with integrated light sockets)

- Mounting Bracket
- Remote Control
- Mounting Hardware (screws, anchors)
- Instruction Manual



Figure 3.1: Main product view of the LUDOMIDE Fansconce Wall Mount Fan. This image displays the fan unit with its metal cage, wooden-grain blades, and four E26 light sockets, ready for installation.

4. PRODUCT OVERVIEW AND FEATURES

The LUDOMIDE Fansconce fan offers a unique blend of functionality and design. Key features include:


- **2-in-1 Design:** Combines a fan and a light fixture.
- **Two Suspension Options:** Can be installed as a wall-mounted fan or a hanging fan.
- **360° Rotation and Tilting:** Allows for precise airflow direction.
- **6 Wind Speeds:** From soft breeze to strong airflow.
- **Reversible Airflow:** Circulates cool air in summer and helps distribute warm air in winter.
- **Quiet DC Motor:** Operates at less than 35 decibels.

- **Built-in Timer:** 1, 2, or 4-hour settings.
- **Remote Control:** Convenient operation of all functions.

MODERN CEILING FAN DESIGN



Black Metal Caged Design



E26 Bulb Bases *4 (Without Bulbs)



Wood Grain Fan Blades



25W Mute DC Fan Motor

Figure 4.1: Detailed view of the fan's components, including the black metal caged design, E26 bulb bases, wood grain fan blades, and the 25W mute DC fan motor.

5. INSTALLATION AND SETUP

Before installation, ensure the power is disconnected at the circuit breaker.

5.1 Choosing a Mounting Location

Select a location that can structurally support the fan's weight and allows for adequate clearance around the fan blades. The fan can be mounted on a wall or suspended from a ceiling structure.

SUSPENSION OPTIONS




Figure 5.1: Illustration of the two available suspension options: traditional wall mount (left) and hanging mount (right), demonstrating how the bracket can be oriented.

5.2 Mounting the Bracket

1. Position the mounting bracket at the desired location.
2. Mark the drill holes using the bracket as a template.
3. Drill pilot holes and insert appropriate wall anchors if necessary.
4. Secure the mounting bracket firmly to the wall or ceiling structure using the provided screws.

5.3 Attaching the Fan Unit

1. Carefully lift the fan unit and align it with the mounting bracket.
2. Secure the fan unit to the bracket using the designated fasteners. Ensure it is stable and does not wobble.

5.4 Electrical Connection

This fan is a plug-in unit. Ensure the power cord is routed safely and securely to an accessible power outlet. Do not use extension cords unless absolutely necessary, and ensure they are rated for the fan's power requirements.

5.5 Installing Light Bulbs

Screw four E26 base bulbs (not included) into the light sockets on the fan unit. Do not overtighten. Ensure the bulbs are compatible with the fan's electrical specifications.

6. OPERATING INSTRUCTIONS

The fan is operated using the included remote control.

6.1 Remote Control Functions

- **Power On/Off:** Turns the fan and lights on or off.
- **Fan Speed:** Adjusts between 6 wind speeds. Press repeatedly to cycle through speeds.
- **Light On/Off:** Controls the light function independently.
- **Timer:** Sets the fan to turn off automatically after 1, 2, or 4 hours.
- **Reversible Wind:** Changes the direction of the fan blades for summer (downward airflow) or winter (upward airflow to circulate warm air).





Figure 6.1: Visual representation of the 6 wind speeds: Soft Wind (Speeds 1-2), Natural Wind (Speeds 3-4), and Strong Wind (Speeds 5-6).

6.2 Adjusting Fan Angle

The fan unit offers 360° rotation and tilting. Loosen the adjustment knobs on the side of the fan, manually position the fan to the desired angle, and then tighten the knobs to secure it. This allows for directing airflow precisely.

where needed.

ADJUSTABLE 360° ROTATION AND 360° TILTING



360° Rotation



Manual Adjustable Angle



Manual Turning Direction



Figure 6.2: Demonstrates the fan's 360° rotation and manual adjustable angle, showing various orientations for optimal airflow.

7. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your fan. Always disconnect power before performing any maintenance.

7.1 Cleaning

- **Exterior:** Wipe the exterior surfaces of the fan and light fixture with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Fan Blades:** Carefully wipe dust from the fan blades. Ensure the fan is completely stationary before cleaning.
- **Light Sockets:** Ensure power is off and bulbs are cool before cleaning around the sockets.

7.2 Bulb Replacement

Ensure the power is off and bulbs are cool before attempting to replace them. Unscrew the old bulb and screw in a new E26 base bulb of the appropriate wattage.

8. TROUBLESHOOTING


If you experience issues with your fan, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Fan does not turn on.	No power, remote battery dead, loose connection.	Check power outlet, replace remote batteries, ensure power cord is securely plugged in.
Lights do not turn on.	Bulbs faulty, loose connection, light function off.	Check/replace bulbs, ensure light function is activated via remote.
Fan makes unusual noise.	Loose mounting, obstruction, damaged blades.	Ensure fan is securely mounted, check for obstructions, inspect blades for damage.
Remote control not working.	Dead batteries, obstruction, out of range.	Replace remote batteries, ensure clear line of sight to fan, operate within range.

If the problem persists after trying these solutions, please contact LUDOMIDE customer support.

9. SPECIFICATIONS

Brand	LUDOMIDE
Model	Fansconce Wall Mount Fan (B0CTCJDCQG)
Product Dimensions	Height: 26.4 inches (67.0 cm), Depth: 20.5 inches (52.1 cm), Width: 15.7 inches (39.9 cm)
Item Weight	7.62 kg (16.8 lbs)
Power/Wattage	60 watts (Total) / 25W (Fan Motor)
Voltage	25 Volts (DC)
Material	Metal
Number of Speeds	6
Noise Level	35 Decibels
Special Features	360° Rotation, Reversible Airflow, Timer (1/2/4H)
Bulb Base	E26 x 4 (Bulbs not included)
Cord Length	11 ft (approx. 3.35 meters)



PARAMETER

MAX AIR FLOW : 1196 CFM

BULB BASE : E26*4 (NOT Included)

CORD LENGTH : 11ft

SPEED : 6 Speeds & Natural Wind

Figure 9.1: Diagram illustrating the key dimensions (Height 26.4", Depth 20.5", Length 15.7") and parameters such as Max Air Flow (1196 CFM), Bulb Base (E26*4), Cord Length (11ft), and Speed (6 Speeds & Natural Wind).

10. WARRANTY AND SUPPORT

LUDOMIDE products are manufactured to high-quality standards. This product is covered by a limited warranty against defects in materials and workmanship from the date of purchase. Please refer to the product packaging or contact LUDOMIDE customer service for specific warranty terms and conditions.

For technical assistance, troubleshooting, or warranty claims, please contact LUDOMIDE customer support through the retailer where the product was purchased or visit the official LUDOMIDE website for contact information.