

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [EasyKeys](#) /

› [EasyKeys Teskey S053 Mailbox Replacement Key Instruction Manual](#)

EasyKeys S053

EasyKeys Teskey S053 Mailbox Replacement Key Instruction Manual

Model: S053

1. PRODUCT OVERVIEW

This manual provides essential information for the proper identification and use of your EasyKeys Teskey S053 mailbox replacement key. This key is specifically designed for Teskey and AUTH Florence mailbox locks that utilize the S053 code.

It is crucial to verify that your existing lock code and manufacturer match the specifications of this product to ensure compatibility.

Where to Find Your Lock Code




On the Key



On the Lock Face



**On a Label Inside/
Behind the Lock**



**On the
Cabinet/Door Label**



Important Notes

- Order by Manufacturer → Lock codes are manufacturer-specific.
- Key Cuts Differ → Even if codes look similar, they vary by brand.

The EasyKeys Teskey S053 replacement key, designed for compatibility with Teskey and AUTH Florence mailbox locks. Ensure the S053 code matches your existing lock.

2. KEY IDENTIFICATION AND COMPATIBILITY

Before using your replacement key, it is vital to confirm that the S053 code matches your lock. Lock codes

can typically be found in several locations:

- **On the Key:** The code is often stamped directly onto your original key.
- **On the Lock Face:** Some locks have the code engraved on the visible part of the lock cylinder.
- **On a Label Inside/Behind the Lock:** For some mailboxes, the code may be on a sticker or label located inside the mailbox door or on the lock mechanism itself.
- **On the Cabinet/Door Label:** In certain installations, the code might be on a label affixed to the mailbox cabinet or door.



This diagram illustrates common locations where you can find the lock code necessary for ordering a replacement key. Always verify the code directly from your existing key or lock mechanism.

Important Compatibility Notes:

- **Manufacturer Specificity:** Lock codes are manufacturer-specific. An S053 key from one brand may not work with a lock from another, even if the code appears similar. This key is compatible with Teskey and AUTH Florence locks.
- **Key Cut Variations:** Even if codes look similar, key cuts can vary significantly between brands. Always ensure both the code and the manufacturer match.
- **Key Blank:** This key is cut on an HL1 key blank.

3. USAGE INSTRUCTIONS

1. **Insert the Key:** Gently insert the S053 replacement key into the mailbox lock cylinder. Do not force the key.
2. **Turn to Unlock:** Once fully inserted, turn the key clockwise (or counter-clockwise, depending on your lock mechanism) to unlock the mailbox.
3. **Remove the Key:** After unlocking, turn the key back to its original position and gently remove it.

If the key does not turn smoothly, do not apply excessive force. Refer to the Troubleshooting section.

4. SPECIFICATIONS

Feature	Detail
Brand	EasyKeys
Model Number	S053

Compatible Manufacturers	Teskey, AUTH Florence
Lock Type	Cam Lock (Mailbox)
Material	Brass
Item Dimensions (L x W x H)	0.5 x 0.5 x 1 inches
Item Weight	0.25 Pounds
Special Features	Custom Cut Key, Durable

5. MAINTENANCE

To ensure the longevity and smooth operation of your key and lock:

- Keep the key clean and free from dirt or debris.
- Avoid using the key for purposes other than unlocking your mailbox.
- Do not apply excessive force when inserting or turning the key, as this can damage both the key and the lock mechanism.
- If the lock mechanism becomes stiff, a small amount of graphite lubricant can be applied to the key and inserted into the lock.

6. TROUBLESHOOTING

Key Does Not Work / Turn:

- **Verify Lock Code:** Double-check that the S053 code on your key precisely matches the code required for your mailbox lock. Refer to Section 2 for guidance on finding your lock code.
- **Check Manufacturer:** Confirm that your mailbox lock is manufactured by Teskey or AUTH Florence. Keys are often brand-specific.
- **Inspect Key for Damage:** Examine the key for any bends, breaks, or wear that might prevent it from functioning correctly.
- **Inspect Lock for Obstructions:** Ensure there are no foreign objects or debris obstructing the keyway of the lock.
- **Lubrication:** If the lock feels stiff, try applying a small amount of graphite lubricant into the keyway.

If the issue persists after following these steps, it may indicate a problem with the lock mechanism itself, or an incorrect key. Contact customer support for further assistance.

7. WARRANTY AND SUPPORT

EasyKeys stands by the quality of its products. For specific warranty information regarding your replacement key, please refer to the purchase documentation or contact EasyKeys customer service directly.

For technical support or inquiries regarding your EasyKeys Teskey S053 replacement key, please visit the official EasyKeys website or contact their customer service department. When contacting support, please have your product model (S053) and any relevant purchase details available.

EasyKeys Customer Service: Please refer to the EasyKeys official website for current contact information.

