

HYSEYY 1304

HYSEYY Rolling Heavy Duty Clothes Rack (Model 1304)

Instruction Manual

1. INTRODUCTION

Thank you for choosing the HYSEYY Rolling Heavy Duty Clothes Rack, Model 1304. This manual provides essential information for the safe and efficient assembly, operation, and maintenance of your new garment rack. Please read these instructions thoroughly before use and retain them for future reference.

This clothes rack is designed for versatile use, offering robust storage and organization for various garments in residential or commercial settings. Its heavy-duty construction and mobile design provide both stability and flexibility.

2. SAFETY INFORMATION

- Ensure all parts are securely fastened before placing items on the rack.
- Do not exceed the maximum load capacity of 420 pounds (190 kg).
- Distribute weight evenly across the hanging bar to prevent tipping.
- Lock the wheels when the rack is in a stationary position to prevent unintended movement.
- Keep small parts away from children during assembly.
- Avoid hanging items that could snag or damage the rack's finish.

3. PACKING LIST

Please verify that all components listed below are present before beginning assembly.



Figure 3.1: Components of the HYSEYY Garment Rack. Includes main frame sections, connecting bars, wheels, and assembly tools.

- **A:** Base Frame with Vertical Support (x2)
- **B:** Upper Vertical Support (x2)
- **C1:** Lower Connecting Bar (Left) (x1)
- **C2:** Lower Connecting Bar (Right) (x1)
- **D:** Upper Hanging Bar (x1)
- **E1:** Lockable Wheels (x2)
- **E2:** Common Wheels (x2)
- **F:** Spring Fasteners (x7)
- **G:** Hex Wrench (x1)

4. SETUP AND ASSEMBLY

Assembly is designed to be quick and easy, typically taking about 10 minutes. No complicated tools are required beyond what is provided.

Assembly Steps:

1. **Attach Wheels to Base Frames:** Insert the lockable wheels (E1) into the designated holes on one base frame (A) and the common wheels (E2) into the other base frame (A). Ensure they are firmly seated.




Figure 4.1: Attaching the wheels to the base frames.

2. **Connect Lower Bars:** Connect the lower connecting bars (C1 and C2) to the base frames (A). Align the holes and secure them using the spring fasteners (F) and the hex wrench (G).




Figure 4.2: Connecting the lower support bars.

3. **Attach Upper Vertical Supports:** Insert the upper vertical supports (B) into the top openings of the base frames (A). Ensure the spring fasteners click into place for a secure connection.
4. **Install Upper Hanging Bar:** Connect the upper hanging bar (D) between the two upper vertical supports (B). Ensure the spring fasteners engage to lock the bar in position.



Figure 4.3: Final assembly of the upper sections.

Assembly Video:

Your browser does not support the video tag.

Video 4.1: Visual guide demonstrating the assembly process for the HYSEYY Garment Rack (Model 1304).

5. OPERATING INSTRUCTIONS

Hanging Clothes:

- Use the main horizontal bar to hang garments on hangers.
- Utilize the side hooks for hanging accessories such as hats, bags, or scarves.
- Distribute the weight of clothes evenly to maintain stability and prevent strain on the rack.

Mobility and Stability:

- The rack is equipped with 360-degree rotating industrial-grade wheels for easy movement.
- To move the rack, unlock the two lockable wheels (E1) by flipping their levers.
- Once the rack is in the desired position, engage the levers on the lockable wheels (E1) to secure the rack in place.

Silent & Lockable Wheels

Move smoothly on various floors




Figure 5.1: Detail of the silent and lockable wheels.

6. MAINTENANCE

- **Cleaning:** Wipe the metal frame with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Inspection:** Periodically check all connections and fasteners to ensure they remain tight. Re-tighten if necessary.
- **Wheel Care:** Keep the wheels free of debris (hair, lint) to ensure smooth rolling.

7. TROUBLESHOOTING

- **Rack is Unstable:**
 - Ensure all spring fasteners are fully engaged and connections are tight.
 - Verify that the weight of garments is distributed evenly.
 - Check that the rack is on a flat, level surface.
- **Wheels Not Rolling Smoothly:**
 - Check for and remove any debris (e.g., hair, carpet fibers) caught in the wheels.
 - Ensure the lockable wheels are in the unlocked position for movement.
- **Difficulty Assembling:**
 - Refer to the detailed assembly steps and diagrams in Section 4.
 - Ensure you are using the correct parts for each step as indicated in the packing list.

8. SPECIFICATIONS

Feature	Specification
Brand	HYSEYY
Model Number	1304
Color	Black
Material	Metal
Product Dimensions	51"D x 18"W x 61"H (129.5cm D x 45.7cm W x 155cm H)
Load Capacity	420 Pounds (190 kg)
Installation Type	Free Standing
Special Feature	Heavy Duty, Rolling, Lockable Wheels
Assembly Required	Yes
Item Weight	10 Pounds (4.5 kg)

Product Dimension



Figure 8.1: Product dimensions of the HYSEYY Garment Rack.

420 LBS Loading Capacity



Figure 8.2: Illustration of the 420 LBS loading capacity.

9. WARRANTY AND SUPPORT

Warranty Information:

This HYSEYY product comes with a **3-year warranty**. Please retain your proof of purchase for warranty claims.

Customer Support:

Our dedicated after-sales team is available 24/7 to assist you with any inquiries or technical support you may need. If you encounter any issues before or after your purchase, please contact us via the Amazon Message Center. Your satisfaction is our goal.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question