Manuals+

Q & A | Deep Search | Upload

Blink Blink Mini Pan-Tilt

Blink Mini Pan-Tilt Camera

User Manual

INTRODUCTION

The Blink Mini Pan-Tilt camera provides comprehensive indoor security monitoring. This device, combined with the Pan-Tilt mount, offers 360° coverage, allowing you to remotely pan left/right and tilt up/down to view any area of your room. It features HD day and infrared night vision, two-way audio communication, and intelligent motion detection with real-time alerts. The included one-year Blink Subscription Plus Plan enables cloud video storage, with an option for local storage backup using a Sync Module 2 and a USB drive (sold separately).




The Blink Mini Pan-Tilt camera offers a wide range of features including 360° view, HD day and night vision, two-way audio, motion detection, and easy setup.

SETUP

Setting up your Blink Mini Pan-Tilt camera is a straightforward process designed for quick installation. The package includes one Blink Mini camera, one Pan-Tilt Mount, one USB cable, and one power adapter.

- 1. **Power Connection:** Plug the USB cable into the Blink Mini camera and the Pan-Tilt Mount, then connect the power adapter to a standard electrical outlet.
- 2. **Download Blink App:** Download the Blink Home Monitor app from your device's app store. The app is compatible with iOS 15.0+, Android 9.0+, or Fire 9.0+ devices.
- 3. **Account Creation/Login:** Open the Blink app and create a new account or log in with your existing Blink credentials.
- 4. **Add Device:** Follow the in-app instructions to add your new Blink Mini Pan-Tilt camera. This typically involves scanning a QR code on the device and connecting it to your 2.4 GHz Wi-Fi network. A minimum upload speed of 2 Mbps is required for optimal performance.
- 5. Mounting: Once configured, place the camera on a flat surface or use the included mounting base and

screws to secure it to a wall or ceiling. Ensure the camera has a clear line of sight to the area you wish to monitor.




The Blink Mini Pan-Tilt camera is a plug-in device that requires a power connection for operation.

OPERATING THE CAMERA

The Blink Mini Pan-Tilt camera offers various functionalities accessible through the Blink Home Monitor app and compatible smart devices.

- Live View and Pan-Tilt Control: Access the live view from your smartphone, tablet, or compatible Alexa device. Within the app, use the pan (left/right) and tilt (up/down) controls to adjust the camera's viewing angle and achieve 360° coverage of your space.
- **HD Video and Night Vision:** The camera records and displays video in 1080p HD during the day. For low-light conditions, infrared HD night vision provides clear visibility after dark.
- **Two-Way Audio:** Utilize the built-in speaker and microphone for two-way audio communication. This allows you to speak to and hear from individuals in the camera's vicinity directly through the Blink app.
- Motion Detection and Alerts: The camera features motion detection capabilities. When motion is detected, you will receive real-time alerts on your smartphone, enabling you to react promptly.

• Alexa Integration: The Blink Mini Pan-Tilt camera works seamlessly with Alexa. You can stream live HD video, arm or disarm your camera, and perform other functions using voice commands with compatible Alexa-enabled devices.



The camera allows you to see what's happening in any room from corner to corner with its pan-tilt functionality.



Through the Blink app, you can see, hear, and speak from anywhere using the camera's live view and two-way audio features.



The Blink Mini Pan-Tilt camera works with Alexa, allowing for voice control and live view streaming on compatible devices.

MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your Blink Mini Pan-Tilt camera.

- Cleaning: Gently wipe the camera lens and body with a soft, dry cloth to remove dust and smudges. Avoid using abrasive cleaners or solvents.
- **Power Connection:** Ensure the USB cable and power adapter remain securely connected to maintain continuous operation.
- **Software Updates:** Keep your Blink app updated to the latest version to benefit from new features, performance improvements, and security enhancements. The device receives guaranteed software security updates until at least four years after its last availability for purchase as a new unit.
- Video Storage: With the included one-year Blink Subscription Plus Plan, videos are stored in the cloud for up to 60 days. To retain important videos beyond this period, download them to your mobile device. For local storage backup, a Sync Module 2 and a USB drive (each sold separately) can be used.

TROUBLESHOOTING

If you encounter issues with your Blink Mini Pan-Tilt camera, refer to the following common troubleshooting steps:

- No Power/Offline: Ensure the power adapter is securely plugged into both the camera and a working electrical outlet. Check the USB cable for any damage.
- Connectivity Issues: Verify that your Wi-Fi network is active and stable. The Blink Mini supports 2.4 GHz 802.11g/n Wi-Fi. Ensure your router is within range and provides a minimum upload speed of 2 Mbps. Avoid connecting to ad-hoc, peer-to-peer, or paywall Wi-Fi networks.
- Poor Video Quality: Check your internet connection speed. Ensure the camera lens is clean and free from obstructions. Adjust lighting conditions if possible.
- Motion Detection Not Working: Review the motion detection settings in the Blink app. Adjust sensitivity levels and activity zones as needed. Ensure there are no physical obstructions blocking the camera's view.
- Two-Way Audio Problems: Check the volume settings on your smartphone and within the Blink app. Ensure your microphone is enabled for the Blink app in your phone's settings.
- **App Not Responding:** Close and reopen the Blink Home Monitor app. If the issue persists, restart your smartphone. Ensure your smartphone meets the minimum requirements (iOS 15.0+, Android 9.0+, or Fire 9.0+).

SPECIFICATIONS

Feature	Detail
360° View	Field of view: 110° diagonal; Pan range: 350°; Tilt range: 125°
Camera Resolution	1080p HD video (day), infrared HD night vision
Camera Frame Rate	Up to 30 frames per second
Size (Pan-Tilt Mount)	66 x 66 x 99.2mm
Size (Blink Mini)	50 x 49 x 36mm
Weight (Pan-Tilt Mount)	246g (8.7oz)
Weight (Blink Mini)	48g (1.7 oz)
Power	5VDC, 1A via USB Micro type B connector
Wi-Fi Connectivity	2.4 GHz 802.11g/n (does not support ad-hoc, peer-to-peer, or paywall networks); Minimum 2 Mbps upload speed required
Available Colors	White, Black
Minimum Smartphone Requirements	iOS 15.0, Android 9.0, or Fire 9.0
Blink App	Blink Home Monitor
Included in the Box	One Blink Mini, one Pan-Tilt Mount, one USB cable, and one power adapter.

Audio	Speaker output and 2-way audio recording
LEDs	One blue LED to help you know when it's active (optional)
Generation	Blink Mini: 1st generation - 2020 release; Pan-Tilt Mount: 1st generation - 2022 release

WARRANTY AND SUPPORT

Your Blink Mini Pan-Tilt camera comes with a **1-year limited warranty**. The purchase and use of Blink cameras are subject to the terms found on the official Blink website.

For additional information and support, please refer to the official Blink support pages:

- · Blink Mini support page
- Pan-Tilt Mount support page

This device receives guaranteed software security updates until at least four years after the device is last available for purchase as a new unit on our websites.

© 2025 Blink. All rights reserved.

Documents - Blink - Blink Mini Pan-Tilt

BLINK MIRE PAIN. TET MARTY AND COMPANIOTS DOCUMENT US important Product their medicine.


MARTY MICHAEL PRIMARY THE PAIN AND TO POLICE WHITE SAFTY INCTRACTIONS COULD PESALT IN THE LECTURE SHOULD PERMARY INCTRACTIONS COULD PESALT IN THE LECTURE SHOULD PESALT IN THE LECTURE SHOUL

[pdf] Instructions Accessories

Microsoft Office User BLINK MINI PAN TILT SAFETY AND COMPLIANCE DOCUMENT US Important Product Information INFORMATION TRIANGLE WITH! FAILUR Blink Mini Pan Tilt Safety and Compliance — Smart Security static1 squarespace static 5e21c06a08d2fc435f20e6c5 t 63515d5b2c138476af158375 1666276699750 blinkforhome s |||

BLINK MINI PAN-TILT SAFETY AND COMPLIANCE DOCUMENT US Important Product Information: SAFETY INFORMATION TRIANGLE WITH FAILURE TO FOLLOW THESE SAFETY INSTRUCTIONS COULD RESULT IN FIRE, ELECTRIC SHOCK, OR OTHER INJURY OR DAMAGE. CAUTION: Objects can be pinched by the device when tilted downwards. ...

lang:en score:33 filesize: 131.14 K page_count: 3 document date: 2022-10-20



[pdf] User Manual Quick Start Guide Guide

User Manual Blink Pan Tilt Camera hometechsupply 2023 12 |||

Blink Mini Pan-Tilt Camera Setup Guide ...

lang:en score:29 filesize: 233.25 K page_count: 2 document date: 2024-03-25



[pdf] User Manual

User Manual Blink Pan Tilt Camera hometechsupply 2023 07 |||

User Manual Blink Mini Pan-Tilt Camera ...

lang:en score:29 filesize: 201.62 K page_count: 3 document date: 2024-03-11

SIRRE MINI PAINT ET SAISTY AND COMPRIANCE DOCUMENT CA. IR
subcroardina: importantes are in produit;
and communication and in particular in produits and communication and comm

[pdf]

Microsoft Office User BLINK MINI PAN TILT SAFETY AND COMPLIANCE DOCUMENT CA FR Informations importantes sur le produit INFORMATIONS SUR LA SÉCURIT blinkforhome s ||| **BLINK MINI PAN-TILT** SAFETY AND COMPLIANCE DOCUMENT CA FR Informations importantes sur le produit : INFORMATIONS SUR LA SCURIT TRIANGLE WITH LE NON-RESPECT DE CES CONSIGNES DE SCURIT POURRAIT ENTRANER DES INCENDIES, UNE DCHARGE LECTRIQUE OU D AUTRES BLESSURES OU DOMMAGES. MISE EN GARDE : Les obje... lang:fr score:29 filesize: 137.53 K page count: 3 document date: 2022-10-20

SMCRITARIA THOUSE TIMEDAMA TICE:
LASE YER ADMANDATE THOUSE THE SMCRITARIA SMC

[pdf] Instructions Accessories

SAFETY INFORMATION TRIANGLE WITH Blink Mini Pan Tilt Camera Safety and Compliance Information blinkforhome s |||

IMPORTANT PRODUCT INFORMATION: SAFETY INFORMATION TRIANGLE WITH FAILURE TO FOLLOW THESE SAFETY INSTRUCTIONS COULD RESULT IN FIRE, ELECTRIC SHOCK, OR OTHER INJURY OR DAMAGE. CAUTION: Objects can be pinched by the device when tilted downwards. Do not place fingers or objects along the path of any ...

lang:en score:24 filesize: 837.76 K page count: 18 document date: 2022-10-25



[pdf] Instructions Accessories

Blink Mini Pan Tilt Safety and Compliance Information UK Ensure Safe Usage — Smart Security BlinkMiniPan TiltSafetyComplianceInfo ekhl blinkforhome s |||

Important Product Information: SAFETY INFORMATION FAILURE TO FOLLOW THESE SAFETY INSTRUCTIONS COULD RESULT IN FIRE, ELECTRIC SHOCK, OR OTHER INJURY OR DAMAGE. CAUTION: Objects can be pinched by the device when tilted downwards. Do not place fingers or objects along the path of any moving parts. Keep...

lang:en score:22 filesize: 101.37 K page count: 13 document date: 2024-04-29



[pdf] Specifications Documentation Decleration of Conformity Test Report
Blink Mini Pan Tilt Camera EU Declaration of Conformity — Smart Security blinkforhome s |||
Attestation of Conformity No. E8A 092738 0065 Rev. 00 Holder of Certificate:
Amazon.com Services, Inc. 410 Terry Avenue North Seattle, Washington 98109 USA
Name of Object: ITE equipment Pan-Tilt Mount Model s: BAE041000U Description of
Object: Rated Input: 5.0VDC, 1.0A; Rated Output: 5.0V...

lang:en score:21 filesize: 613.44 K page_count: 6 document date: 2022-10-25



[pdf] Accessories

FR CE Env Comp Dataset 20221219 xlsx janzash 14 hours ago — B09GHLTBWR Accessories Blink Solar Panel Mount Support avec panneau solaire pour caméra Outdoor Noir LATEST m media amazon images G 08 devices |||

ASIN B0741WGQ36 B08SDZXM48 B09GHLTBWR B09BK7CY13 B099J9FX61 B09324G52L B0931VRJT5 B096WX1KQH B087DPV ... trmement proccupante, le plomb Ne contient pas de perturbateurs endocriniens - - - - Devices Blink Mini Pan-Tilt Camera Camra de surveillance connecte d intrieur rotative sur secteur Audio ... lang:fr score:11 filesize: 320.93 K page_count: 10 document date: 2022-12-19



[pdf] Accessories

FR CE Env Comp Dataset 20241118 updated xlsx Pradhan Kasmalkar Revati En savoir plus Blink
Sonnette Vidéo Sync Module 2 Système audio bidirectionnel longue autonomie détection de mouvements
notifications sonnette dans I application fonctionne avec Alexa Blanc Amazon fr Bricolage Fiche produit
relative aux qualités ou caractéristiques environnementales LATEST v1 m media amazon images G 08
devices |||

Fiche produit relative aux qualits ou caractristiques environmentales ASIN B0846MM3F7 B086FD5V8C B0 ... exa Blanc Echo Studio, Reconditionn Certifi Enceinte connecte avec audio haute-fidlit et Alexa Blink Mini Pan-Tilt Camera Camra de surveillance connecte d intrieur rotative sur secteur Audio ...

lang:fr score:9 filesize: 847.82 K page_count: 22 document date: 2024-11-20