

[Manuals.plus](#) /

› [SEAFLO](#) /

› SEAFLO Manual to Electric Marine Toilet Conversion Kit (24V) User Manual

SEAFLO SFMTP2-02

SEAFLO Manual to Electric Marine Toilet Conversion Kit (24V) User Manual

Model: SFMTP2-02

PRODUCT OVERVIEW

The SEAFLO Manual to Electric Marine Toilet Conversion Kit is designed to upgrade your boat's manual toilet system to convenient electric operation. This kit is compatible with both SEAFLO and JABSCO marine toilets, offering a direct replacement for the manual flush assembly.

Key features include:

- Works with SEAFLO and JABSCO marine toilets.
- Direct Replacement of the manual flush assembly.
- Built-in Macerator for efficient waste evacuation.



Image: The SEAFLO Manual to Electric Marine Toilet Conversion Kit, showing the main pump unit.

SETUP AND INSTALLATION

This conversion kit is designed for straightforward installation, replacing the existing manual pump assembly without requiring modifications to your toilet's platform or head. It is available in 12V and 24V models. The 12V model draws 20 amps, and the 24V model draws 10 amps.



Image: The SEAFLOR Electric Toilet Conversion Kit integrated with a marine toilet, demonstrating its compact fit.

For a visual guide on installation and demonstration, please refer to the official product video below:

Your browser does not support the video tag.

Video: Official SEAFLOR video demonstrating the installation and operation of the Manual to Electric Conversion Kit. This video shows the physical components, how they fit onto a marine toilet, and the flushing mechanism in action.

The kit is designed to fit directly where the manual T-handle flush mechanism was previously located on compatible toilets.

OPERATING INSTRUCTIONS

The SEAFLOR conversion kit features a simple rotary control for operation. This control allows for two primary functions:

- **Clockwise Rotation:** Activates both water intake and discharge, providing a full flush with water. This is ideal for standard flushing operations.
- **Counter-clockwise Rotation:** Activates discharge only, without adding water. This is useful for emptying the bowl more quickly, especially if there is already sufficient water or if you need to clear the lines.

It is recommended to allow the pump to run for an additional 10 seconds after the bowl appears clear to ensure all

contents are thoroughly pumped through the hoses, preventing unpleasant odors and maintaining system hygiene.

Modern Convenience:

- Upgrade to modern convenience with our Electric Marine Toilet Conversion Kit. Electric operation eliminates the physical effort required for manual pumping, making toilet use more accessible and user-friendly for all passengers onboard.
- Simple rotary control for 'flush & discharge' or 'discharge only', ensuring ease of operation.



Image: Close-up of the rotary control on the SEAFLO Electric Toilet Conversion Kit, illustrating the 'flush & discharge' and 'discharge only' settings.

Powerful Flush Action

- Large flow flushing with powerful dirt suction, offering an opening flow of 5.0 GPM/ 18.9LPM.
- Self-priming pump rinses the bowl while macerating and evacuating waste.



Image: Diagram illustrating the powerful flush action of the SEAFLO conversion kit, highlighting its 5.0 GPM / 18.9 LPM flow rate and self-priming pump.

MAINTENANCE

Regular maintenance is crucial for the longevity and optimal performance of your SEAFLO Electric Marine Toilet Conversion Kit. While specific maintenance schedules are not provided in this manual, general best practices for marine sanitation systems apply:

- **Regular Flushing:** Always ensure sufficient water is used during flushing to clear the bowl and hoses

completely. As mentioned in the operating instructions, running the pump for an additional 10 seconds after visible contents are cleared helps prevent residue buildup and odors.

- **Use Approved Cleaners:** Only use marine-specific toilet cleaners that are safe for rubber seals and plastic components. Avoid harsh chemicals like bleach or household cleaners, which can damage the system.
- **Inspect Hoses and Connections:** Periodically check all hoses and connections for leaks, cracks, or signs of wear. Address any issues promptly to prevent spills and odors.
- **Winterization:** If operating in freezing conditions, follow standard marine toilet winterization procedures to prevent damage from ice expansion.
- **Macerator Inspection:** The built-in macerator is designed for efficiency. If you notice reduced performance or unusual noises, it may indicate a need for inspection. The macerator features a 4-blade stainless steel chopper plate.



Image: Detailed view of the built-in macerator with its stainless steel chopper plate, ensuring efficient waste evacuation.

TROUBLESHOOTING

This section provides general guidance for common issues. For complex problems, it is recommended to contact SEAFLO customer support.

Problem	Possible Cause	Solution
Pump not operating.	No power, blown fuse, loose wiring connection.	Check power supply, inspect fuse, ensure all electrical connections are secure.
Weak flush or slow discharge.	Low water intake, clogged macerator, blocked discharge line.	Ensure adequate water supply. Check for obstructions in the macerator or discharge hose. Use counter-clockwise setting to clear bowl if needed.
Unpleasant odors.	Insufficient flushing, waste accumulation in hoses, damaged seals.	Ensure thorough flushing after each use. Use marine-specific odor control products. Inspect and replace seals if necessary.

Problem	Possible Cause	Solution
Excessive noise during operation.	Air in the system, foreign object in macerator, loose mounting.	Check for air leaks in intake lines. Inspect macerator for foreign objects (ensure power is off). Verify the unit is securely mounted.

SPECIFICATIONS

Attribute	Detail
Brand	SEAFLO
Model Number	SFMTP2-02
Style	24V (also available in 12V)
Color	White
Material	Polypropylene
Item Weight	7 Pounds
Installation Type	Floor Mounted
Included Components	Conversion Kit
UPC	810039498798

WARRANTY INFORMATION

The SEAFLO Manual to Electric Marine Toilet Conversion Kit comes with a **4-Year Warranty**. For detailed terms and conditions, please refer to the official SEAFLO warranty documentation or contact customer support.

CUSTOMER SUPPORT

For any inquiries, technical assistance, or warranty claims, please contact SEAFLO customer support. As a company committed to customer satisfaction, SEAFLO views each sale as a lifelong relationship and is dedicated to providing reliable support.

You can find more information and contact details by visiting the official SEAFLO Store:

[Visit the SEAFLO Store on Amazon](#)

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question