HIBREW H2B

HiBREW H2B 5-in-1 Pods Coffee Maker User Manual

Model: H2B

1. Introduction

Thank you for choosing the HiBREW H2B 5-in-1 Pods Coffee Maker. This versatile espresso machine is designed to provide a convenient and high-quality coffee experience, compatible with various coffee formats including Kcup*, Nes*, DG* capsules, E.S.E. pods, and espresso powder. With its 19-bar pressure extraction and hot/cold brewing modes, you can enjoy a wide range of coffee beverages. Please read this manual thoroughly before first use to ensure proper operation, maintenance, and safety.

2. IMPORTANT SAFETY INSTRUCTIONS

When using electrical appliances, basic safety precautions should always be followed to reduce the risk of fire, electric shock, and/or injury to persons, including the following:

- Read all instructions before operating the coffee maker.
- Do not touch hot surfaces. Use handles or knobs.
- To protect against fire, electric shock, and injury to persons, do not immerse cord, plugs, or coffee maker in water or other liquid.
- Close supervision is necessary when any appliance is used by or near children.
- Unplug from outlet when not in use and before cleaning. Allow to cool before putting on or taking off parts, and before cleaning the appliance.
- Do not operate any appliance with a damaged cord or plug, or after the appliance malfunctions or has been damaged in any manner. Contact customer service for examination, repair, or adjustment.
- The use of accessory attachments not recommended by the appliance manufacturer may result in fire, electric shock, or injury to persons.
- Do not use outdoors.
- Do not let cord hang over edge of table or counter, or touch hot surfaces.
- Do not place on or near a hot gas or electric burner, or in a heated oven.
- Always attach plug to appliance first, then plug cord into the wall outlet. To disconnect, turn any control to 'off', then remove plug from wall outlet.
- Do not use appliance for other than intended use.
- · Use only cold water in the water tank.
- This product is NOT included coffee pods. Other types of pods are NOT compatible unless specified.
- Electricity standards: AC voltage 110~120 volts, 60Hz.

3. PRODUCT OVERVIEW

The HiBREW H2B is a compact and versatile coffee maker designed for various brewing preferences. It features a 19-bar high-pressure pump for optimal extraction and supports both hot and cold brewing modes.



Figure 3.1: HiBREW H2B Coffee Maker with its various pod adapters and a cup of espresso.

Components Included:



Figure 3.2: Included components with the HiBREW H2B Coffee Maker.

- HiBREW H2B 5-in-1 Pod Coffee Machine x 1
- Coffee Powder Filter (for ground coffee)
- Coffee Scoop & Tamper
- DG* Filter (for Dolce Gusto capsules)
- Kcup* Filter (for K-Cup pods)
- Nes* Filter (for Nespresso Original Line capsules)
- Inflator (for initial priming)

Key Features:

- 5-in-1 Compatibility: Supports Kcup*, Nes*, DG* Capsule, E.S.E. Pod, and Espresso Powder.
- 19 Bar Pressure Extraction: Ensures rich crema and full flavor.
- Cold/Hot Mode: Brews both hot and iced coffee.
- Spiral Heating Technology: Achieves optimal brewing temperature quickly.
- Compact Design: Space-saving dimensions (4.5" W x 9.6" D x 9.6" H) with a 20 oz (600ml) BPA-free reservoir.
- Energy Saving: Automatic shut-off after 15 minutes of inactivity.
- Anti-dry Protection: Safeguards machine components.



Figure 3.3: Compatible and Incompatible Coffee Formats.

4.1 Unpacking and Initial Cleaning

- 1. Carefully remove all packaging materials and the coffee maker from the box.
- 2. Wash the water tank, drip tray, and all pod adapters with warm, soapy water. Rinse thoroughly and dry.
- 3. Wipe the exterior of the coffee maker with a damp cloth.

4.2 Filling the Water Tank

- 1. Remove the water tank from the back of the machine.
- 2. Fill the tank with fresh, cold drinking water up to the MAX line. Do not overfill.
- 3. Place the water tank back onto the machine, ensuring it is securely seated.



Figure 4.1: Filling the 600ml Water Tank.

4.3 Priming the Machine (First Use)

Before brewing coffee for the first time, it is recommended to prime the machine to ensure water flows correctly through the system.

- 1. Ensure the water tank is filled.
- 2. Place a large cup on the drip tray.
- 3. Insert an empty pod adapter (without a pod/powder) into the machine.
- 4. Press the power button to turn on the machine.
- 5. Once the machine is ready (indicator light stable), press the brew button to run a full cycle of hot water through the machine. Repeat this process 2-3 times.
- 6. If water does not flow, use the included inflator (syringe) to help prime the water pipes as per the separate instructions provided with the inflator.

5. OPERATING INSTRUCTIONS

5.1 General Brewing Steps



Figure 5.1: General Brewing Steps.

- 1. Fill Water Tank: Pour the desired amount of fresh, cold drinking water into the water tank.
- 2. Power On: Plug in the machine and click the power button to turn it on.
- 3. **Insert Pod/Powder:** Open the brewing chamber, insert the appropriate adapter with your chosen coffee format, and close the chamber firmly. Ensure the pod is completely pierced by the pinhole.
- 4. Select Water Volume: Use the LED bar indicator to choose the desired water level/brewing time.
- 5. Brew: Click the brew button to start brewing.
- 6. Enjoy: Your coffee will be dispensed into your cup.

5.2 Hot Brew Mode

For hot coffee, the machine requires a short preheating time.

- 1. Ensure the water tank is filled with room temperature water.
- 2. Long press the power button (approximately 3 seconds) to activate Hot Brew mode. The machine will preheat for about 35 seconds.
- 3. Once preheating is complete, the indicator light will stabilize. Proceed with inserting your coffee and selecting the water volume as described in General Brewing Steps.
- 4. Click the brew button to start brewing hot coffee.

5.3 Cold Brew (Direct Brew) Mode

For iced coffee, the machine brews directly without preheating.

- 1. Fill the water tank with water, optionally adding ice cubes directly into the tank for colder results.
- 2. Click the power button (short press) to activate Direct Brew mode. No preheating is required.
- 3. Proceed with inserting your coffee and selecting the water volume as described in General Brewing Steps.
- 4. Click the brew button to start brewing cold coffee.



Figure 5.2: Hot Brew vs. Cold Brew Mode.

5.4 Using Different Coffee Formats

The HiBREW H2B comes with four different adapters to accommodate various coffee types:

- Kcup* Filter: For K-Cup compatible pods. Insert the Kcup* pod into the Kcup* filter adapter.
- Nes* Filter: For Nespresso Original Line compatible capsules. Insert the Nes* capsule into the Nes* filter adapter.
- DG* Filter: For Dolce Gusto compatible capsules. Insert the DG* capsule into the DG* filter adapter.
- Coffee Powder Filter: For espresso powder or E.S.E. pods. Fill the filter with your desired amount of espresso powder and tamp lightly, or insert an E.S.E. pod.

Always ensure the correct adapter is used for your chosen coffee format and that it is securely placed in the brewing chamber before closing the lid.

5.5 Adjusting Water Volume (7 Preset Levels)

The machine offers 7 preset water levels, indicated by LED bars, allowing you to customize the strength and volume of your coffee. Match the LED bars to the bars on your DG* capsule or adjust according to your preference for other coffee types.

Figure 5.3: Choice of 7 Water Levels.

5.6 Cup Size Tips

A 6 oz to 8 oz coffee cup is recommended for use with this machine. Mugs or travel tumblers higher than 3.8 inches cannot be used due to the compact design. Please measure your cup before purchasing or using.



Figure 5.4: Cup Size Compatibility.

6. MAINTENANCE AND CLEANING

Regular cleaning and maintenance will ensure the longevity and optimal performance of your HiBREW H2B coffee maker.

6.1 Daily Cleaning

- 1. **Unplug:** Always unplug the machine from the power outlet before cleaning.
- 2. **Empty Drip Tray:** Remove and empty the drip tray after each use or when the indicator is full. Wash with warm, soapy water and rinse.
- 3. **Clean Water Tank:** Remove the water tank, empty any remaining water, and wash it with warm, soapy water. Rinse thoroughly.
- 4. **Clean Pod Adapters:** After each use, remove the used pod/powder and clean the respective adapter with warm, soapy water. Ensure no coffee grounds remain.
- 5. **Wipe Exterior:** Wipe the exterior of the machine with a soft, damp cloth. Do not use abrasive cleaners or scouring pads.

6.2 Descaling

Over time, mineral deposits (limescale) can build up in your coffee maker, affecting performance and taste. Descaling is recommended every 2-3 months, or more frequently if you have hard water.

- 1. **Prepare Descaling Solution:** Mix a descaling solution according to the manufacturer's instructions (e.g., white vinegar and water, or a commercial descaling agent).
- 2. Fill Water Tank: Pour the descaling solution into the water tank.
- 3. **Run Cycles:** Place a large container under the dispenser. Run several brewing cycles (without coffee) until the water tank is empty.
- 4. **Rinse:** Fill the water tank with fresh, clean water and run several more cycles to rinse out any remaining descaling solution.
- 5. Clean: Wash the water tank and drip tray thoroughly.

7. TROUBLESHOOTING

If you encounter issues with your coffee maker, please refer to the following troubleshooting guide:

Problem	Possible Cause	Solution		
Machine does not turn on.	Not plugged in; Power outlet malfunction; Machine fault.	Ensure power cord is securely plugged into a working outlet. Try a different outlet. If problem persists, contact customer support.		
No water or coffee dispenses.	Water tank empty; Machine not primed; Air bubble in system; Clogged needle.	Fill water tank. Perform priming steps (Section 4.3). Use the inflator if necessary. Clean the needle/piercing mechanism.		
Coffee is weak or watery.	Incorrect water volume selected; Pod/powder not suitable; Pod not properly pierced; Machine needs descaling.	Select a lower water volume. Ensure the pod is correctly inserted and pierced. Use appropriate coffee grind/pod type. Descale the machine.		
Water leaks from machine.	Water tank not seated correctly; Drip tray full; Internal seal issue.	Ensure water tank is firmly in place. Empty drip tray. If leaking persists, contact customer support.		
Pod adapter does not close properly.	Incorrect pod/adapter combination; Pod not seated correctly; Obstruction.	Ensure you are using the correct adapter for the pod type. Verify the pod is fully seated in the adapter and there are no obstructions.		
Coffee grounds explode or spill.	Pod/adapter not correctly inserted or sealed; Excessive pressure buildup.	Ensure the pod and adapter are correctly and securely inserted into the brewing chamber. Do not force the lid closed. If using ground coffee, ensure it is not overfilled or tamped too hard.		

8. Specifications

Feature

Feature	Detail			
Brand	HIBREW			
Model Name	H2B			
Color	Black			
Product Dimensions	9.65"D x 4.3"W x 9.65"H (24.5cm D x 10.9cm W x 24.5cm H)			
Item Weight	7.43 pounds (3.37 kg)			
Coffee Maker Type	Espresso Machine / Single-Serve Brewer			
Coffee Input Type	Pods (Kcup*, Nes*, DG*, E.S.E.) and Espresso Powder			
Pressure	19 Bar			
Water Tank Capacity	20 oz (approx. 600ml)			
Voltage	AC 110-120V, 60Hz			
Special Features	Auto Shut-Off, Programmable (7 water levels), Removable Tank, Thermal (Spiral Heating)			
Recommended Uses	Office, Home (for Cappuccino, Espresso, Iced Coffee, Latte, Mocha)			



Figure 8.1: Product Dimensions and Specifications.

9. WARRANTY AND SUPPORT

HiBREW is committed to providing high-quality products and customer satisfaction. While specific warranty details are not provided in this manual, please retain your proof of purchase for any warranty claims.


Customer Support:

If you have any questions, concerns, or require assistance with your HiBREW H2B coffee maker, please do not hesitate to contact HiBREW customer service. Contact information can typically be found on the product packaging, the official HiBREW website, or through your retailer.

Please provide your model number (H2B) and a detailed description of the issue when contacting support to ensure efficient assistance.

HiBREW G3A Coffee Grinder User Manual - Operation and Safety Guide

This user manual provides comprehensive instructions for the HiBREW G3A coffee grinder, covering setup, operation, cleaning, troubleshooting, and warranty information. Learn how to achieve the perfect grind for various coffee brewing methods.



H2B-02 Electric Skateboard User Manual

Comprehensive user manual for the H2B-02 Electric Skateboard, covering preparation, parts identification, remote control operation, pairing instructions, technical specifications, charging information, and essential safety guidelines.

Documents - HIBREW - H2B



[pdf]

HiBREW Ekspres do kawy na kapsuÅki 5 w 1 H2B biaÅy Sklep internetowy stylem pl hibrew ekspres kapsulki h2b biały 585285 upload files product |||

HiBREW Ekspres do kawy na kapsulki 5 w 1 **H2B** bialy Indeks: 585285 Producent: HiBREW Kod producenta: 4179 Cena: 753.99 zl Opis HiBREW Ekspres do kawy na kapsulki 5 w 1 **H2B** bialy Producent: HiBREW Niezastpiony towarzysz porankw i chwil relaksu - HiBREW Ekspres do kawy na kapsulki 5 w 1 **H2B**. Dziki ...

lang:pl score:37 filesize: 81.98 K page_count: 2 document date: 2025-01-18



[pdf]

HiBREW H2B PL Kapsułkowy ekspres do kawy 4w1 Instrukcja obsługi 1 Podnieś pokrywę zbiornika wody 2 Napełnij zbiornik czystą wodą maksymalna temperatura 35°C 3 Opuść instrukcja obsługi HIBREW mediaexpert pl products files 56 5699816 |||

Kapsulkowy ekspres do kawy 4w1 HiBREW**H2B** Instrukcja obslugi SKU **H2B** Opis produktu wymienne Kawa zmielona Pojemnik na kapsulk 1. Dwignia otwierajca do wymiany adapterw 2. Komora na adaptery 3. Wspornik malej filianki 4. Wspornik duej filianki 5. Przyciski sterujce: On/off, mala kawa i dua kawa 6. ...

lang:pl score:25 filesize: 8.93 M page count: 15 document date: 2023-01-02



[pdf]

HiBREW H2B PL Instrukcja obsługi pol kávéfőző 5 az 1 ben kapszulás fehér 45760 28937 89382540dc37023d6b6242098c67d52c puputeve hu media wysiwyg attachments ||| Kapsulkowy ekspres do kawy 5 w1 HiBREW**H2B** Instrukcja obsługi SKU **H2B** Opis produktu wymienny Kawa zmielona Kapsulka 1. Dwignia otwierajca do wymiany adapterw 2. Komora na adaptery 3. Wspornik malej filianki 4. Wspornik duej filianki 5. Przyciski sterujce: On/off, mala kawa i dua kawa 6. Pokrywa zb... lang:pl score:25 filesize: 10.73 M page count: 15 document date: 2024-02-22



[pdf] User Manual

H2B 20220225 User manual eng HiBREW H1B Kávéfőző 5 az 1 ben Fehér 41811 37708 b6c6aba4dcf994c7d18cdebb9dd5d6e2 puputeve hu media wysiwyg attachments ||| Kr SKU **H2B** interchangeable Coffee Powder E.S.E POD * * 10. Adapter for ground coffee or E.S.E. pod 44 mm . 11. Adapter for K-cup pod. * Nespresso Dolce Gusto are trademarks of Societe des Produits Nestle S.A. 2 If the machine enters standby mode, press the On/Off button to turn it back on. ...

lang:en score:25 filesize: 4.22 M page count: 8 document date: 2022-12-30



[pdf] User Manual

H2B 20220225 User manual eng HiBREW H1B Kávéfőző 5 az 1 ben fekete 41808 37707 be9f8b04907f79357aa029386957aebb puputeve hu media wysiwyg attachments |||

Kr SKU **H2B** interchangeable Coffee Powder E.S.E POD * * 10. Adapter for ground coffee or E.S.E. pod 44 mm . 11. Adapter for K-cup pod. * Nespresso Dolce Gusto are trademarks of Societe des Produits Nestle S.A. 2 If the machine enters standby mode, press the On/Off button to turn it back on. ...

lang:en score:25 filesize: 4.21 M page_count: 8 document date: 2022-12-30




[pdf]

HiBREW H2B HU Használati utasítás hun H4B GN hordozható kávéfőző 3 az 1 ben tokkal 41816 37710 15c540ec33d7e019c56c76fa7993656c puputeve hu media wysiwyg attachments |||

4 az 1-ben HiBREW **H2B** kapszuls kvfz Felhasznli kziknyv SKU**H2B** Termklers wymienne rlt kv Kapszulatartly 1. Nyitkar az adapterek cserjhez 2. Adapterrekesz 3. Kis csszetart 4. Nagy pohrtart 5. Vezrlgombok: On/off, kis kv s nagy kv 6. Vztartly fedl 7. Vztartly 8. Nespresso kapszula adapter* 9. Adapte...


lang:no score:23 filesize: 9.46 M page_count: 19 document date: 2022-12-30



[pdf]

HiBREW H2B PL Kapsułkowy ekspres do kawy 4w1 Instrukcja Jul 6 2024 — Dźwignia otwierająca wymiany adapterów 2 Komora na adaptery 3 Wspornik małej filiżanki 4 dużej 5 Przyciski sterujące On off 17986 27834 pol 6d36a78f08df080cde506d3c424b10b0 puputeve hu media wysiwyg attachments ||| Kapsulkowy ekspres do kawy 4w1 HiBREW**H2B** Instrukcja obsługi SKU **H2B** Opis produktu wymienne Kawa zmielona Pojemnik na kapsulk 1. Dwignia otwierajca do wymiany adapterw 2. Komora na adaptery 3. Wspornik malej filianki 4. Wspornik duej filianki 5. Przyciski sterujce: On/off, mala kawa i dua kawa 6. ...

lang:pl score:22 filesize: 8.93 M page count: 15 document date: 2023-01-02



[pdf]

HiBREW H2B PL docId C7FE33147714C2C64B90035A817C33F5 Kávovar na kapsle 5 v 1 Návod k obsluze 23 mag 2024 — Otevírací páka pro výměnu adaptérů 2 Přihrádka adaptér 3 Podpora malých šálků 4 Velká podpora Ovládací tlačítka Zapnutí vypnutí 16 pagine 2875609 664c8ce8053715 59158863 prilohy patro cz 000 002 875 |||

Kvovar na kapsle 5 v 1 HiBREW**H2B** Nvod k obsluze SKU**H2B** Popis produktu vymnitel n Mlet kva Kapsle 1. Otevrac pka pro vmnu adaptr 2. Pihrdka na adaptr 3. Podpora malch slk 4. Velk podpora slk 5. Ovldac tlactka: Zapnut/vypnut, mal kva a velk kva 6. Kryt ndrze na vodu 7. Ndrz na vodu 8. Adaptr p...

lang:hr score:22 filesize: 1.99 M page_count: 16 document date: 2024-05-20



[pdf]

Jessica Michel I PRESENTATION II DESCRIPTION DE I OFFRE III PERIODE VALIDITE L IV CONDITIONS D ELIGIBILITE DES PARTICIPAN conditions 100159202409301218581862 rnd 5A244BCE cdiscount odr ImagesOK CommercialOffer |||

Rglement HAPPY DISCOUNT Aspiration Petit-djeuner: 1 produit achet = le 2ime -50 I. PRESENTAT ... Centrifugeuse Fruits et Philips CSA260/61 Lot de 3 dtartrants 500ml - A CAFETIERE ELECTRIQUE HIBREW **H2B** Espresso Cafti NEW KARCHER SC 4 Easy Fix Brosse Compatible pour Dyso Tassimo HAPPY TAS1007 BOSCH... lang:fr score:14 filesize: 267.03 K page_count: 5 document date: 2024-09-30



[pdf]

Microsoft Word WTF24F03058900J LVD VoC Administrator Bekijk de CE markering HiBREW H2B 5 in 1 koffiezetapparaat wit bol original media s YmAlZX5pJOEn |||

lang:fr score:11 filesize: 309.04 K page_count: 1 document date: 2024-04-24