



Manuals.plus /

› VEVOR /

› VEVOR Dog Bike Trailer & Stroller (Model TS810) Instruction Manual

## VEVOR TS810

# VEVOR Dog Bike Trailer & Stroller (Model TS810) Instruction Manual

Model: TS810 | Brand: VEVOR

## INTRODUCTION

Thank you for choosing the VEVOR Dog Bike Trailer & Stroller. This 2-in-1 pet carrier is designed to provide a safe and comfortable way to transport your pet, whether you're cycling or jogging. Please read this manual thoroughly before assembly and use to ensure proper operation and your pet's safety.

This product is suitable for pets weighing up to 88 lbs (40 kg) and is compatible with bicycles featuring wheel diameters of 22-28 inches.

## IMPORTANT SAFETY INFORMATION

- Always ensure your pet is securely fastened inside the carrier using a pet restraint system.
- Do not exceed the maximum load capacity of 88 lbs (40 kg).
- Regularly inspect the trailer/stroller for any signs of wear, damage, or loose parts before each use.
- Ensure all quick-release mechanisms are properly secured.
- When used as a bike trailer, attach the safety flag for increased visibility.
- Recommended maximum speed is 8 MPH (13 KMH) on smooth surfaces and slowing to no more than 3 MPH (5 KMH) when turning or on uneven roads.
- Never leave your pet unattended in the trailer/stroller.
- Be aware of increased braking distance and turning radius when towing the trailer.
- Consult a veterinarian if you have concerns about your pet's ability to travel in the carrier.

## PACKAGE CONTENTS

Verify that all components are present before beginning assembly:

- 1 x Pet Trailer Main Frame
- 2 x Inflatable Rear Wheels
- 1 x Front Wheel Assembly
- 1 x Coupler
- 1 x Safety Flag
- 4 x Reflectors
- 2 x Handle Assemblies
- 1 x Towing Bar
- 4 x Screws
- 2 x Wheel Axles
- 2 x Brake Assemblies
- 1 x Quick-Press Locking Element
- 1 x Handle
- 2 x Open-Ended Wrenches
- 1 x Allen Wrench
- 1 x User Manual

## SETUP AND ASSEMBLY

Follow these steps to assemble your VEVOR Dog Bike Trailer & Stroller:

### 1. Step 1: Unfold the Main Frame and Install Crossbar.

Carefully unfold the main frame of the trailer. Locate and install the internal crossbar to secure the frame in its open position. Ensure it clicks into place firmly.



**VEVOR**

**30.1" L X 21" W X 20.8" H**  
**PET BIKE TRAILER**

Easily take your pet for a walk or ride

- Spacious Interior**  
Wagon size  
30.1"Lx21"Wx20.8"H
- High weight capacity**  
Supports up to  
66lbs/30kg
- One Size Fits Most**  
Fits 22"-28"  
Bicycle Wheels

Detailed view of unfolding the main frame and installing the crossbar.

## 2. Step 2: Attach Both Rear Wheels.

Insert the inflatable rear wheels into the axle receivers on both sides of the trailer frame. Press the quick-release button on the wheel hub and slide the wheel into position until it locks securely. Repeat for the second wheel.



*The trailer with rear wheels attached, ready for use.*

## 3. Step 3: Attach the Front Wheel (Stroller Mode).

For stroller mode, attach the front wheel assembly to the designated mounting point at the front of the trailer. Ensure it is securely locked.

# PRODUCT PARAMETERS

Recommended driving speed:

16 km/h on smooth surfaces and 8 km/h on uneven terrain.



|                                                                                                                                                                                                                                                                                                                                                     |                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>ITEM MODEL NUMBER:</b> TS810                                                                                                                                                                                                                                                                                                                     | <b>TYPE:</b> Trailer/Stroller Dual-Use                                            |
| <b>MAX LOAD CAPACITY:</b> 88 LBS/40 KG                                                                                                                                                                                                                                                                                                              | <b>PET COMPARTMENT SIZE:</b><br>31.5" x 21" x 20.8"/800 x 535 x 530 mm            |
| <b>COMPATIBLE BICYCLE WHEEL SIZE:</b><br>22"-28"                                                                                                                                                                                                                                                                                                    | <b>FRAME MATERIAL:</b><br>Carbon Steel                                            |
| <b>FABRIC COLOR:</b><br>Black + Gray                                                                                                                                                                                                                                                                                                                | <b>MATERIAL:</b><br>Carbon Steel + 600D Oxford Fabric + PP                        |
| <b>PRODUCT WEIGHT:</b><br>32.19 lbs/14.6 kg                                                                                                                                                                                                                                                                                                         | <b>PRODUCT SIZE AS A TRAILER:</b><br>56.69" x 28.35" x 30.71"/1470 x 720 x 780 mm |
| <b>PRODUCT SIZE AS A STROLLER:</b><br>60.24" x 28.35" x 32.48"/1530 x 720 x 825 mm                                                                                                                                                                                                                                                                  | <b>FOLDED SIZE:</b><br>31.50" x 22.44" x 7.68"/800 x 570 x 195 mm                 |
| <b>PACKAGE CONTENT:</b> 1 x Pet Trailer Main Frame 2 x Inflatable Rear Wheels<br>1 x Front Wheel Assembly 1 x Coupler 1 x Safety Flag 4 x Reflectors 2 x Handle Assemblies<br>1 x Towing Bar 4 x Screws 2 x Wheel Axles 2 x Brake Assemblies 1 x Quick-Press Locking Element<br>1 x Handle 2 x Open-Ended Wrenches 1 x Allen Wrench 1 x User Manual |                                                                                   |

The VEVOR pet carrier configured as a stroller with the front wheel in place.

#### 4. Step 4: Attach the Towing Bar and Safety Flag (Trailer Mode).

For bike trailer mode, attach the towing bar to the front of the trailer frame using the provided quick-press locking element. Secure the safety flag into its receptacle on the trailer for visibility.



*The pet carrier configured as a bike trailer, showing the towing bar and safety flag.*

**5. Step 5: Connect to the Bicycle.**

Attach the universal bicycle coupler to the rear axle of your bicycle. Then, connect the towing bar of the pet trailer to this coupler. Ensure a secure connection and check that the safety strap is also attached to your bicycle frame as a backup.

**VEVOR**  
TOUGH TOOLS, HALF PRICE

# TRAILER & STROLLER 2-IN-1 DESIGN

Meet various usage needs

- Can be used as a stroller or a trailer
- Compatible with 22"-28" wheel diameter
- Easy-to-attach coupler for bicycles
- Adjustable handle height to accommodate different users




*Close-up of the easy-to-attach coupler for bicycles.*

## 6. Step 6: Adjust Handle Height.

The handle is adjustable to accommodate users of different heights. Press the adjustment buttons on the handle assemblies and set the handle to your desired height (from 30.91"/785 mm at 90° to 44.88"/1140 mm at 180°).

# ADJUSTABLE HANDLE HEIGHT

Accommodate users of different heights



Universal front wheel for jogging



30.91"/785 mm  
(Handle at 90°)  
-44.88"/1140 mm  
(Handle at 180°)

Diagram showing the adjustable handle positions for user comfort.

## OPERATING INSTRUCTIONS

### Using as a Pet Stroller

- Ensure the front wheel assembly is securely attached and the towing bar is removed or folded away.
- Open the zippered front or rear door to allow your pet to enter.
- Secure your pet with the internal restraint system.
- Adjust the handle to a comfortable height.
- Utilize the mesh windows for ventilation or the PVC canvas layer for weather protection as needed.

# COMFORTABLE & BREATHABLE MATERIAL

Stay cool and comfortable even on long trips



Mesh layer with zipper and PVC canvas layer



Breathable when open, waterproof when closed

*The pet carrier showing options for mesh ventilation and waterproof PVC cover.*

## Using as a Bike Trailer

- Ensure the front wheel assembly is removed and the towing bar is securely attached to both the trailer and your bicycle.
- Confirm the safety flag is installed and visible.
- Open the zippered front or rear door for pet entry and secure your pet with the internal restraint.
- Always maintain a safe speed, especially when turning or on uneven terrain.

# ACCESSIBLE FRONT & REAR ENTRY

Convenient for pets to get in and out



Zippered design  
for security

*The pet carrier with open front and rear zippered entries for easy access.*

## MAINTENANCE

- **Cleaning:** Clean the fabric with a damp cloth and mild soap. Do not use harsh chemicals. Allow to air dry completely before folding or storing.
- **Wheel Care:** Check tire pressure regularly. Ensure wheels spin freely and axles are clean.
- **Storage:** For convenient storage and transport, the wheels are removable, and the frame folds and flips. Store in a dry place away from direct sunlight.

# UNIQUE FOLDING FRAME DESIGN

Quick-release wheels for easy storage and transport

Using high-strength materials and structures ▶

Small size, convenient  
for storage and carrying



*The pet carrier folded for compact storage and transport.*

## TROUBLESHOOTING


| Problem                           | Possible Cause                                                              | Solution                                                                                                                                                           |
|-----------------------------------|-----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Trailer feels unstable or wobbly. | Loose wheel attachment, uneven tire pressure, or improper hitch connection. | Ensure wheels are securely locked. Check and adjust tire pressure. Verify the bicycle coupler is tightly fastened to the bike axle.                                |
| Difficulty folding the frame.     | Internal crossbar not disengaged or obstruction.                            | Ensure the internal crossbar is fully released. Check for any items inside the carrier preventing it from folding.                                                 |
| Pet resists entering the carrier. | Unfamiliarity or anxiety.                                                   | Introduce the carrier gradually. Use treats and positive reinforcement. Place familiar bedding or toys inside. Start with short, stationary periods before moving. |

## SPECIFICATIONS

| Feature                       | Detail                                               |
|-------------------------------|------------------------------------------------------|
| Model Number                  | TS810                                                |
| Type                          | Trailer/Stroller Dual-Use                            |
| Max Load Capacity             | 88 lbs / 40 kg                                       |
| Pet Compartment Size          | 31.5" L x 21" W x 20.8" H (800 x 535 x 530 mm)       |
| Compatible Bicycle Wheel Size | 22" - 28"                                            |
| Frame Material                | Carbon Steel                                         |
| Fabric Color                  | Black + Gray                                         |
| Product Weight                | 32.19 lbs / 14.6 kg                                  |
| Product Size (as Trailer)     | 56.69" L x 28.35" W x 30.71" H (1440 x 720 x 780 mm) |
| Product Size (as Stroller)    | 60.24" L x 28.35" W x 32.48" H (1530 x 720 x 825 mm) |
| Folded Size                   | 31.50" L x 22.44" W x 7.68" H (800 x 570 x 195 mm)   |
| Mounting Type                 | Bicycle Coupler                                      |
| Harness Type                  | Pet Restraint System                                 |

**VEVOR**

Never exceed a safe speed.  
Recommended maximum speed  
is 8 MPH (13 KMH) and slowing to  
no more than 3 MPH (5 KMH)  
when turning or on uneven roads.



We continue to be committed to provide you with cost-effective tools.  
"Save Half" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us.  
You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

Item Model Number:

TS810

Frame Material:

Carbon Steel

Max Load Capacity:

88 lbs/40 kg

Pet Compartment Size:

31.5" x 21" x 20.8" /

800 x 535 x 530 mm

Compatible Bicycle Wheel Size:

22" -28"

Material:

Carbon Steel +

600D Oxford Fabric + PP

Type: Trailer/Stroller Dual-Use

Fabric Color:

Black + Gray

Product Weight:

32.19 lbs/14.6 kg

Product Size as a Trailer:

56.69" x 28.35" x 30.71" /

1440x 720 x 780 mm

Product Size as a Stroller:

60.24" x 28.35" x 32.48" /

1530 x 720 x 825 mm

Folded Size:

31.50" x 22.44" x 7.68" /

800 x 570 x 195 mm

Visual representation of the VEVOR Dog Bike Trailer with key dimensions and features.

## WARRANTY AND SUPPORT

For warranty information, technical support, or replacement parts, please contact VEVOR customer service. Refer to the contact details provided with your purchase documentation or visit the official VEVOR website.

*Please retain your proof of purchase for warranty claims.*