

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [EasyKeys](#) /

› [Ojmar E003 Office Furniture Replacement Key User Manual](#)

EasyKeys E003

Ojmar E003 Office Furniture Replacement Key User Manual

Model: E003

PRODUCT OVERVIEW

This manual provides instructions for the Ojmar E003 Office Furniture Replacement Key. This key is designed to replace lost or damaged keys for Ojmar cabinet locks within the E001-E698 series. It is a custom-cut key on an OJ-9D key blank, ensuring compatibility with the specified lock types.



Figure 1: The Ojmar E003 replacement key. This image shows the metallic key with "HR 1" and "E001" stamped on its head, indicating its series and specific cut.

KEY IDENTIFICATION AND SETUP

Before using your replacement key, it is crucial to verify that it matches your lock's code. The correct key is determined by the lock code, which is typically stamped on your original key or directly on the face of the lock cylinder.

Identifying Your Lock Code:

- Check Original Key:** If you still possess your original key, locate the stamped code on its head. This code will be in the format "E00X" (e.g., E003).
- Inspect Lock Face:** If the original key is lost, examine the face of the lock cylinder on your office furniture. The code should be visible there.

Ensure the code on your replacement key (E003) matches the code found on your lock or original key. Mismatched codes will prevent the key from operating the lock.

OPERATING THE KEY

The Ojmar E003 replacement key functions identically to an original key for compatible Ojmar cabinet locks.

Basic Operation:

- Insert Key:** Gently insert the E003 key into the keyway of the Ojmar lock cylinder. Do not force the key.
- Turn Key:** Once fully inserted, turn the key clockwise to lock or counter-clockwise to unlock, depending on the lock mechanism's design. The key should turn smoothly.
- Remove Key:** After operating the lock, return the key to its original insertion position (usually vertical) before removing it.

If the key does not insert or turn smoothly, do not force it. Refer to the Troubleshooting section.

MAINTENANCE

The Ojmar E003 key requires minimal maintenance to ensure its longevity and proper function.

- Keep Clean:** Periodically wipe the key with a dry, soft cloth to remove dust or debris.
- Avoid Harsh Chemicals:** Do not use abrasive cleaners or solvents on the key, as these can damage the metal finish.
- Proper Storage:** Store the key in a dry place, away from extreme temperatures or corrosive environments.
- Lubrication (for lock):** If the lock mechanism becomes stiff, a small amount of graphite powder or a specialized lock lubricant can be applied directly into the lock cylinder, not on the key itself. Consult a locksmith if unsure.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Key does not insert fully.	Incorrect key code; debris in lock; bent key.	Verify key code matches lock. Check for and remove debris from keyway. Inspect key for damage; replace if bent.
Key inserts but does not turn.	Incorrect key code; internal lock mechanism issue; key not fully inserted.	Confirm key code. Ensure key is fully inserted. If lock is stiff, apply lock lubricant. If problem persists, the lock may require professional service.
Key is difficult to remove.	Key not in neutral position; internal lock mechanism issue.	Ensure key is returned to the vertical (neutral) position before attempting removal. Apply lock lubricant if stiffness is present.

SPECIFICATIONS

- Product Type:** Replacement Key
- Key Series:** Ojmar E001-E698
- Model:** E003
- Manufacturer:** Ojmar
- Brand:** EasyKeys
- Lock Type Compatibility:** Cabinet Locks (Ojmar GCODE)
- Key Blank:** OJ-9D

- **Item Weight:** Approximately 7 Grams (0.247 ounces)
- **Controller Type:** Hand Control

WARRANTY AND SUPPORT

For information regarding warranty coverage or to obtain support for your Ojmar E003 replacement key, please contact the seller, EasyKeys Inc. USA, directly through their Amazon store page or customer service channels.

Seller: EasyKeys Inc. USA

Return Policy: 30-day refund/replacement policy (as per Amazon's standard return policy for this product).


For further assistance, you may visit the [EasyKeys Store on Amazon](#).

© 2024 EasyKeys. All rights reserved.

This manual is for informational purposes only. Product specifications are subject to change without notice.


Related Documents - E003

	<p>Stelrad Fantasia Fluid Electric Towel Radiators - Installation and Operation</p> <p>Discover the Stelrad Fantasia Fluid, an efficient and versatile electric towel radiator. This guide covers installation, electrical connection, and operation of the integrated control panel, offering features like Adaptive Start Control, energy saving, and child safety.</p>
	<p>Dulas VC225ILR Vaccine Refrigerator User Manual</p> <p>User manual for the Dulas VC225ILR Mains Powered Vaccine Refrigerator, detailing its features, installation, operation, safety, and maintenance for reliable vaccine storage.</p>
	<p>Engwe Engine Pro 2.0 Electric Bike Assembly and User Manual</p> <p>Comprehensive guide for assembling, maintaining, and understanding the specifications of the Engwe Engine Pro 2.0 electric bicycle. Includes detailed instructions, troubleshooting, and contact information.</p>
	<p>Siemens Desigo PXC5.E003 System Controller: Technical Specifications and Features</p> <p>Comprehensive technical specifications, functions, and integration details for the Siemens Desigo PXC5.E003 system controller, designed for BACnet/MSTP, Modbus, and KNX PL-Link device integration in building automation systems.</p>



[Engwe Engine Pro 2.0 Electric Bike User Manual and Assembly Guide](#)

Comprehensive guide to assembling, operating, and maintaining the Engwe Engine Pro 2.0 electric bicycle. Includes detailed instructions, specifications, and troubleshooting tips.



[Tony Kanaan Racing Triple Monitor Mount Assembly Guide](#)

Assembly instructions and parts list for the Tony Kanaan Racing Triple Monitor Mount, compatible with up to three 27-inch displays.