

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Bestway](#) /
- › [Bestway Sealy 22" Queen Airbed with Built-in AC Pump Instruction Manual](#)

Bestway 94057E

Bestway Sealy 22" Queen Airbed with Built-in AC Pump Instruction Manual

MODEL: 94057E

Introduction

Thank you for choosing the Bestway Sealy 22" Queen Airbed with Built-in AC Pump. This manual provides essential information for the safe and efficient setup, operation, and maintenance of your airbed. Please read all instructions carefully before use and retain this manual for future reference.



Image: The Sealy 22-inch Queen Airbed, fully inflated, showcasing its height and comfortable sleeping surface.

Safety Information

- Do not jump on the airbed.
- Keep the airbed away from sharp objects, heat sources, and open flames.
- This airbed is not a life-saving device. Do not use in water.
- Ensure the power cord for the built-in pump is not a tripping hazard.
- Do not overinflate the airbed.
- Supervise children around the airbed.
- Maximum weight capacity: 661 pounds.

Package Contents

- One (1) Sealy 22" Queen Airbed with Built-in AC Pump
- One (1) Carry Bag
- One (1) Repair Patch Kit
- One (1) Instruction Manual

Setup Instructions

1. **Unpack the Airbed:** Remove the airbed from its carry bag and unroll it on a clean, flat surface. Ensure there are no sharp objects underneath that could puncture the mattress.
2. **Locate the Built-in Pump:** The built-in AC pump is located on the side of the airbed. Open the cover to access the power cord and control dial.



Image: A person's hands opening the protective cover of the built-in pump unit on the side of the airbed.

3. **Plug In the Pump:** Extend the power cord and plug it into a standard AC electrical outlet. A green LED light will illuminate, indicating the pump is receiving power.



Image: A person's hands plugging the power cord into the built-in pump, with the green indicator light visible.

4. **Inflate the Airbed:** Turn the control dial clockwise to the 'Inflate' position. The pump will begin to inflate the airbed. Allow the airbed to inflate to your desired firmness. This typically takes less than 5 minutes.
5. **Adjust Firmness:** Once inflated, you can fine-tune the firmness by briefly turning the dial to 'Inflate' for more air or to 'Deflate' for less air.



Image: A hand gently pressing on the surface of the inflated airbed to demonstrate checking for desired firmness.

6. **Turn Off the Pump:** Once the desired firmness is reached, turn the control dial to the 'Off' position and unplug the power cord. Store the cord neatly within its compartment and close the cover.

Operating Instructions

Inflation

Follow the steps outlined in the 'Setup Instructions' above to inflate your airbed. The built-in pump makes inflation quick and convenient.

Deflation

1. Ensure the airbed is unplugged from the power outlet.
2. Open the pump cover and plug the power cord back into the outlet.
3. Turn the control dial counter-clockwise to the 'Deflate' position. The pump will begin to remove air from the mattress.
4. Allow the airbed to fully deflate. You may gently press on the mattress to assist with air expulsion.
5. Once deflated, turn the control dial to the 'Off' position and unplug the power cord. Store the cord and close the cover.

Maintenance

- **Cleaning:** Clean the airbed surface with a damp cloth and mild soap. Do not use harsh chemicals or abrasive cleaners. Ensure the airbed is completely dry before storing.
- **Repairing Punctures:** In case of a small puncture, use the included repair patch kit. Clean the area around the puncture, apply the patch firmly, and allow it to cure for several hours before reinflating.
- **Regular Inspection:** Periodically inspect the airbed for any signs of wear, punctures, or damage to the pump unit or power cord.

Storage

For optimal longevity, store your airbed properly:

1. Ensure the airbed is completely deflated and dry.
2. Fold or roll the airbed neatly to fit into the provided carry bag.
3. Store the airbed in a cool, dry place, away from direct sunlight and extreme temperatures.

Troubleshooting

- **Airbed Not Inflating:**

- Check if the power cord is securely plugged into a working electrical outlet.
- Ensure the control dial is set to the 'Inflate' position.
- Verify that the pump cover is fully open and not obstructing airflow.

- **Airbed Losing Air:**

- Inspect the airbed surface for punctures or leaks. Use soapy water to locate small leaks.
- Check the pump's control dial to ensure it is fully in the 'Off' position after inflation.
- Ensure the pump cover is securely closed.

- **Pump Not Operating:**

- Confirm the power outlet is functional by testing with another appliance.
- Check for any visible damage to the power cord or pump unit.

If issues persist, please contact customer support.

Specifications

Feature	Detail
Size	Queen (U.S. Standard)
Height	22 Inches
Brand	Bestway
Model Name	Sealy Air Mattress
Model Number	94057E
Material	Polyvinyl Chloride (PVC) with Trittech™ internal structure
Special Feature	Built-in AC Pump, Flocked Surface, Wave Beam Design
Weight Capacity	661 Pounds
Item Weight	23 Pounds
Included Components	Carry Bag
UPC	821808035434

Warranty and Support

For warranty information and customer support, please refer to the warranty card included with your product or visit the official Bestway website. Keep your purchase receipt as proof of purchase for any warranty claims.