

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [TNICER](#) /

› [TNICER T3X Motorcycle Bluetooth Headset User Manual](#)

TNICER T3X

TNICER T3X Motorcycle Bluetooth Headset User Manual

Model: T3X | Brand: TNICER

INTRODUCTION

The TNICER T3X Motorcycle Bluetooth Headset is designed to provide clear and reliable communication for motorcyclists. Featuring advanced ENC (Environmental Noise Cancellation) technology, Bluetooth 5.2 connectivity, and multi-rider intercom capabilities, the T3X enhances your riding experience by allowing seamless communication, music enjoyment, and call management on the road. This manual provides detailed instructions for setup, operation, and maintenance of your T3X headset.

PACKAGE CONTENTS

Please verify that all items listed below are included in your package:

PACKAGE LIST



Intercom x1



HiFi Speaker With Boom Mic x1



Soft Tube Microphone x1



Use Manual x1



Mounting Bracket x1



Type-C cable



3M Single Sided Silicone Pad x2



3M Double Sided Silicone Pad x2



Big Square Velcro x1



Small Square Velcro x1



Round Velcro x2



Metal Clip x1

Image: Contents of the TNICER T3X package.

- Intercom Unit (x1)
- HiFi Speaker with Boom Mic (x1)
- Soft Tube Microphone (x1)
- User Manual (x1)
- Mounting Bracket (x1)
- Type-C Cable (x1)

- 3M Single Sided Silicone Pad (x2)
- 3M Double Sided Silicone Pad (x2)
- Big Square Velcro (x1)
- Small Square Velcro (x1)
- Round Velcro (x2)
- Metal Clip (x1)

PRODUCT OVERVIEW

The TNICER T3X is equipped with several key features designed for optimal performance and user convenience:

Independent ENC Noise Reduction Chip



The T3X integrates an independent ENC (Environmental Noise Cancellation) chip, alongside DSP and CVC technologies, to provide superior noise reduction. This system accurately identifies and suppresses ambient noise by up to 35dB, ensuring your voice is clear during communications, even in noisy riding conditions. It also features an upgraded MEMS microphone for more accurate sound pickup.

Latest Bluetooth 5.2 & 8-Way Intercom



Utilizing an optimized Qualcomm Bluetooth 5.2 chip, the T3X ensures a highly stable connection with low energy consumption. It supports real-time intercom for up to 8 riders, with an effective communication distance of approximately 1000 meters between two motorcycles in open environments. For 8 riders, the maximum communication distance can extend up to 1500 meters.

Automatic Pairing Feature



The T3X simplifies group communication with its auto-pairing function. By performing the pairing operation on one T3X unit, other T3X headsets in your group will automatically pair, eliminating complex manual pairing steps. This feature allows for quick and easy connection for multiple riders.

3 EQ Sound Effects & Music Sharing



Customize your audio experience with three distinct equalized sound effects: Bass Boost (Rock), Midrange Boost (Pop), and Treble Boost (Vocal). The T3X also supports music sharing, allowing two riders to enjoy the same music simultaneously during their ride.

Long Battery Life & IP67 Waterproof Rating



Powered by a 1000mAh Li-Polymer battery, the T3X provides up to 35 hours of music time, 30 hours of talk time, and an impressive 260 hours of standby time. It features OVP intelligent charging protection for safe charging. With an IP67 waterproof and dustproof rating, the T3X is built to withstand various weather conditions, ensuring reliable performance in rain, mud, or snow.

SETUP

1. Installation on Helmet

The T3X unit can be mounted to your helmet using either the metal clip or the adhesive bracket. Ensure

the mounting location allows for easy access to controls and does not obstruct your vision or helmet functionality.

- **Mounting the Unit:** Choose between the metal clip for temporary attachment or the 3M adhesive bracket for a more permanent fixture. Clean the helmet surface thoroughly before applying the adhesive bracket.
- **Speaker Placement:** Position the HiFi speakers inside the helmet's ear pockets. Ensure they are aligned with your ears for optimal sound quality. Use the provided Velcro pads to secure them.
- **Microphone Attachment:** Attach the boom microphone (for open-face helmets) or soft tube microphone (for full-face helmets) to the inside of the helmet, positioning it close to your mouth for clear voice pickup. Route the cables neatly under the helmet padding to avoid interference.

2. Charging the Device

Before first use, fully charge the T3X headset. Connect the provided Type-C cable to the charging port on the unit and plug the other end into a USB power source (e.g., computer, wall adapter). The charging indicator light will show the charging status. A full charge typically takes approximately 2.5 hours.

OPERATING INSTRUCTIONS

1. Power On/Off

- **Power On:** Press and hold the Power button and another designated button simultaneously for a few seconds until the indicator light illuminates.
- **Power Off:** Press and hold the Power button and another designated button simultaneously for a few seconds until the indicator light turns off.

2. Bluetooth Pairing

- **Initial Pairing (First Use):** With the headset off, press and hold the Power button until the indicator light flashes rapidly, indicating pairing mode. On your mobile device, search for "TNICER T3X" in the Bluetooth settings and select to connect.
- **Automatic Group Pairing:** For multiple T3X units, initiate pairing on one unit. Other T3X units in the group will automatically connect, simplifying the setup for group rides.
- **Universal Pairing:** The T3X supports open-source Bluetooth protocols, allowing it to connect with other brands of Bluetooth intercom devices. Refer to the specific pairing instructions for the third-party device.

3. Intercom Function

- **Initiating Intercom:** Once paired with other T3X units, press the Intercom button to start a conversation.
- **Ending Intercom:** Press the Intercom button again to end the conversation.
- **Automatic Reconnection:** If connection is lost due to distance, the T3X will automatically reconnect when units are back within range.

4. Music Playback

- **Play/Pause:** Press the Multi-function button once.
- **Next Track:** Press the Volume Up button.
- **Previous Track:** Press the Volume Down button.
- **Volume Adjustment:** Use the Volume Up/Down buttons to adjust the listening volume.

- **EQ Adjustment:** While playing music, press a specific button (refer to quick start guide for exact button) to cycle through Bass Boost, Midrange Boost, and Treble Boost sound effects.
- **Music Sharing:** Activate music sharing to allow another paired T3X unit to listen to the same music.

5. Call Management

- **Answer Call:** Press the Multi-function button once when a call comes in.
- **End Call:** Press the Multi-function button once during a call.
- **Reject Call:** Press and hold the Multi-function button for 2 seconds when a call comes in.
- **Microphone Mute:** The T3X features a microphone mute function to protect your privacy during calls or intercom conversations. Refer to the quick start guide for the specific button combination to activate/deactivate mute.

MAINTENANCE

To ensure the longevity and optimal performance of your TNICER T3X headset, follow these maintenance guidelines:

- **Cleaning:** Wipe the unit with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners. Ensure the charging port cover is securely closed to maintain IP67 waterproofing.
- **Storage:** Store the headset in a cool, dry place away from direct sunlight and extreme temperatures. If storing for an extended period, charge the battery to about 50% every few months to preserve battery health.
- **Water Exposure:** While IP67 rated, avoid prolonged submersion in water. After exposure to rain or splashes, wipe the unit dry.

TROUBLESHOOTING

If you encounter issues with your T3X headset, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Device does not power on	Low battery; Incorrect power-on procedure	Charge the device fully; Ensure you are pressing the correct buttons simultaneously to power on.
Cannot pair with phone/other headset	Device not in pairing mode; Too far from device; Interference	Ensure the T3X is in pairing mode (flashing indicator); Move closer to the device; Restart both devices and try again.
Poor audio quality/noise during calls	Microphone not positioned correctly; High ambient noise; Loose speaker connection	Adjust microphone closer to mouth; Ensure ENC is active; Check speaker connections; Consider helmet type and speed.
Intercom connection drops frequently	Beyond effective range; Obstacles between riders	Stay within the recommended communication distance; Avoid large obstacles like buildings or dense terrain.
Buttons are difficult to operate	Wearing thick gloves; Unfamiliarity with button layout	Practice button operations without gloves; Familiarize yourself with the button layout.

SPECIFICATIONS

Feature	Detail
Model Name	T3X
Connectivity Technology	Wireless (Bluetooth)
Bluetooth Version	5.2
Battery Capacity	1000mAh Li-Polymer
Music Time	Up to 35 Hours
Talk Time	Up to 30 Hours
Standby Time	Up to 260 Hours
Charging Time	Approx. 2.5 Hours
Intercom Range (2 riders)	Approx. 1000 meters (unobstructed)
Intercom Range (8 riders)	Approx. 1500 meters (unobstructed)
Noise Reduction	ENC + DSP + CVC (up to 35dB)
Water Resistance Level	IP67 Waterproof and Dustproof
Sound Effects	3 EQ Modes (Bass, Midrange, Treble Boost)
Control Type	Media Control, Touch
Item Weight	13.7 ounces
Manufacturer	TNICER

WARRANTY AND SUPPORT

For warranty information, technical support, or further assistance, please refer to the warranty card included with your product or visit the official TNICER website. Contact details for customer service are typically provided on the product packaging or the manufacturer's support page.

© 2024 TNICER. All rights reserved.

Related Documents - T3X

 <p>HELMET BLUETOOTH HEADSET TNICER T3 Bluetooth®</p>	<p>NICER TNICER T3 Helmet Bluetooth Headset User Manual</p> <p>Comprehensive guide for the NICER TNICER T3 Helmet Bluetooth Headset, covering features, functions, pairing, installation, and specifications. Ideal for motorcycle riders.</p>
--	--

	<p>TNICER G1EX Helmet Bluetooth Intercom Instruction Manual</p> <p>Comprehensive instruction manual for the TNICER G1EX Helmet Bluetooth Intercom system, detailing product features, installation methods, Bluetooth operations, phone call handling, music functions, intercom pairing, music sharing, charging precautions, and FCC compliance.</p>
	<p>TNICER T2 Helmet Bluetooth Headset User Manual</p> <p>User manual for the TNICER T2 Helmet Bluetooth Headset, detailing its features, functions, pairing, installation, and specifications for motorcycle riders.</p>
	<p>TNICER Motorcycle Bluetooth Headset Intercom Connection Guide</p> <p>Comprehensive guide on connecting TNICER motorcycle Bluetooth headsets with popular brands like Cardo Packtalk Edge, Fodsports M1-S PRO, and Sena 50R for multi-rider and two-rider intercom systems.</p>
	<p>TNICER G4 BlackHonk Helmet Bluetooth Intercom with Camera User Manual</p> <p>Comprehensive user manual for the TNICER G4 BlackHonk, a 2-rider helmet Bluetooth intercom system with camera, detailing its features, functions, pairing, installation, and charging.</p>
	<p>NICER T5 Helmet Bluetooth Headset User Manual</p> <p>Comprehensive user manual for the NICER T5 helmet Bluetooth headset, detailing features, functions, pairing operations, and controls for motorcycle riders.</p>



[NICER TNICER T3 Helmet Bluetooth Headset User Manual](#)

Comprehensive guide for the NICER TNICER T3 Helmet Bluetooth Headset, covering features, functions, pairing, installation, and specifications. Ideal for motorcycle riders.
lang:en score:34 filesize: 924.07 K page_count: 16 document date: 2023-06-27