

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Garvee](#) /

› [Garvee 10x20 Heavy Duty Carport Instruction Manual](#)

**Garvee 10x20**

# Garvee 10x20 Heavy Duty Carport Instruction Manual

Model: 10x20

## INTRODUCTION

This manual provides detailed instructions for the assembly, operation, maintenance, and troubleshooting of your Garvee 10x20 Heavy Duty Carport. Please read this manual thoroughly before installation and use to ensure safe and efficient operation. Keep this manual for future reference.



Image: The Garvee 10x20 Heavy Duty Carport, a white canopy structure, providing shelter for a pickup truck in an outdoor setting.

## IMPORTANT SAFETY INFORMATION

Always prioritize safety during assembly and use. Failure to follow these instructions may result in injury or damage to the product.

- **Anchoring:** Always ensure the carport is properly anchored using the provided windproof ropes and auger anchors to prevent it from being blown away by strong winds.
- **Weather Conditions:** Do not use the carport in severe weather conditions, including but not limited to heavy snow, strong winds exceeding recommended limits, or extreme thunderstorms. Disassemble the carport if severe weather is anticipated.
- **Assembly:** Assembly requires two or more adults. Do not attempt to assemble alone.
- **Clearance:** Ensure adequate clearance around the carport for safe entry and exit of vehicles and personnel.
- **Inspection:** Regularly inspect all components for wear, damage, or loose connections. Replace damaged parts immediately.

## PRODUCT FEATURES

The Garvee 10x20 Heavy Duty Carport is designed for durability and versatility, offering protection for vehicles and equipment.

- **Spacious Design:** Measures 10 ft x 20 ft, providing ample space for cars, trucks, SUVs, boats, or for use as an outdoor event shelter.
- **Heavy Duty Construction:** Features a galvanized steel frame with 8 legs, thickened connectors, 8 sturdy windproof ropes, and 8 auger anchors for enhanced stability.
- **All-Season Protection:** Equipped with a heat-sealed, triple-layer 160g polyethylene fabric tarp that is waterproof, UV-resistant, wind-resistant, and dust-proof.
- **Easy Assembly:** Tool-free frame design allows for quick and easy setup with step-by-step instructions provided.

## Multi Protection



Image: Visual representation of the carport offering multi-protection against water and sun.

# 3-Layer PE Fabric



UV-Resistant



Water Repellent



Wind Resistant



Dust-proof

Image: Detailed view of the 3-layer PE fabric highlighting its protective qualities against UV, water, wind, and dust.

# Stable Metal Frame




Image: Components of the carport's stable metal frame, illustrating the quality of its construction and securing accessories.

## Durability Testing

Your browser does not support the video tag.

Video: A demonstration of the carport's load-bearing capacity and resistance to wind (up to 40mph) and rain (up to 0.5 in/hr), showcasing its robust design.


## SETUP INSTRUCTIONS

The Garvee Carport features a tool-free frame for quick and easy assembly. It is recommended that two or more adults install this portable car tent in approximately half an hour.

- 1. Prepare the Area:** Choose a flat, level surface for installation. Clear any debris or obstacles.
- 2. Unpack Components:** Carefully unpack all parts and verify against the parts list in your packaging.
- 3. Assemble the Roof Frame:** Connect the roof frame poles according to the diagrams provided in your packaging. The pieces are designed to snap together.
- 4. Attach the Canopy Cover:** Drape the polyethylene tarp over the assembled roof frame. Secure the tarp to the frame using the elastic ball straps, ensuring a snug fit.

5. **Install the Legs:** Attach the vertical leg poles to the roof frame. Ensure all connections are secure.
6. **Secure the Carport:** Use the provided windproof ropes and auger anchors to firmly secure the carport to the ground. This step is critical for stability and safety.
7. **Attach Side Panels (Optional):** If desired, attach the side panels using the integrated zippers and Velcro straps.

## INSTALLATION PROCEDURE



### STEP 1

Install the roof frame



### STEP 2

Cover the frame with a tarp



### STEP 3

Install the steel pipe feet



### STEP 4

Secure the tent with parts

Image: A visual guide illustrating the four main steps of carport installation: roof frame, tarp, legs, and securing.

## OPERATING INSTRUCTIONS

The Garvee Carport offers flexible usage options depending on your needs.

- **Vehicle Storage:** Drive your vehicle into the carport for protection from sun, rain, dust, and light snow. Ensure the vehicle is centered to prevent contact with the frame or tarp.
- **Opening/Closing Side Panels:** The side panels can be zipped open or closed. For increased airflow or an open-sided canopy, unzip the panels and roll them up, securing them with the attached Velcro straps.
- **Event Shelter:** Utilize the carport as a temporary shelter for outdoor events. The removable sidewalls allow for customization based on weather and privacy requirements.
- **Equipment Storage:** Store garden equipment, tools, or other outdoor items to protect them from the elements.

# Wide Application

suitable for a variety of occasions



Camping



Garage



Stall



Outdoor Party

Image: Examples of the carport's versatile applications, including camping, garage, market stall, and outdoor party use.

## MAINTENANCE

Regular maintenance will extend the lifespan of your Garvee Carport.

- **Cleaning:** Clean the tarp regularly with mild soap and water. Avoid harsh chemicals or abrasive brushes that could damage the material. Rinse thoroughly and allow to air dry completely before storage.
- **Frame Inspection:** Periodically check all frame connections, bolts, and anchors for tightness. Tighten any loose components.
- **Tarp Inspection:** Inspect the tarp for any tears, punctures, or signs of wear. Repair small damages promptly to prevent them from worsening.
- **Snow Removal:** In areas with snowfall, regularly remove accumulated snow from the roof to prevent structural collapse due to excessive weight.
- **Storage:** If disassembling for storage, ensure all components are clean and dry. Store them in a cool, dry place away from direct sunlight and extreme temperatures.

## TROUBLESHOOTING

Here are some common issues and their potential solutions:

- **Carport feels unstable:** Ensure all frame connections are securely fastened. Verify that all windproof ropes are taut and auger anchors are firmly in the ground. Consider adding additional anchoring if in a windy area.
- **Water pooling on the roof:** Check that the tarp is stretched tightly and evenly over the frame. Adjust the tension of the elastic ball straps if necessary to prevent sagging.
- **Tarp tearing:** Inspect for sharp edges on the frame that might be rubbing against the tarp. Ensure the tarp is not excessively stretched. Avoid using the carport in extreme weather conditions.
- **Difficulty zipping side panels:** Ensure the zippers are clean and free of debris. Apply a silicone-based lubricant if necessary. Ensure the panels are aligned correctly before zipping.

## SPECIFICATIONS

| Feature                      | Detail   |
|------------------------------|--|
| Brand                        | Garvee   |
| Model Number                 | 10x20  |
| Product Dimensions           | 10 ft (W) x 20 ft (L) x 9.5 ft (H)             |
| Material                     | Polyethylene (PE) Tarp, Galvanized Steel Frame |
| Color                        | White  |
| Water Resistance Level       | Water Resistant                                |
| Ultraviolet Light Protection | Yes  |
| Number of Legs               | 8  |
| Floor Area                   | 200 Square Feet                                |
| Item Weight                  | 81 pounds                                      |
| Assembly Required            | Yes  |
| UPC                          | 198290998494                                   |

# PRODUCT SIZE




Image: A diagram illustrating the overall dimensions of the carport and how it is packaged in two boxes.

## WARRANTY AND SUPPORT

For information regarding product warranty, returns, or customer support, please refer to the details provided at the point of purchase or contact Garvee customer service directly.

- **Returns:** This product is eligible for 30-day easy returns.
- **Customer Support:** For assistance with your Garvee Carport, please contact customer support through the vendor's official channels.
- **Protection Plans:** Extended protection plans may be available for purchase. Please check with your retailer for options such as 2-Year or 3-Year Protection Plans.