Audibax Delta 52 BT

Audibax Delta 52 BT White Bluetooth Speaker User Manual

Model: Delta 52 BT

Introduction

Thank you for choosing the Audibax Delta 52 BT White Bluetooth Speaker. This active wall speaker system is designed to provide high-performance audio with the convenience of Bluetooth connectivity. Please read this manual thoroughly before operating the device to ensure proper use and to maximize its lifespan.

Package Contents

Please check the box for the following items:

- 2 x Audibax Delta 52 BT White Speakers
- 1 x Power Cable
- 1 x Speaker Connection Cable
- 1 x User Manual (this document)



Image: The retail box for the Audibax Delta 52 BT White speakers, indicating the product name.

Product Overview

The Audibax Delta 52 BT speakers are designed for versatile placement, including wall mounting. They feature a 5-inch woofer and a ½-inch tweeter for balanced audio reproduction.



Image: An angled view of the two Audibax Delta 52 BT White speakers, showcasing their design.



Image: A side view of one Audibax Delta 52 BT White speaker, highlighting the integrated wall mounting bracket.

Rear Panel Connections

The rear panel of the active speaker provides all necessary connections for power, speaker linking, and Bluetooth pairing.



Image: A detailed view of the rear panels of both Audibax Delta 52 BT speakers, showing the power input, speaker output (L/R), and TWS pairing button.

- **Power Input (12V/2A):** Connect the provided power adapter here.
- **Speaker Output (L/R):** Connect the passive speaker to the active speaker using the included speaker cable.
- **TWS Button:** Used for True Wireless Stereo pairing (if applicable, for linking two active speakers or specific models).
- **Bluetooth Indicator:** (Not explicitly shown but implied by Bluetooth feature) Indicates Bluetooth status.

Setup

Wall Mounting (Optional)

The Audibax Delta 52 BT speakers are designed for easy wall mounting. Ensure you use appropriate screws and wall plugs for your wall type to securely fasten the speakers.

1. Identify a suitable location on the wall, ensuring it is structurally sound and near a power outlet.
2. Use the integrated mounting bracket on the speaker as a template to mark the drilling points on the wall.
3. Drill pilot holes and insert appropriate wall plugs.
4. Secure the speakers to the wall using screws, ensuring they are firmly attached.



Image: Audibax Delta 52 BT White speakers shown mounted on a wall in a modern living room setting, demonstrating their aesthetic integration.

Connecting the Speakers

1. Connect the active speaker (the one with the power input) to the passive speaker using the provided speaker connection cable. Ensure correct polarity (e.g., red to red, black to black).
2. Connect the power adapter to the "12V/2A" input on the active speaker.
3. Plug the power adapter into a wall outlet. The speaker will power on, and the Bluetooth indicator will typically start blinking, indicating it's ready for pairing.

Operating Instructions

Bluetooth Pairing

The Audibax Delta 52 BT speakers are designed for wireless audio streaming via Bluetooth.

1. Ensure the speakers are powered on. The Bluetooth indicator light will flash, indicating pairing mode.
2. On your mobile device (smartphone, tablet, etc.), enable Bluetooth and search for available devices.
3. Select "Audibax Delta 52 BT" from the list of found devices.
4. Once connected, the Bluetooth indicator light on the speaker will become solid, and you will hear a confirmation tone.
5. You can now play audio from your device through the Audibax Delta 52 BT speakers.

Note: The speakers can be controlled via an app on compatible devices. Refer to your device's app store for the official Audibax control application, if available.

Maintenance

To ensure the longevity and optimal performance of your Audibax Delta 52 BT speakers, follow these simple maintenance guidelines:

- **Cleaning:** Use a soft, dry cloth to wipe the speaker surfaces. Do not use abrasive cleaners, waxes, or solvents.
- **Placement:** Avoid placing speakers in direct sunlight, near heat sources, or in areas with high humidity.
- **Ventilation:** Ensure adequate airflow around the speakers, especially the active unit, to prevent overheating.
- **Power:** Disconnect the power adapter from the wall outlet if the speakers will not be used for an extended period.

Troubleshooting

If you encounter any issues with your Audibax Delta 52 BT speakers, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No Sound	Power cable not connected. Speakers not paired via Bluetooth. Volume too low on speaker or source device. Speaker connection cable loose.	Ensure power cable is securely plugged in. Verify Bluetooth pairing (indicator light solid). Increase volume on both the speaker and your source device. Check the connection between active and passive speakers.
Bluetooth Disconnection	Device out of range. Interference from other devices. Low battery on source device.	Move your device closer to the speakers. Move speakers away from other wireless devices. Charge your source device. Try re-pairing the device.
Poor Sound Quality	Source audio quality is low. Speaker placement issues. Bluetooth interference.	Try a different audio source or higher quality file. Adjust speaker position for optimal acoustics. Ensure no obstructions or interference sources are nearby.

If the problem persists after trying these solutions, please contact Audibax customer support.

Specifications

Feature	Detail
Model Name	Audibax Delta 52 BT White
Item Model Number	10268264
Speaker Type	Active Monitor Speaker
Speaker Amplification Type	Active

Connectivity Technology	Bluetooth
Speaker Maximum Output Power	50 Watts
Frequency Response	80Hz - 20KHz
Subwoofer Diameter	5 Inches
Tweeter Size	½ Inch
Surround Sound Channel Configuration	2.1
Mounting Type	Wall Mount
Material	Polycarbonate (PC)
Colour	White
Product Dimensions (L x W x H)	31.5D x 24W x 14.5H centimetres
Item Weight	3 kg
Power Source	Corded Electric
Compatible Devices	Tablet, Smartphone
Controller Type	Control via app
Is Waterproof	False

Warranty and Support

The Audibax Delta 52 BT White Bluetooth Speaker comes with a limited warranty. Please refer to the warranty card included in your package for specific terms and conditions.
For technical support, troubleshooting assistance, or warranty claims, please contact Audibax customer service through their official website or the contact information provided with your purchase documentation.
Website: www.audibax.com

© 2024 Audibax. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question