

FLEX FX4111-1A

FLEX 24V Brushless Cordless Oscillating Multi-Tool Kit FX4111-1A User Manual

Model: FX4111-1A

INTRODUCTION

This manual provides essential instructions for the safe operation, setup, maintenance, and troubleshooting of your FLEX 24V Brushless Cordless Oscillating Multi-Tool Kit, model FX4111-1A. This versatile tool is designed for cutting, trimming, plunging, sanding, grinding, and scraping applications. Please read this manual thoroughly before using the tool to ensure proper and safe operation.

SAFETY INFORMATION

Always follow basic safety precautions to reduce the risk of fire, electric shock, and personal injury when using power tools.

- **Work Area Safety:** Keep the work area clean and well-lit. Cluttered or dark areas invite accidents. Do not operate power tools in explosive atmospheres, such as in the presence of flammable liquids, gases, or dust.
- **Electrical Safety:** Avoid body contact with earthed or grounded surfaces. Do not expose power tools to rain or wet conditions.
- **Personal Safety:** Always wear eye protection. Use hearing protection when operating the tool for extended periods. Dress properly; avoid loose clothing or jewelry. Secure long hair.
- **Tool Use and Care:** Do not force the power tool. Use the correct power tool for your application. Disconnect the battery pack from the power tool before making any adjustments, changing accessories, or storing power tools.
- **Battery Tool Use and Care:** Recharge only with the charger specified by the manufacturer. Use power tools only with specifically designated battery packs.

PACKAGE CONTENTS

Verify that all items are present upon unpacking:

- FLEX 24V Brushless Cordless Oscillating Multi-Tool (FX4111-1A)
- 2.5Ah Lithium-Ion Battery
- 160W Fast Charger
- Instruction Manual
- Carrying Bag (as depicted in product images)
- Initial Oscillating Blade (may vary)



Figure 1: The FLEX 24V Brushless Cordless Oscillating Multi-Tool Kit, including the multi-tool, a 2.5Ah battery, a 160W fast charger, and a carrying bag.

PRODUCT FEATURES

The FLEX 24V Oscillating Multi-Tool incorporates several advanced features for enhanced performance and user experience:

- **FLEX Advantage:** Utilizes 24V lithium battery technology for increased power, extended runtime with THERMA-TECH heat management, and faster charging capabilities.
- **Sensor-Free Brushless Motor:** Designed for higher efficiency and power by eliminating friction.
- **Fast Cutting:** Achieves up to 20,000 Oscillations Per Minute (OPM) for efficient material removal.
- **Vibration Suppression:** Advanced system to isolate the tool and user from excessive vibration, improving comfort and control.
- **3D Starlock Connection:** Maximizes power transfer from the motor to the blade for optimal oscillating efficiency.
- **Keyless Blade Eject:** Facilitates quick and easy blade changes without direct contact with potentially hot blades.
- **LED Light:** Integrated lighting to illuminate dark work areas, enhancing visibility.
- **FLEX 24V Cross-Compatibility:** The included 2.5Ah Lithium-Ion Battery and 160W Fast Charger are compatible with all FLEX 24V tools.

THE FLEX ADVANTAGE



20%

MORE POWER

25%

LONGER RUNTIME

UP TO

50%

FASTER CHARGING

KIT INCLUDES

(1) 24V 2.5Ah LITHIUM-ION BATTERY | FX0111-1

Figure 2: Illustration of the FLEX Advantage, detailing the benefits of the 24V lithium battery system.



Figure 3: The multi-tool in operation, demonstrating its fast cutting capability at 20,000 OPM.



Figure 4: The multi-tool being used, highlighting its vibration suppression technology for user comfort.



Figure 5: A detailed view of the 3D Starlock connection, designed for maximum power transfer to the blade.



Figure 6: The keyless blade eject mechanism in action, allowing for quick and safe blade changes.



Figure 7: The integrated LED light on the multi-tool, providing illumination for dark work areas.

SETUP

1. Charging the Battery

1. Connect the 160W Fast Charger to a standard power outlet.
2. Slide the 2.5Ah Lithium-Ion Battery onto the charger until it clicks into place.
3. Monitor the charger's indicator lights for charging status. A full charge is indicated when all lights are solid green.
4. Once fully charged, remove the battery from the charger.

2. Installing/Changing Blades

1. Ensure the tool is switched off and the battery pack is removed before installing or changing accessories.
2. Locate the 3D Starlock connection on the tool head.
3. Align the accessory (blade, sanding pad, etc.) with the Starlock connection.
4. Press the accessory firmly onto the connection until it clicks securely into place. The 3D Starlock system ensures a tight fit and

optimal power transfer.

5. To remove an accessory, activate the Keyless Blade Eject mechanism (refer to your tool's specific design for the lever or button) and pull the accessory away from the tool head.

OPERATING INSTRUCTIONS

1. Powering On/Off

- Insert a charged 24V battery pack into the tool handle until it locks.
- To turn the tool ON, slide the power switch to the 'ON' position or depress the trigger, depending on the tool's design.
- To turn the tool OFF, release the trigger or slide the power switch to the 'OFF' position.

2. Adjusting Speed

The tool features variable speed control, allowing adjustment of OPM (Oscillations Per Minute) for different applications. Locate the speed adjustment dial or switch on the tool and set it to the desired speed. Lower speeds are suitable for delicate work or softer materials, while higher speeds are for aggressive material removal.

3. General Operation Guidelines

- **Cutting:** Select the appropriate blade for the material. Apply light, consistent pressure. Allow the tool to do the work; do not force it.
- **Sanding:** Attach a sanding pad and appropriate grit sandpaper. Move the tool in a consistent pattern across the surface to achieve an even finish.
- **Scraping:** Use a scraping blade. Hold the tool at a shallow angle to the surface and apply steady pressure to remove material.
- **LED Light:** The integrated LED light activates when the tool is in operation, providing illumination for the work area.

MAINTENANCE

Regular maintenance ensures optimal performance and extends the life of your tool.

- **Cleaning:** After each use, clean the tool with a soft, damp cloth. Remove any dust or debris from ventilation openings. Do not use harsh chemicals or abrasive cleaners.
- **Blade Inspection:** Regularly inspect blades and accessories for wear or damage. Replace worn or dull blades to maintain cutting efficiency and safety.
- **Battery Care:** Store batteries in a cool, dry place away from direct sunlight. Do not store fully discharged batteries for extended periods.
- **Storage:** Store the tool, battery, and charger in a dry, secure location out of reach of children.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Tool does not start.	Battery not charged or improperly inserted.	Ensure battery is fully charged and correctly seated in the tool.
Reduced cutting/sanding performance.	Dull or incorrect blade/accessory. Excessive pressure.	Replace blade/accessory. Ensure correct accessory for material. Apply lighter pressure.
Excessive vibration.	Accessory not properly secured. Damaged accessory.	Check that the accessory is securely attached. Replace any damaged accessories.
Battery not charging.	Charger not plugged in. Damaged battery or charger.	Verify charger is plugged into a live outlet. Inspect battery and charger for damage. Contact support if damaged.

SPECIFICATIONS

Feature	Detail
Model Number	FX4111-1A
Brand	FLEX
Voltage	24 Volts
Motor Type	Brushless
Oscillations Per Minute (OPM)	Up to 20,000
Battery Type	Lithium-Ion
Battery Capacity	2.5Ah (included)
Charger Output	160W Fast Charger (included)
Blade Connection	3D Starlock
Item Weight	10.3 pounds (Tool with battery)
Power Source	Battery Powered
UPC	840163200165

WARRANTY AND SUPPORT


The FLEX 24V Brushless Cordless Oscillating Multi-Tool Kit is protected by the FLEX Limited Lifetime Warranty. To activate this warranty, you must register your new FLEX tool, battery, or charger within 30 days of purchase. Registration can be completed online at [registermyFLEX.com](#). This offer is valid for purchases made through December 31, 2025.





For further assistance, technical support, or warranty claims, please refer to the official FLEX website or contact their customer service department.



© 2024 FLEX. All rights reserved. Information subject to change without notice.

Related Documents - FX4111-1A

	FLEX FXA1231 24V Brushless Hammer Drill Operator's Manual Operator's manual for the FLEX FXA1231 24V Brushless Hammer Drill, covering safety instructions, operation, maintenance, and warranty information.
---	--

	FLEX FXA1351 24V Brushless Impact Driver Operator's Manual Comprehensive operator's manual for the FLEX FXA1351 24V Brushless Impact Driver, covering safety, operation, assembly, maintenance, and warranty information.
	FLEX FXA3181A 24V Brushless Variable Speed Angle Grinder Operator's Manual & Safety Guide Detailed operator's manual for the FLEX FXA3181A 24V Brushless Variable Speed Angle Grinder. Includes safety warnings, specifications, assembly, operation, maintenance, and warranty information.
	FLEX OSE 2-80 18-EC Cordless Oscillating Tool Parts Diagram Official parts diagram and component list for the FLEX OSE 2-80 18-EC cordless oscillating tool. Find part numbers for replacement and assembly of your FLEX tool.
	FLEX FX2351 24V Brushless 5-Inch Deep Cut Band Saw Operator's Manual This operator's manual provides essential safety instructions, operating procedures, assembly, maintenance, and specifications for the FLEX FX2351 24V Brushless 5-Inch Deep Cut Band Saw. Discover how to safely and effectively use your FLEX band saw, ensuring optimal performance and longevity.
	FLEX FX1371A 24V Brushless Impact Driver Operator's Manual This operator's manual provides essential safety instructions, operating procedures, and maintenance guidelines for the FLEX FX1371A 24V Brushless Impact Driver. Learn how to use your tool effectively and safely.


Documents - FLEX – FX4111-1A



[\[pdf\]](#) Warranty Accessories Diagram Catalog

24V Product Catalog Manuals Parts Diagrams FLEX 22 1012 2022 PMS DIGITAL flexpowertools media contentmanager content |||


2 FLEXPOWERTOOLS.COM NOW THROUGH DECEMBER 31, 2022 Gain exclusive access to the FLEX Founders Li ... o ensures complete visibility while you work, even in tough conditions. FX4111-Z TOOL ONLY CUTTING **FX4111-1A** Integrated LED Light No-Load Speed Oscillating Angle Left/Right Accessory System Blade Co... lang:en score:25 filesize: 17.92 M page_count: 100 document date: 2022-10-12



[\[pdf\]](#) Warranty Accessories Diagram Catalog

24V Product Catalog Manuals Parts Diagrams FLEX 23 0109 2023 ENG DIGITAL flexpowertools media contentmanager content |||

2 FLEXPOWERTOOLS.COM NOW THROUGH DECEMBER 31, 2023 Gain exclusive access to the FLEX Founders Li ... Compatibility Number of Speed Settings Tool Weight without battery Includes FX4111-Z TOOL ONLY **FX4111-1A** FX4111-Z TOOL ONLY **FX4111-1A** Yes 10,000-20,000 0PM 4 / 2 Starlock Max Starlock, ... lang:en **score:25** filesize: 25.04 M page_count: 51 document date: 2023-01-10



[\[pdf\]](#) Guide Catalog

24V Product Catalog Bonded Abrasives Safety Guide FLEX 23 1114 2024 ENG v8 SPREADS SM flexpowertools media contentmanager content |||

WHAT S NEW LOOKFORTHISICON TO SEE WHAT S NEW IN THE FLEX 24V LINEUP 3.5Ah Stacked Lithium Battery ... Compatibility Number of Speed Settings Tool Weight without battery Includes FX4111-Z TOOL ONLY **FX4111-1A** Yes 10,000-20,000 0PM 4 / 2 Starlock Max Starlock, Starlock Plus, Starlock Max 5 ... lang:en **score:23** filesize: 25.58 M page_count: 79 document date: 2023-11-14



[\[pdf\]](#) Guide Catalog

WHAT S NEW 22 ore fa — Adapt to every task with four modes under your command including drilling hammer chiseling and chisel adjustment Depth Guide 1 4 32mm Bi 23 0911 FLEX Product Catalog 2024 ENG SM v6 DIGITAL flexpowertools media contentmanager content |||

WHAT S NEW LOOKFORTHISICON TO SEE WHAT S NEW IN THE FLEX 24V LINEUP 3.5Ah Stacked Lithium Battery ... Compatibility Number of Speed Settings Tool Weight without battery Includes FX4111-Z TOOL ONLY **FX4111-1A** Yes 10,000-20,000 0PM 4 / 2 Starlock Max Starlock, Starlock Plus, Starlock Max 5 ... lang:en **score:19** filesize: 27.86 M page_count: 79 document date: 2023-09-12




[\[pdf\]](#) Diagram Catalog

24V Product Catalog 21 Degree Framing Nailer Extended Capacity Magazine FLEX FT431 24 1223 2025 flexpowertools media contentmanager content Manuals Parts Diagrams |||

SPECIALTY FLEXPOWERTOOLS.COM 3 WHAT S NEW LOOKFORTHISICON TO SEE WHAT S NEW IN THE FLEX 24V LINE ... 4 High Carbon Steel Plunge Cut Starlock Blade ASSORTMENTS WITH THIS PRODUCT FX4111-Z Tool Only **FX4111-1A** Lithium Kit Includes 2.5Ah Lithium-Ion Battery, 160W Fast Charger, and FLEX Bag FXM404-2...

lang:en **score:18** filesize: 211.07 M page_count: 144 document date: 2024-12-23



[\[pdf\]](#) Warranty Accessories Catalog

24V Product Catalog 7 1 4 24T DEMOLITION SUPERIOR FRAMING FORMING CIRCULAR SAW
 BLADE FLEX FA201003 22 0809 2022 PMS DIGITAL flexpowertools media contentmanager content |||
 2 FLEXPOWERTOOLS.COM NOW THROUGH DECEMBER 31, 2022 Gain exclusive
 access to the FLEX Founders Li ... Compatibility Number of Speed Settings Tool
 Weight without battery Includes FX4111-Z TOOL ONLY **FX4111-1A** FX4111-Z TOOL
 ONLY **FX4111-1A** Yes 10,000-20,000 0PM 4 / 2 Starlock Max Starlock, ...
 lang:en **score:15** filesize: 17.54 M page_count: 51 document date: 2022-08-09



[\[pdf\]](#) Catalog

Volume 27 21 0920 FLEX TT Full Size Catalog digital only pimtestmedia chervon cn medias docus 76 |||
 Volume 27 THE FLEX ADVANTAGE The FLEX 24V platform brings power output to
 the next level and featu ... T-Shank FLEX Blade, 4 100 mm 5-6 Progressive TPI T-
 Shank FLEX Blade OSCILLATING MULTI-TOOL KIT **FX4111-1A** VIBRATION
 SUPPRESSION Isolates tool and user from vibration 3D STARLOCK CONNECTION
 Maximiz...
 lang:en **score:14** filesize: 14.05 M page_count: 52 document date: 2021-09-21



[\[pdf\]](#) Catalog

Catalogue de Produits 24 V Désolé cette page n existe pas FLEX 23 0111 2023 Catalog FRN fr
 flexpowertools media contentmanager content |||
 C EST L AVENIR C EST L AVENIR GARANTIE VIE DEPUIS MAINTENANT JUSQU
 AU 31 dcembre 2023 Obtenez un ... ME PUISSANCE MAXIMALE CONNEXION 3D
 STARLOCK SUPPRESSION DES VIBRATIONS OUTIL FX4111-Z SEULEMENT
FX4111-1A Lampe DEL intgre Vitesse vide Angle d oscillation gauche et droite
 Systme d accessoir...
 lang:fr **score:13** filesize: 26.38 M page_count: 51 document date: 2023-01-11



[\[pdf\]](#) Specifications Catalog

Volume 27 flexpowertools Flex Power Tools FLEXPOWERTOOLS COM 9 1 2 SPEED DRILL DRIVER
 WITH TURBO MODE KIT FX1171T 2B WHAT S IN THE BOX Speed Drill Driver with Turbo Mode 5Ah
 Lithium Ion Battery 5 0Ah 160W Fast Charger SPECIFICATIONS Integrated LED Light No Load 0 550
 000 RPM 700 500 Impact Rate 8 800 32 IPM 22 0103 FLEX TT Full Size Catalog Digital media
 contentmanager content |||
 Volume 27 THE FLEX ADVANTAGE The FLEX 24V platform brings power output to
 the next level and featu ... T-Shank FLEX Blade, 4 100 mm 5-6 Progressive TPI T-
 Shank FLEX Blade OSCILLATING MULTI-TOOL KIT **FX4111-1A** VIBRATION
 SUPPRESSION Isolates tool and user from vibration 3D STARLOCK CONNECTION
 Maximiz...
 lang:en **score:13** filesize: 9.49 M page_count: 52 document date: 2022-01-05



[\[pdf\]](#) Catalog

Catálogo de productos 24 V Lleve potencia al sitio construcción FLEX 23 0111 2023 Catalog SPN
DIGITAL es flexpowertools media contentmanager content Lo siento esa página no existe |||
ES LO SIGUIENTE ES LO SIGUIENTE GARANTA DE POR VIDA DESDE AHORA
HASTA EL 31 DE DICIEMBRE DE 2023 ... MXIMA POTENCIA SIN LLAVE CONEXIN
3D STARLOCK SUPRESIN DE LA VIBRACIN FX4111-Z SOLO HERRAMIENTA
FX4111-1A Luz LED integrada Velocidad sin carga ngulo oscilante a la
izquierda/derecha Sistema de a...
lang:es **score:13** filesize: 25.03 M page_count: 51 document date: 2023-01-11



[\[pdf\]](#) Accessories Catalog

Catalogue de Produits 24 V BOÎTE D ORGANISATION MOYENNE STACK PACK™ FLEX FS1302 22
1101 Catalog TT ToolsAccessories 2022 FR DIGITAL fr flexpowertools media contentmanager content |||
C EST L AVENIR C EST L AVENIR GARANTIE VIE DEPUIS MAINTENANT JUSQU
AU 31 dcembre 2022 Obtenez un ... ant que vous travaillez, mme dans des
conditions difficiles. OUTIL FX4111-Z SEULEMENT CCUTOTUINPGE **FX4111-1A**
Lampe DEL intgre Vitesse vide Angle d oscillation gauche et droite Systme d
accessoir...
lang:fr **score:13** filesize: 17.81 M page_count: 100 document date: 2022-11-01

[\[pdf\]](#) Quick Start Guide Instructions Guide

SPÉCIAUX Outillage Placide Mathieu 178\$ Débroussailleuse 49 16 2738 8 498\$ Désherbeur 2794 9 348
connexion CA des instructions toutes les piles nécessaires et GV2025 circulaire placide pub media mxo
srsltid AfmBOoqsHmgbSodqVOSCDkU98iP NaLOppGL8Zirc2eij IgCYajWY3i MathieuSPÉCIAUX
Mathieu178\$ et48 22 8382B 48 8382R 3998\$ 8396B 8396R 4498\$ GLM165 27C RABAIS 100\$ RÉG
899\$ GALLONS 139\$ Meuleuse placide IgCYajWY3iplacide
AfmBOoprZsuvRiEYImvPZvdOoohPSfgMNsPH qemTVa0iwQWPhDeaJR Meuleuse ENSEMBLES
HYPERPERFORMANTS POUR LES PROS AVEC LA PERCEUSE PLUS PUISSANTE SUR LE
MARCHÉ ET À VISSEUSE ÉJECTION RAPIDE DE DOUILLE !placide qemTVa0iwQWPhDeaJRplacide
AfmBOorQbBtjqtSR8JZMftTtMTtB ILnT9yi cEqVjs WtvD7wT6mmbmo IDWE7485 679\$ Planeur électrique
13 à deux vitesses DW735 6995\$ Manettes de contrôle sans fil pour laser rechargeable USB 70\$placide
WtvD7wT6mmboplacide AfmBOorDwzoK95PwjDPF SbElzhQkVc2 WuYzgrFLQTQZIHmk7T54HL3
WuYzgrFLQTQZIHmk7T54HL3placide AfmBOop0oyyXwU3jS55
9hVrZNtzg3F62nWEddyGikJxGelnaaKXnqbl
AfmBOorQGscYmF55JpH2G90pLedxcYhDNuInuM1fPfqATrvbBcp1KOKIplacide
9hVrZNtzg3F62nWEddyGikJxGelnaaKXnqblplacide AfmBOoppTSVQVqDlxfezNsM0X6eH43WrYVbwjK
GKJ M6z44Cqg1VLPM M6z44Cqg1VLPMplacide AfmBOoqRkTKysm 93 MSr270OiJ5yiFaz
SbFBc94w8KvgEAo9h 0sk5 0sk5placide AfmBOop4Rz8
zeDI8BM7ppF5cpx36eKZtZF9bMz81DO6m7hz7idoMISo AfmBOop fGB4J46l3dmO0OqWMraw3v7Th
iS9cp0y1o0 uD2wJulHOubplacide zeDI8BM7ppF5cpx36eKZtZF9bMz81DO6m7hz7idoMISoplacide
AfmBOopcJLvu Klj1N4Z WDu 1k7eCu7F72RhQ8ke vidB07 iFLep0 AfmBOoqMAO
5Q9rRoITkIByaswuh0raMpH7YkZSXqTE90CvFIXC8Fg5qplacide
AfmBOorVSYgvJYj4BQVnkrFkautOg9sVvpSjgrVSKXhm1CVqQRjPzkERplacide iFLep0placide
AfmBOopSYKBUnqDy8IHfttkFHcqwlA7KRYbtBERhUwa0qUISFSUdMwG8
AfmBOorwKOvTS2wfD5PsTiEb7O I6LMH9LRvqh20HwpJPEDLgm5XEISKplacide
AfmBOooNe7ibpQsGqll0xrYRUPFIQRepQdddg9Ehw4EwOZP oWba5dKplacide 70\$DCHT821P1 Taille



haies 20V MAX 1 batterie 5 0Ah chargeur 198\$ Outil seul DCHT821B spéciaux du printemps c est maintenant ! 16 placide AfmBOoo3OSy7cWIHwcSjixV9BKflkgHXL qwa8vqlEBXnoUFKyaHxK7placide AfmBOooygfCBfGU6dG DYpkuPayeL6A ShQy45EvxH1HczxzcPVGt5Vplacide AfmBOopIUQjxpuUpCqxq6tleSFh1nxL gBSYJvOhr4e01EvCkF3x1lujGplacide AfmBOooC5UuQmvAFjNNwDKe1WpHuM5xQZiPopqaJaUWixPKGJeSZMpatplacide AfmBOopSYkBUngDy8IHfttkFHcqwlA7KRYbtBERhUwa0qUISFSUdMwG8placide AfmBOoq8OPN84gpApDBs4x6S B3vgbszxk5VG BPdPAMdDUI7ZCPYiJ 16 v1placide BPdPAMdDUI7ZCPYiJplacide AfmBOooawUSkBN5mRbNb4H8xMsyKUMTmqp5jTGV2miDY2q9 GbwKSfBd AfmBOoqPmvBrFfcrvp8kChfA1cyRPvBezROLo3KloFxU1jCWimvdTeQlplacide AfmBOor0ouil6IVTj pAK1cHXK5kOg0laWCfFDNjZ9mfytsmiXmOsQL9placide GbwKSfBdplacide AfmBOorPs6CpqISP34 4SxIHDZHbVhulqVGUHXJgKi lwYQTXJ CtAVI Meuleuse ENSEMBLES DWE7485 70\$ DCHT821P1 16 v1 qwa8vqlEBXnoUFKyaHxK7 AfmBOorQGscYmF55JpH2G90pLedxcYhDNuInuM1fPfqATrvbBcp1KOKI oWba5dK l6LMH9LRvqh20HwpJPEDLgm5XEISK uD2wJuIHOUb AfmBOooC5UuQmvAFjNNwDKe1WpHuM5xQZiPopqaJaUWixPKGJeSZMpat 5Q9rRoITklByaswuh0raMph7YkZSXqTE90CvFIXC8Fg5q AfmBOorVSygvJYj4BQVnkrFkautOg9sVvpSjgrVSKXhm1CVqQRjPzker ShQy45EvxH1HczxzcPVGt5V gBSYJvOhr4e01EvCkF3x1lujG pAK1cHXK5kOg0laWCfFDNjZ9mfytsmiXmOsQL9 AfmBOoqPmvBrFfcrvp8kChfA1cyRPvBezROLo3KloFxU1jCWimvdTeQl AfmBOorAHFv3zDzgE m7oEqlyF0b8a2EQRMWpUVChrZQBTr b WG86Nh CtAVlplacide WG86Nhplacide AfmBOorbeqPmgmIE2zxyGGcmX79wxCP8kLzS7ptUtwehzeqD3iv7v0imw AfmBOorbeqPmgmIE2zxyGGcmX79wxCP8kLzS7ptUtwehzeqD3iv7v0imwplacide AfmBOoryhxd2QXsEMTbneq5 z5qTvMno9rT8 gn554GCyDf4zMf m1Lx ||| ||| EN MAGASIN EN LIGNE VALIDE DU 1ER MAI AU 8 JUIN 2025 GVARLEAURTDUE 4I2T8 3016-20ST 1498 Tondeuse double batterie autopropulse 21 M18 FUEL 2 batteries 12.0Ah et chargeur rapide double 2823-22HD 349 Combo scie chane 8 extensible et taille-hai ||| EN MAGASIN EN LIGNE VALIDE DU 1ER MAI AU 8 JUIN 2025 GVARLEAURTDUE 4I2T8 3016-20ST 1498 Tondeuse double batterie autopropulse 21 M18 FUEL 2 batteries 12.0Ah et chargeur rapide double 2823-22HD 349 Combo scie chane 8 extensible et taille-hai EN MAGASIN EN LIGNE VALIDE DU 1ER MAI AU 8 JUIN 2025 GVARLEAURTDUE 4I2T8 3016-20ST 1498 Tondeus ... Suppression des vibrations et jection de la lame sans cl 169 269 Outil seul FX4111-Z Ensemble **FX4111-1A** Outil oscillant multifonctions 24V 1 batterie 24V 2.5Ah, chargeur et sac 34999 Scie ru... lang:fr score:10 filesize: 14.6 M page_count: 52 document date: 2025-05-30



[pdf] Catalog WHAT S NEW 18 hours ago — Vibration suppression isolates the ½ inch impact wrench and user from vibration for more comfortable extended use three speed modes plus a variable 23 1212 FLEX Product Catalog 2024 ENG PMS SM v9 DIGITAL flexpowertools media contentmanager content ||| WHAT S NEW LOOKFORTHISICON TO SEE WHAT S NEW IN THE FLEX 24V LINEUP 3.5Ah Stacked Lithium Battery ... Compatibility Number of Speed Settings Tool Weight without battery Includes FX4111-Z TOOL ONLY **FX4111-1A** Yes 10,000-20,000 0PM 4 / 2 Starlock Max Starlock, Starlock Plus, Starlock Max 5 ... lang:en score:9 filesize: 27.48 M page_count: 79 document date: 2023-12-12

