

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Verbatim](#) /

› [Verbatim USB-C Pro Docking Station 15-in-1 Hub with Integrated SSD User Manual](#)

Verbatim 32174

Verbatim USB-C Pro Docking Station (Model 32174) User Manual

15-in-1 Hub with Integrated SSD

INTRODUCTION

This manual provides detailed instructions for the setup, operation, maintenance, and troubleshooting of your Verbatim USB-C Pro Docking Station, Model 32174. This versatile 15-in-1 hub is designed to expand the connectivity of your USB-C enabled laptop or device, offering a wide array of ports and an integrated SSD for enhanced productivity and storage.

Please read this manual thoroughly before using the device to ensure proper functionality and to maximize your user experience.

PRODUCT OVERVIEW

The Verbatim USB-C Pro Docking Station transforms a single USB-C port on your host device into 15 versatile connections, including video outputs, data transfer ports, network connectivity, audio, and integrated storage. It is compatible with Windows, Mac OS, and Android systems.

3. Connecting Peripherals

Once the docking station is connected to your host device and powered, you can connect your peripherals:

- **Monitors:** Connect external monitors to the HDMI and/or DisplayPort outputs using appropriate cables. The dock supports up to three external displays simultaneously, depending on your host device's capabilities.
- **USB Devices:** Plug in USB-A and USB-C peripherals such as keyboards, mice, external hard drives, or flash drives into the corresponding USB ports.
- **Ethernet:** Connect an Ethernet cable to the RJ45 port for a stable wired network connection.
- **Audio:** Connect headphones or speakers to the 3.5mm AUX port.
- **Memory Cards:** Insert SD or microSD cards into the dedicated card reader slots.



Figure 2: Front view of the docking station showing the integrated SSD compartment and front-facing ports.



Figure 3: Rear view of the docking station showing the main connectivity ports.

4. Integrated SSD Usage

The docking station includes an integrated Vi3000 SSD with 256 GB of storage. This SSD will appear as an additional drive on your computer once the dock is connected. You can use it for fast data storage and retrieval.



Figure 4: Illustration of accessing the integrated SSD compartment.

Multi-Monitor Configuration

The docking station supports extending or mirroring your display across multiple external monitors. The exact configuration options depend on your operating system (Windows, macOS) and your host device's graphics capabilities.

- **Windows:** Access Display Settings (right-click on desktop > Display settings) to arrange and configure your monitors.
- **macOS:** Go to System Settings > Displays to arrange and configure your monitors.

For optimal performance, ensure your display drivers are up to date.



Figure 5: Docking station facilitating a dual-display setup with a laptop.



Figure 6: User utilizing the docking station for an expanded workspace.

Data Transfer

The USB-A and USB-C data ports support high-speed data transfer up to 10Gbps, allowing for quick file transfers with compatible devices.

Power Delivery

The USB-C PD port allows your laptop to receive up to 100W of charging power from its original power adapter, ensuring your device remains charged while connected to the docking station.

MAINTENANCE

- Keep the docking station in a clean, dry environment, away from direct sunlight and extreme temperatures.
- Avoid exposing the device to water or other liquids.
- Clean the exterior with a soft, dry cloth. Do not use harsh chemicals or abrasive cleaners.
- Ensure proper ventilation around the docking station to prevent overheating.

TROUBLESHOOTING

If you encounter issues with your docking station, refer to the following common solutions:

- **No Display Output:**
 - Ensure your host device's USB-C port supports DisplayPort Alternate Mode.
 - Check all cable connections (USB-C to host, HDMI/DP to monitor).
 - Verify that your monitors are powered on and set to the correct input source.
 - Try updating your graphics drivers on your host device.

- **No Power Delivery to Laptop:**

- Ensure your laptop's original USB-C power adapter is connected to the 'PD 100W' port on the dock.
- Verify that your laptop's USB-C port supports Power Delivery.

- **USB Devices Not Recognized:**

- Reconnect the USB device.
- Try a different USB port on the docking station.
- Ensure the docking station is properly powered.

- **Ethernet Connection Issues:**

- Check the Ethernet cable connection to both the dock and your router/modem.
- Verify network settings on your host device.

- **Integrated SSD Not Appearing:**

- Ensure the docking station is fully connected to your host device.
- On Windows, check Disk Management to see if the drive needs initialization or formatting. On macOS, check Disk Utility.


SPECIFICATIONS

Brand	Verbatim
Model Number	32174
Product Dimensions	8.66 x 4.53 x 1.42 inches
Item Weight	15.5 ounces (440 Grams)
Color	Black
Hardware Interface	USB Type C
Operating System Compatibility	Windows 7/8.1/10/11, Mac OS 9/X/macOS, Android
Total Ports	15 (including integrated SSD)
Video Output	2 x HDMI, 1 x DisplayPort (up to 8K Ultra HD)
USB Data Ports	4 x USB-A, 2 x USB-C (up to 10Gbps)
Ethernet	1 x RJ45 Port
Card Reader	SD and microSD slots
Audio	1 x 3.5mm AUX Port
Power Delivery	Up to 100W passthrough to host
Integrated SSD	Vi3000, 256 GB

WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the documentation included with your product packaging or visit the official Verbatim website. Keep your proof of purchase for warranty claims.

Related Documents - 32174

	<p>Verbatim USB-C Pro Multiport Hub 9 Port (CMH-09) - Specifications and User Guide</p> <p>Detailed information on the Verbatim USB-C Pro Multiport Hub 9 Port (CMH-09), including compliance, technical specifications, features, important notes, FAQ, and warranty information.</p>
	<p>Verbatim Essentials USB-C Multiport Hub 4 Port Quick Start Guide</p> <p>Quick start guide for the Verbatim Essentials USB-C Multiport Hub 4 Port (Model 32155). Features 1x USB-A 3.2 Gen1, 1x USB-A 2.0, USB-C PD, and HDMI ports. Includes specifications, connection details, important notes, FAQ, warranty, compliance, and support information.</p>
	<p>Verbatim Essentials USB-C Multiport Hub 6 Port with RJ45 Quick Start Guide</p> <p>A quick start guide for the Verbatim Essentials USB-C Multiport Hub, featuring 6 ports including RJ45, USB-A 3.2 Gen1, PD, and HDMI. Includes specifications, setup, FAQ, warranty, and compliance information.</p>
	<p>Verbatim USB-C Pro Multiport Hub 8 Port (CMH-08) Quick Start Guide</p> <p>Quick start guide for the Verbatim USB-C Pro Multiport Hub 8 Port (CMH-08), detailing its connections, specifications, and troubleshooting.</p>
	<p>Verbatim Portable Monitor FAQ and Connection Guide</p> <p>Comprehensive FAQ and connection guide for Verbatim portable monitors, including models PM-14, PMT-14, PMT-15, and PMT-17. Learn how to connect to various devices and troubleshoot common issues.</p>
	<p>Share My Screen USB-C Wireless Display Adapter 4K with Hub</p> <p>High-quality 4K wireless display adapter with USB-C hub for seamless screen sharing. Features plug-and-play functionality, 10-meter wireless range, and universal compatibility for presentations, streaming, and gaming.</p>



[\[pdf\]](#) Diagram

32174 891 Verbatim Pro USB C® Docking Station CDS 1 indd verbatim pro usb c docking station cds europe files products 15 port with ssd included 15ssd |||

USB-C DOCKING STATION 15 PORT WITH SSD INCLUDED CDS-15S256 How it works 1. SSD enclosure 2. Stat ... equipment. ASSURANCE OF COMPLIANCE Brand: Verbatim Product Category: Hubs and Docking Products: **32174** USB-C Pro Docking Station 15 Port with SSD included CDS-15SSD CE Declaration of Conformity T...

lang:en score:24 filesize: 1.05 M page_count: 8 document date: 2024-06-20



[Verbatim USB-C Pro Docking Station 15 Port with SSD 256GB](#)

The Verbatim USB-C Pro Docking Station 15 Port with SSD 256GB (CDS-15S256) enhances productivity with high-speed data transfer, triple display support, and integrated 256GB SSD. It features multiple USB ports, HDMI, DisplayPort, and RJ45 Ethernet for versatile connectivity.

lang:en score:23 filesize: 654.22 K page_count: 4 document date: 2024-01-23

M32174
Verbatim USB-C Pro Docking Station 15 Port with 256GB SSD included




[\[pdf\]](#) Specifications

M32174 specifications ComX Computers Verbatim 32174 USB C Pro Docking Station 15 Port with 256GB SSD included CDS 15SSD 2x HDMI up to 8K@30Hz 1x DisplayPort RJ45 USB v1 www x co za view 304487 |||

M32174 Verbatim USB-C Pro Docking Station 15 Port with 256GB SSD included Specifications are subject to change without notice. Images may differ from actual product. E OE. View full specifications price at <https://www.comx-computers.co.za> Verbatim **32174** USB-C Pro Docking Station 15 Port with 256GB...

lang:es score:23 filesize: 453.74 K page_count: 1 document date: 2025-10-30



[1992 Popular Communications Guide: Your Essential Handbook for Radio Receivers and Scanners](#)

Explore the world of shortwave listening, scanning, and amateur radio with the 1992 Popular Communications Guide. Featuring in-depth articles, product reviews, and buying advice for ICOM, Kenwood, Sony, Drake, and more.

lang:en score:21 filesize: 11.25 M page_count: 148 document date: 2019-02-01

USB-C™ Pro Docking Station 15-in-1 – 256GB Vi3000 SSD (32174)

Reorder Number: 32174
 Pack Size: 1 each Box
 Brand: Verbatim

Simplify the connection of all of your devices with Our USB-C Pro Docking Station with SSD enclosure.

This docking station features 15 ports – including a two (2) high-resolution HDMI and DisplayPort outputs – to provide a productive and immersive multi-monitor display experience. With USB-C Power Delivery (PD), enables charge rapidly, keeping your setup energized and optimized.

Rapid, uninterrupted file transfers are expected as this docking station utilizes 3.2 Gen 2 technologies and comes equipped with a built-in port that enables a high-speed wired network connection. Our dock also has 256GB of SSD storage ready to read and transfer files directly. An audio jack ensures you are able to connect your speakers and headsets for a simply dynamic workhorse.

Our USB-C Pro Docking Station is backed by a 2-year limited warranty.

- Support hub enables seamless integration of multiple devices, including dual display outputs for an extensive workstation
- Built-in 256GB SSD provides option for high-speed, large-capacity storage, enhancing data management and productivity
- Dual HDMI (for HDMI) and DisplayPort help to facilitate a productive and immersive multi-monitor work environment
- USB-A 3.2 Gen2 and USB-C 3.2 Gen2 ports to work and efficient data transmission, perfect for those sensitive tasks
- RJ45 port delivers a high-speed wired network connection, essential for large file transfers and stable streaming
- PD connects and charges device rapidly, keeping your setup energized and optimized.

*HDMI port requires a direct HDMI to HDMI connection.

Specifications

Technical Information

- 2 x HDMI, up to 4K@30Hz, 1 x DP, up to 4K@30Hz, 1 x RJ45, up to 10Gb/s, 1 x USB-A 3.2 Gen2, up to 10000/2 x USB-C 3.2 Gen2, up to 100W, 1 x USB-A 2.0, up to 60000/Power (150W), 1 x USB-C 3.2 Gen2, up to 10000/Power (150W), 1 x SD, 1 x e-SATA, 1 x Micro SD 3.0, 1 x 256GB SSD, 3 USB, enclosure, 1 x Audio jack, 1 x USB-C Power Delivery (PD), up to 100W
- Product Weight: 5.7 lbs
- Product Dimensions: 8.61in x 2.7in x 1.34in (L x W x H)
- Cable Length: 2.3 ft
- Voltage Range: 5V
- Power Delivery: 60W
- Operating Temperature: 32°F to 104°F
- Storage Temperature: -4°F to 108°F

Contents

32174_0544204

[\[pdf\] Warranty](#)

USB C™ Pro Docking Station 15 in 1 256GB Vi3000 SSD 32174 Our C is backed by a 2 year limited warranty port hub enables seamless integration of multiple devices including dual display SS41224 media accutechdata resources |||

USB-CTM Pro Docking Station 15-in-1 256GB Vi3000 SSD **32174** Reorder Number Pack Size Brand **32174** 1 each Box Verbatim Simplify the connection of all of your devices with Our USB-C Pro Docking Station with SSD enclosure. This docking station features 15 ports including a two 2 high-resolution ...

lang:en score:20 filesize: 45.39 K page_count: 2 document date: 2024-04-12

[\[pdf\] Dimension Guide](#)

USB CTM Pro Docking Station 15 Port with SSD 256GB avXpertenThe high-performance docking station features one USB-C 3 2 Gen2 and two USB-A ports for rapid data transfer plus 480 Mb s RJ45 and leaflet 137209 42490600avxperten dk files 127216 leaflet 42490600 srsItd

AfmBOorhZDs3ZV8bk2DAY3k16N6CTpHdriQa35D8ZaSn824CMPSMX6ef 42490600leaflet
 AfmBOorhZDs3ZV8bk2DAY3k16N6CTpHdriQa35D8ZaSn824CMPSMX6efavxperten AfmBOoprKAuU9
 IYENx9DAaw Slj6JHCrRWWBvovf2Zf0tNgtpmp0WU Slj6JHCrRWWBvovf2Zf0tNgtpmp0WUavxperten
 AfmBOopNvgR42zyjCX6kgZn6HdgiKEuCVb78apfFWCamNx0UDRTSsWum
 AfmBOopNvgR42zyjCX6kgZn6HdgiKEuCVb78apfFWCamNx0UDRTSsWumavxperten AfmBOopU7q
 QwO4BpXi Mbh5hR7Znmlaz9mFzZ0 T1Lj6zB87zILSX AfmBOorG6p2SjQDB1z5bSGXriagoC
 FIEEeY9f62Ot3YNoNW2CYITPcqavxperten AfmBOoqYQLIn9RajNYXII M
 BvDcB0ZlgLcrQQAnWrlWj9FL03596daavxperten T1Lj6zB87zILSXavxperten AfmBOoqDw
 jevhZlCK8cGzGjUJDHt4SvCvLb qHm4A6XphUkPSEiKySOZ qHm4A6XphUkPSEiKySOZavxperten
 AfmBOoR XOcajFe5WwWnAUIRUWg43H22QugaKNJ ORFUrkTdtGcQxTb
 ORFUrkTdtGcQxTbavxperten AfmBOoo6ouClbNvAXyWXuI5BCUETU3yBny2y Y7oszlcVJWM8muq1cZ
 Y7oszlcVJWM8muq1cZavxperten AfmBOobXIZ7NSyRgpOINwNpdZzjVBjP2glyPj0UV IHlrg8Xf7LWgJ0
 IHlrg8Xf7LWgJ0avxperten AfmBOopF7vrTOuUK1PqAPugKHQq5mrup2oMpxSVI4Hkm ivCUKsZoA2
 ivCUKsZoA2avxperten AfmBOopauwdHiQAIb4HV9deGic5kQR0M ligwx5RMaJsImlk5po4mI9
 ligwx5RMaJsImlk5po4mI9avxperten AfmBOope7Z
 tqgdDUMuDyChg8LZZHivP0B756HXbJftxxq08JkvJED7r
 tqgdDUMuDyChg8LZZHivP0B756HXbJftxxq08JkvJED7ravxperten AfmBOoqFOhRHGBPOaE9fJEfs7bsr
 cejigFseTIHmoDB1hIXPvXV08G8 cejigFseTIHmoDB1hIXPvXV08G8avxperten
 AfmBOopVFIxk2etNQm69Nj jd 1EO Kb05sdao7DcNpjtxqw2XWqG3OZ 42490600v1avxperten
 Kb05sdao7DcNpjtxqw2XWqG3OZauchan pt on demandware static Library Sites AuchanPTSharedLibrary
 default dwd4de1f39 documents 003877648 94bf0dc0 78f8 4833 a230 2f7a063941dc
 AfmBOoqFxbibCTBGX72ulsfvecJNFKUwEM4181qzHmZMkN TT11KvoH2 42490600v1v1avxperten

Kb05sdao7DcNpjtxqw2XWqG3OZavxperten

AfmBOopBtSOt7Ey5QdPzm1yYnVAdS3aclHXnj18c6syASA1kCESDNILqauchan

42490600v1v1v1avxperten

AfmBOorP8UOHrLa9rO8Yk6HSF0URt3oG1LXdXroxCyYvkEpOwINE2nPauchan

42490600v1v1v1avxperten

AfmBOopBtSOt7Ey5QdPzm1yYnVAdS3aclHXnj18c6syASA1kCESDNILqavxperten

AfmBOopytllfSLwLaK eQWBtAqFIHmBILZb4t7NSUPHfa4KX9JrTCQauchan

42490600v1v1v1v1avxperten TT11KvoH2auchan

AfmBOopRgNmGbuU8R2RVNYDyDBYUe0T5DCXitgK1dhKMs2 Z7szgIFG0 avXpertenUSB andThe

42490600v1leaflet AfmBOor8 tMfxXZbFkMhTyqu2u1 OX7MN186WHc1V14ZHUh8AnQgzWDEavxperten

42490600v1v1v1v1v1avxperten eQWBtAqFIHmBILZb4t7NSUPHfa4KX9JrTCQavxperten

AfmBOopu45i3ci9Vnm6qkvQSQSawbLNbyuyBtyH1XgFWzbdB9t7UL8u6auchan

42490600v1v1v1v1v1v1avxperten

AfmBOorQQmSntQnzMEiQoxZGwNDMvHvpktWMheqEgC3dNuHcEdqx12MWauchan

42490600v1v1v1v1v1v1v1avxperten AfmBOoqZRNv77PH

H0j7BaNPv1xGxLkx4ZQCiwWmCrMAZsAv6s6o0Cabavxperten

42490600v1v1v1v1v1v1v1v1avxperten

AfmBOorSmCbDPipYtkH9IVJwYbqnPC2VExy3Q1jK15EiqarmBZYMZG Qavxperten

42490600v1v1v1v1v1v1v1v1v1v1avxperten AfmBOop6F8fQDmSaUaT9lvKe5M LuuXZJrtrgoMIO

MHI4pWZrBLk42vauchan 42490600v1v1v1v1v1v1v1v1v1v1avxperten AfmBOoqf mG

u70P88D6rHWgxnsKSltrB0sE YReQj Owzk9qeh6Ebeavxperten

42490600v1v1v1v1v1v1v1v1v1v1avxperten AfmBOor

vrQdghEuyk0TrsxK22oxsaZGtGcdvk71b0FnkogMQO8wHx8havxperten Z7szgIFG0auchan

AfmBOorkbU8MmwXVn cVQ cEcYH6IF8HFUCy9tpR SmZ gJfBJn24MPq

42490600v1v1v1v1v1v1v1v1v1v1leaflet gJfBJn24MPqavxperten AfmBOopOqY2Pr

raZkhPPmOxgBh82JLO77H75CmyN y29i9PKjm3ucyQ y29i9PKjm3ucyQavxperten AfmBOorC

eIXmbQNd4gF6OpuROpSl uxV GpUaeg5bK9l6t RTyH1M2k RTyH1M2kavxperten AfmBOoq2 Kcna

NivQwkvfKk4ICBrKWvmy4qaQRdCilEk75epHqW23aA avXperten The v1 avxperten

OX7MN186WHc1V14ZHUh8AnQgzWDE BvDcB0ZigLcrQQAnWrlwJ9FL03596da

FIEEeY9f62Ot3YNoNW2CYtTPcq

AfmBOopBtSOt7Ey5QdPzm1yYnVAdS3aclHXnj18c6syASA1kCESDNILq

vrQdghEuyk0TrsxK22oxsaZGtGcdvk71b0FnkogMQO8wHx8h Owzk9qeh6Ebe Q

H0j7BaNPv1xGxLkx4ZQCiwWmCrMAZsAv6s6o0Cab eQWBtAqFIHmBILZb4t7NSUPHfa4KX9JrTCQ

AfmBOopu45i3ci9Vnm6qkvQSQSawbLNbyuyBtyH1XgFWzbdB9t7UL8u6 auchan

AfmBOorP8UOHrLa9rO8Yk6HSF0URt3oG1LXdXroxCyYvkEpOwINE2nP

AfmBOorQQmSntQnzMEiQoxZGwNDMvHvpktWMheqEgC3dNuHcEdqx12MW MHI4pWZrBLk42v

AfmBOoq6xGiP56BctkxYne0OXAINc59LAYc4 8l1kB7Yp C K2ntHleB

AfmBOoqBB0MJ4RdjmlW6OrB9EcRrGNk7czBUZ3xKEBQpyt3ALtpyB 5

NivQwkvfKk4ICBrKWvmy4qaQRdCilEk75epHqW23aAavxperten K2ntHleBavxperten 5auchan

AfmBOorqNp0p3NfbLy3JbLmExghC hVx1YQYDtUBj1JWpwsrJzSHgh ||| ||| USB-CTM Pro Docking

Station 15 Port with SSD 256GB CDS-15S256 SSD 8K Verbatim Vi3000 256GB SSD 1x USB-C 3.2 Gen2

4x USB-A Support triple display 2x HDMI 1x DP Unleash your productivity. Empower your workspace

with the Verbatim CDS15S256 doc

USB-CTM Pro Docking Station 15 Port with SSD 256GB CDS-15S256 SSD 8K

Verbatim Vi3000 256GB SSD 1x ... Station 15 Port with SSD 256GB CDS-15S256 PN

Description Bar Code USB-C Pro Docking Station 15 **32174** Port with SSD Included

023942**321743** CDS-15SSD EAN128 Code 02 0023942**321743** 37 05 91 894 E...

lang:en score:14 filesize: 654.22 K page_count: 4 document date: 2024-01-23

