

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [KEMIMOTO](#) /

› [KEMIMOTO 32-inch 8-Speaker Metal ATV UTV Soundbar \(Model KEMIMOTO-6S\) Instruction Manual](#)

KEMIMOTO KEMIMOTO-6S

KEMIMOTO 32-inch 8-Speaker Metal ATV UTV Soundbar Instruction Manual

Model: KEMIMOTO-6S

INTRODUCTION

Thank you for choosing the KEMIMOTO 32-inch 8-Speaker Metal ATV UTV Soundbar. This soundbar is designed for outdoor use, offering robust construction, powerful audio, and versatile connectivity. Please read this manual thoroughly before installation and operation to ensure proper use and longevity of your device.

Key Features:

- **Durable Metal Construction:** Forged in metal for superior impact resistance and efficient heat dissipation, minimizing resonance for clear sound.
- **8-Speaker System:** Features 6 full-range speakers and 2 tweeters for immersive stereo sound.
- **5 RGB Light Modes:** Customize your experience with music sync, solid, fading, jump, or off modes.
- **Multiple Connection Options:** Bluetooth 5.0, 3.5mm AUX input, and USB jack for versatile audio sources.
- **IP65 Waterproof Rating:** Engineered to withstand various outdoor conditions including sand, dirt, snow, and rain.
- **Easy Installation:** Designed for quick mounting on 1.25" to 2" roll bars without drilling.

WHAT'S IN THE BOX

Verify that all components are present before beginning installation.

- UTV Metal Soundbar
- Remote Control
- Power Cable (with 12V adapter)
- Mounting Brackets
- Instruction Manual
- Rubber Friction Pads

What You Get



Figure 1: Included components of the KEMIMOTO Soundbar package.

SAFETY INFORMATION

Always prioritize safety during installation and operation. Failure to follow these guidelines may result in injury or damage to the product or vehicle.

- Ensure the vehicle's power is off before installation.
- Do not attempt to disassemble or modify the soundbar.
- Keep the soundbar away from extreme heat sources.

- Securely mount the soundbar to prevent movement during vehicle operation.
- Avoid prolonged exposure to direct sunlight in extreme temperatures to prevent overheating, although the metal construction aids in heat dissipation.

INSTALLATION

The KEMIMOTO Soundbar is designed for quick and easy installation on 1.25" to 2" roll bars. No drilling is required.

1. **Choose Mounting Location:** Select a suitable location on your UTV, ATV, Golf Cart, or Marine Boat roll bar cage. Ensure the roll cage has a level surface for the pipe clamp.
2. **Attach Mounting Brackets:** Secure the mounting brackets to the roll bar using the provided hardware. Place the rubber friction pads between the brackets and the roll bar to ensure a secure fit and prevent slippage.
3. **Mount Soundbar:** Attach the soundbar to the installed brackets. You can mount it on the top or at the bottom of the roll bar. Tighten all screws firmly.
4. **Connect Power:** Connect the soundbar to your vehicle's 12V power source. You can use the included 12V adapter for a simple plug-and-play connection or hardwire it directly to your battery for a more permanent setup.



Figure 2: Universal mounting brackets allow for flexible installation on various roll bar sizes.



Figure 3: Important considerations for soundbar installation, including roll cage diameter and surface levelness.

Your browser does not support the video tag.

Video 1: Demonstrates the robust metal construction of the KEMIMOTO UTV Soundbar, highlighting its durability compared to plastic alternatives.

OPERATING INSTRUCTIONS

Learn how to power on, connect, and control your KEMIMOTO Soundbar.

Power On/Off

- Press and hold the power button on the soundbar or the remote control to turn the unit on or off.

Bluetooth Connection

1. Ensure the soundbar is powered on and in Bluetooth mode (indicated on the display).
2. On your smartphone or MP3 player, enable Bluetooth and search for available devices.
3. Select "KEMIMOTO-6S" from the list to pair. A confirmation tone will sound upon successful connection.



Figure 4: The soundbar supports both Bluetooth 5.0 and USB connections for audio playback.

RGB Light Modes

The soundbar features 5 distinct RGB light modes:

- **Music Sync:** Lights beat and dance with the rhythm of the music.
- **Solid:** Displays a single, constant color.
- **Fading:** Colors smoothly transition from one to another.
- **Jump:** Colors change abruptly.
- **Off:** Turns off the RGB lighting.

Use the 'MODE' button on the soundbar or the remote control to cycle through these lighting options.



Figure 5: The soundbar offers multiple RGB light modes to enhance your audio experience.

Control Methods

You can control the soundbar using:

- **On-board Buttons:** Located on the front panel for basic functions (power, volume, track, mode).
- **Wireless Remote Control:** Provides full control over power, volume, track selection, and RGB light modes.

Your browser does not support the video tag.

Video 2: Overview of the Heavy-Duty Metal Soundbar, showcasing its 32-inch size and 8-speaker configuration.

MAINTENANCE

To ensure the longevity and optimal performance of your KEMIMOTO Soundbar, follow these maintenance guidelines:

- **Cleaning:** Use a soft, damp cloth to wipe down the exterior. Avoid abrasive cleaners or solvents.
- **Waterproof Care:** While IP65 rated, avoid submerging the soundbar. Ensure all port covers are securely closed when exposed to water.
- **Storage:** If storing the vehicle for extended periods, consider disconnecting the soundbar from power.

TROUBLESHOOTING

If you encounter issues with your soundbar, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No power	Loose power connection, vehicle power off, blown fuse.	Check power cable connection. Ensure vehicle power is on. Inspect and replace fuse if necessary.
No sound	Volume too low, incorrect input mode, device not paired (Bluetooth).	Increase volume. Switch to correct input mode (Bluetooth, AUX, USB). Re-pair Bluetooth device.
Bluetooth not connecting	Soundbar not in pairing mode, device too far, interference.	Ensure soundbar is in Bluetooth mode. Move device closer. Turn off other Bluetooth devices.

Problem	Possible Cause	Solution
RGB lights not working	Lights turned off, remote battery low.	Press the 'MODE' button to cycle through light modes. Replace remote battery.

SPECIFICATIONS

Feature	Detail
Model Name	KEMIMOTO-6S
Mounting Type	Roll Bar Cage (1.25" to 2" compatible)
Material	Metal
Speaker Type	Built-In (6 Full-Range, 2 Tweeters)
Special Features	Dustproof, Shockproof, USB Port, Waterproof, RGB Lighting
Recommended Uses	Indoor/Outdoor, ATV, UTV, Golf Cart, Marine Boat
Connectivity Technology	Bluetooth 5.0, USB, 3.5mm Aux Input
Speaker Maximum Output Power	200 Watts
Input Voltage	12 Volts (DC)
Water Resistance Level	IP65 Waterproof
Product Dimensions	32"D x 4"W x 5"H
Item Weight	9.07 Kilograms (19.96 pounds)
Bluetooth Range	10 Meters (30 Feet)

WARRANTY AND SUPPORT

Your KEMIMOTO Soundbar comes with a **12 Months Warranty** from the date of purchase. This warranty covers manufacturing defects and ensures your product performs as expected under normal use.

For technical support, warranty claims, or any questions regarding your product, please contact KEMIMOTO customer service through the retailer where you purchased the item or visit the official KEMIMOTO website for contact information.

Please retain your proof of purchase for warranty validation.