

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [WLJBIDET](#) /

› [WLJBIDET Smart Bidet Toilet Seat Round, Model WLJ-O7R-1V Instruction Manual](#)

WLJBIDET WLJ-O7R-1V

WLJBIDET Smart Bidet Toilet Seat Round

MODEL: WLJ-O7R-1V INSTRUCTION MANUAL

Product Overview

The WLJBIDET Smart Bidet Toilet Seat (Model WLJ-O7R-1V) is designed to enhance personal hygiene and comfort. This round-shaped bidet seat features adjustable warm water washing, a heated seat, warm air drying, and a soft-close lid. It includes posterior and feminine wash functions, along with a self-cleaning nozzle for optimal sanitation.

Key Features:

- Adjustable Warm Water Wash (92°F to 102°F) for posterior and feminine cleaning.
- Heated Seat with adjustable temperature settings for comfort.
- Warm Air Drying to reduce toilet paper usage.
- Self-cleaning nozzle for hygiene before and after each use.
- Soft-close lid and seat to prevent slamming.
- Nightlight for convenience in low-light conditions.

Safety Information

This appliance requires an electrical outlet. Ensure the power source is 120 Volts and can support 1300 Watts. Always follow local electrical codes during installation. Do not immerse the unit in water. Disconnect power before cleaning or maintenance.

Setup and Installation


Before installation, verify your toilet dimensions to ensure compatibility. This model is designed for round toilets. An electrical outlet is required near the toilet for operation.

PLEASE MEASURE YOUR TOILET SIZE BEFORE PLACING AN ORDER

ELONGATED

4.7"~7.0"

120mm~180mm



ROUND

4.7"~7.0"

120mm~180mm



FITS



MAY NOT FIT




OUTLET REQUIRED

Figure 1: Toilet Size Measurement Guide. Ensure your toilet matches the 'Round' dimensions for proper fit. An electrical outlet is necessary for operation.

Installation Steps:

- 1. Remove Fixing Plate:** From the underside of the smart bidet toilet seat, hold down the buckle and slide out the fixing plate.

Attention!



Ensure that you connect the 3-way valve to the tank by referring to the page diagram and installation video. The installation instructions for the 3-way valve included in the package only apply to certain toilets.

When installation, please make sure to open the water supply valve first, wait 3-5 minutes for the water to fill the bidet, then plug it. Do not operate any functions while the blue light is blinking. The blue light will stop blinking in 1 minute.

Figure 2: Removing the fixing plate from the bidet seat.

2. **Install Accessories:** Place the metal adjustment sheets and rubber expansion screws into the toilet bowl holes. Secure them with the provided screws.



Figure 3: Installing the mounting accessories.

3. **Attach Bidet Seat:** Align the bidet toilet seat with the fixing plate. Hold down the buckle and push the seat in the direction of the arrow until it clicks into place.




Figure 4: Attaching the bidet seat to the fixing plate.

4. **Connect Water Supply:** Screw the 3-way valve onto the inlet of the toilet tank. Connect the DMT pipe and filter as shown in the diagram. Ensure all connections are secure to prevent leaks.




Figure 5: Water supply connection with 3-way valve and filter.

5. **Initial Power-Up:** After installation, open the water supply valve. Wait 3-5 minutes for the bidet to fill with water. Then, plug in the power cord. Do not operate any functions while the blue light is blinking; it will stop blinking in approximately 1 minute, indicating it is ready for use.




Figure 6: Important notes for initial setup and power-up.

Operating Instructions

The WLJBIDET Smart Bidet Toilet Seat features a side panel for convenient control of all functions.



Figure 7: Multi-functional Side Panel Operation.

- **Warm Water Bidet:** Select 'Rear Cleaning' or 'Feminine Cleaning' for targeted washing. The water temperature can be adjusted between 92°F and 102°F. The nozzle performs a self-cleaning cycle

before and after each use. An 'Oscillating Cleaning' option is available for a wider wash area.



Figure 8: Multiple Hygiene Cleaning Modes.

- **Heated Seat:** Activate the heated seat function for comfort, especially in colder environments. The seat temperature is adjustable across multiple levels (92°F, 98°F, 104°F). A ±4°F fluctuation is normal.



MULTI-LEVEL WARM SEAT HEATING

Adjust the seat temperature to suit your preferences.

Note: There will be $\pm 4^{\circ}\text{F}$ fluctuation in all levels, which is normal.

Figure 9: Heated Seat Functionality.

- **Warm Air Drying:** After washing, select the 'Warm Air Drying' function. This feature provides a gentle, hands-free drying experience, reducing the need for toilet paper. The air temperature is adjustable across five levels.



MULTI-LEVEL INSTANT WARM AIR DRYER

Pre-set multi-level warm air, optimized air duct design makes a wider range of drying.
Adjust the temperature to find your ideal air-drying comfort level to ensure a comfortable and efficient post-wash experience.

Figure 10: Warm Air Drying Feature.

- **Adjustable Nozzle Position:** Customize the nozzle's position to suit individual preferences. The system remembers your last setting.
- **Nightlight:** A soft-glow nightlight is integrated for visibility during nighttime use without requiring harsh overhead lighting.
- **Soft-Close Lid:** The lid and seat are designed to close slowly and quietly, preventing sudden impacts.

Maintenance

Regular cleaning and maintenance ensure the longevity and hygienic operation of your bidet seat.

- **Nozzle Self-Cleaning:** The bidet nozzle automatically cleans itself before and after each use.
- **Exterior Cleaning:** Wipe the exterior surfaces with a soft, damp cloth and mild, non-abrasive cleaner. Avoid harsh chemicals that may damage the finish.
- **Filter Maintenance:** Periodically check the water filter for any debris or blockages. Replace the filter as needed according to manufacturer recommendations.
- **Power Disconnection:** For thorough cleaning or extended periods of non-use, unplug the bidet seat from the electrical outlet.

Troubleshooting

If you encounter issues with your WLJBIDET Smart Bidet Toilet Seat, refer to the following common solutions:

- **No Power/Functions Not Working:** Ensure the bidet is properly plugged into a functioning 120V outlet. Check if the blue light is blinking; wait for it to stop before operation. Verify the circuit breaker.
- **No Water/Low Water Pressure:** Confirm the water supply valve is fully open. Check the water filter for blockages. Ensure the 3-way valve is correctly installed and not obstructed.
- **Heated Seat Not Warm:** Verify the heated seat setting is activated and adjusted to your desired temperature.
- **Warm Air Dryer Not Effective:** Adjust the warm air drying level to a higher setting. Ensure the air vents are not obstructed.
- **Water Spraying Before Nozzle Extends:** This may indicate an initial purge or a potential issue. Ensure you are seated fully on the bidet before activating wash functions. If the issue persists, contact customer support.

For issues not resolved by these steps, please contact WLJBIDET customer support.

Specifications

Feature	Specification
Brand	WLJBIDET
Model Number	WLJ-O7R-1V
Item Shape	Round
Color	White
Material	Acrylonitrile Butadiene Styrene (ABS)
Item Weight	11.97 pounds
Product Dimensions	20.1 x 17.5 x 5.5 inches
Power Source	AC
Voltage	120 Volts
Wattage	1300 watts
Temperature Range (Water)	92°F - 102°F (Adjustable)
Temperature Range (Seat)	Adjustable (e.g., 92°F, 98°F, 104°F)
Maximum Weight Capacity	280 Pounds
Plug Format	B - US style with ground plug
Special Features	Adjustable Water Pressure, Heated Seats, Adjustable Water Temperature, Warm Air Drying, Slow Closing Lid, Display Screen, Night Light







Feature	Specification
Included Components	Bidet toilet seat, Filter, Mounting hardware, Connecting components & Instructions

Warranty and Support

For warranty information, please refer to the documentation included with your product or contact WLJBIDET customer service directly. For technical support or inquiries, please reach out to the manufacturer, WLJBIDET.

© 2024 WLJBIDET. All rights reserved.

Related Documents - WLJ-O7R-1V

	<p>WLJBIDET Smart Bidet Toilet Seat Instruction Manual</p> <p>Comprehensive instruction manual for the WLJBIDET Smart Bidet Toilet Seat, covering installation, operation, maintenance, and troubleshooting for models WLJ-O80KL and WLJ-O80KR.</p>
	<p>WLJBIDET Smart Bidet Toilet Seat Instruction Manual</p> <p>Comprehensive instruction manual for the WLJBIDET Smart Bidet Toilet Seat (U7L and U70L models), covering installation, operation, maintenance, and troubleshooting.</p>
	<p>WLJBIDET Smart Bidet Toilet Seat Instruction Manual</p> <p>Comprehensive instruction manual for the WLJBIDET Smart Bidet Toilet Seat, covering installation, operation, maintenance, troubleshooting, and technical specifications for models O7L, O70L, O7R, and O70R.</p>
	<p>WLJBIDET Smart Toilet Seat Instruction Manual</p> <p>Comprehensive instruction manual for the WLJBIDET Smart Toilet Seat, covering safety precautions, parts identification, installation, operation, and technical specifications. Learn how to safely and effectively use your smart bidet.</p>
	<p>WLJBIDET Smart Bidet Toilet Seat Instruction Manual</p> <p>Comprehensive instruction manual for the WLJBIDET Smart Bidet Toilet Seat (Models S7L and S70L), covering safety precautions, parts identification, installation, trial operation, usage instructions, maintenance, troubleshooting, and technical specifications. Learn how to safely install and operate your smart bidet for optimal hygiene and comfort.</p>
	<p>Smart Bidet Toilet Seat Installation Guide - XCQQ, WLJBIDET</p> <p>Step-by-step installation instructions for XCQQ and WLJBIDET smart bidet toilet seats, covering required tools, accessory mounting, seat attachment, and water hose connections. Includes precautions and tips for a successful setup.</p>

