

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Pipishell](#) /

› [Pipishell Full Motion TV Wall Mount Bracket User Manual](#)

## Pipishell PILF8, PIMF2

# Pipishell Full Motion TV Wall Mount Bracket User Manual

Models: PILF8 (for 37-75 inch TVs) & PIMF2 (for 26-55 inch TVs)

## INTRODUCTION

---

This manual provides detailed instructions for the safe and proper installation, operation, and maintenance of your Pipishell Full Motion TV Wall Mount Brackets. These mounts are designed to securely hold your flat or curved screen television, offering flexible viewing angles. Please read this manual thoroughly before installation and keep it for future reference.



Image: Overview of Pipishell Full Motion TV Wall Mounts, including models for both smaller and larger televisions.

## SAFETY INFORMATION

---

**WARNING:** Failure to read and follow all instructions can result in personal injury, property damage, or voiding of warranty. If you do not understand these instructions or have doubts about the safety of the installation, please contact a qualified installer.

- Do not install on drywall alone. Ensure the mount is secured to a solid wood stud, concrete, or brick wall.
- Verify your TV's VESA pattern, weight, and size are within the mount's specifications.
- Use only the provided hardware. Do not use damaged or missing parts.
- Always have at least two people for installation, especially when lifting the TV.
- Ensure all screws are tightened securely but do not overtighten.

## PARTS LIST

---

Before installation, ensure all parts are present and undamaged. Refer to your specific model's packaging for a complete list of included hardware.



Image: Included components for the PILF8 model, showing the main mount assembly, TV attachment rails, cable management ties, and a bubble level.



Image: Included components for the PIMF2 model, showing the main mount assembly and TV attachment rails.

### Key Components:

- Wall Plate Assembly (with articulating arms)
- TV Bracket Rails
- Various Screws, Washers, and Spacers for TV and Wall Attachment
- Concrete Anchors (for concrete/brick wall installation)
- Cable Ties
- Bubble Level
- Anti-Drop End Caps (PILF8)
- Security Screws (PILF8)

### SPECIFICATIONS

Feature	PILF8 (37-75 Inch)	PIMF2 (26-55 Inch)
Mounting Type	Wall Mount	

Feature	PILF8 (37-75 Inch)	PIMF2 (26-55 Inch)
Movement Type	Articulating, Swivel, Tilt	
Material	Alloy Steel	
Compatible TV Size Range	37" - 75"	26" - 55"
Maximum Weight Capacity	100 lbs (45.3 kg)	66 lbs (30 kg)
VESA Compatibility	200x100mm to 600x400mm	75x75mm to 400x400mm
Tilt Angle	+5° / -15°	+5° / -15°
Swivel Angle	+/-45°	+/-90° (max depends on TV size)
Extension from Wall	Retract to 3.2", Extend up to 15.4"	Retract to 2.2", Extend up to 17"
Post-Installation Leveling	+/-3°	N/A (implied by swivel/tilt)
Wall Compatibility	16" Max wood studs, concrete, brick	Single wood stud, concrete, brick

### Will This Mount Fit My TV?

**TV Specs**



**TV Size: 37" - 75"**  
Max Weight: 100 lbs

**TV VESA**



**Max: 600 x 400mm**  
**Min: 200 x 100mm**

**Wall Types**



**16" Wood Studs**  
**Concrete Walls**  
**Brick Walls**

**Locate TV Ports**



**Bracket may block connections**

Image: Compatibility check points for your TV and wall type.

## SETUP AND INSTALLATION

### Tools Required (Not Included):

- Pencil
- Phillips Head Screwdriver
- Electric Drill
- Stud Finder (for wood stud walls)
- Socket Wrench or Adjustable Wrench
- Hammer (for concrete anchors)

### Pre-Installation Checklist:

1. Confirm your TV's weight and VESA pattern are within the mount's specifications.
2. Identify your wall type (wood stud, solid concrete, or brick). **Do not mount to drywall alone.**

3. Locate the desired mounting position, ensuring it is at a comfortable viewing height and away from electrical wires or plumbing.

### Installation Steps:




Image: Simplified 3-step installation process.

#### 1. Attach TV Brackets to TV:

Carefully place your TV face down on a soft, clean surface. Align the TV bracket rails with the VESA mounting holes on the back of your TV. Select the appropriate screws, washers, and spacers from the hardware kit that fit your TV. Secure the brackets to the TV, ensuring they are level and firmly attached.


## Details Design of Important Part



Single stud installation  
more labor-saving



Ultra strong arm more  
sturdy and flexible



Heavy duty steel  
construction  
ensures safety



Image: Detailed view of the PIMF2 mount, highlighting the TV bracket attachment points.

### 2. Mount Wall Plate to Wall:

Determine the exact mounting location. Use a stud finder to locate wood studs if applicable. For concrete or brick walls, mark drill holes directly. Use the wall plate as a template to mark the drill holes. Drill pilot holes according to the recommended drill bit size for your wall type. Secure the wall plate to the wall using the appropriate lag bolts and washers. For concrete/brick, insert concrete anchors before securing the lag bolts. Ensure the wall plate is level using the included bubble level.

# Diverse Wall Compatibility

- On single wood stud
- On solid concrete/ brick wall (anchors included)



Wood studs



Concrete wall



Brick wall



**(DO NOT mount to dry wall alone!)**

Image: Wall compatibility guide for installation.

### 3. Hang TV onto Wall Plate:

With assistance, carefully lift the TV with the attached brackets and hook them onto the wall plate. Ensure the TV brackets are securely seated on the wall plate's arms. Tighten any security screws or locking mechanisms on the TV brackets to prevent accidental dislodgement. Perform post-installation leveling if necessary (for PILF8 model, +/-3° adjustment is available).




Image: Key safety features like security screws and anti-drop end caps.

## OPERATING THE TV MOUNT

Your Pipishell full motion TV mount allows for various adjustments to achieve the optimal viewing experience.

- **Swivel:** Gently push or pull the TV to swivel it left or right. The PILF8 offers  $\pm 45^\circ$  swivel, while the PIMF2 offers up to  $\pm 90^\circ$  (depending on TV size).
- **Tilt:** Loosen the tilt adjustment knobs or bolts on the TV brackets, adjust the TV to your desired tilt angle ( $+5^\circ$  to  $-15^\circ$ ), and then re-tighten the knobs/bolts to secure the position.
- **Extend/Retract:** Pull the TV away from the wall to extend the articulating arms, or push it back towards the wall to retract it. The PILF8 extends up to 15.4 inches and retracts to 3.2 inches. The PIMF2 extends up to 17 inches and retracts to 2.2 inches.




Image: Demonstrating the swivel function for comfortable viewing angles.



Image: Demonstrating the extension and retraction capabilities of the mount.

## ◆ Bring Freedom to Your TV



Retracts 2.2" to wall  
and extends up to 17"



Tilt: +5° to -15°



Swivels left and right: ±90°

Image: Full range of motion for the PIMF2 mount, including extension, tilt, and swivel.

## MAINTENANCE

Regular maintenance ensures the longevity and safe operation of your TV mount.

- Periodically check all screws and bolts to ensure they remain securely tightened.
- Clean the mount with a soft, dry cloth. Avoid abrasive cleaners or solvents.
- If the mount's movement becomes stiff, a small amount of silicone-based lubricant can be applied to the articulating joints (avoiding contact with the TV or wall).

## TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------




Problem	Possible Cause	Solution
TV is not level after installation.	Wall plate not level, or TV not adjusted.	For PILF8, use the +/-3° post-installation leveling feature. For PIMF2, re-adjust the TV on the brackets or re-level the wall plate.
Mount feels loose or wobbly.	Screws not fully tightened, or incorrect wall anchors used.	Ensure all wall plate and TV bracket screws are securely tightened. Verify correct anchors were used for your wall type. If issue persists, consult a professional.
Difficulty swiveling or tilting the TV.	Joints are stiff or overtightened.	Check if any tilt knobs are overtightened. Apply a small amount of silicone lubricant to the articulating joints if necessary.
TV does not fit the mount.	Incorrect VESA pattern or TV weight/size.	Verify your TV's VESA pattern and weight against the mount's specifications. If incompatible, the mount cannot be used.


## WARRANTY AND SUPPORT

For warranty information or technical support, please contact Pipishell customer service through their official website or the retailer where the product was purchased. Please have your product model (PILF8 or PIMF2) and purchase details ready when contacting support.

You can visit the Pipishell Store for more information: [Pipishell Store on Amazon](#)


## Related Documents - PILF8, PIMF2

 <p><b>INSTRUCTION MANUAL</b> PIMF7</p> <p>Full-Motion TV Wall Mount</p> <p>1-800-468-1808 (USA) 1-800-746-3886 (CAN)</p> <p>support@pipishell.com www.pipishell.com</p>	<p><a href="#">Pipishell PIMF7 Full-Motion TV Wall Mount Instruction Manual</a></p> <p>Comprehensive instruction manual for the Pipishell PIMF7 full-motion TV wall mount, covering installation, safety, compatibility, and adjustment for TVs up to 77 lbs.</p>
 <p>Full-Motion TV Wall Mount Instruction Manual</p> <p>Model: PIMF9</p> <p>Thank you for choosing our product! We strive to provide you with the best quality products and services in the industry. Should you have any issues, please don't hesitate to contact us.</p> <p>Technical Support: USA: 1-800-468-1808 (Mon-Fri 9am - 5pm EST) CAN: 1-800-746-3886 (Mon-Fri 9am - 5pm EST) Other: info.support@pipishell.com Website: www.pipishell.com</p>	<p><a href="#">Pipishell PIMF9 Full-Motion TV Wall Mount Instruction Manual</a></p> <p>Comprehensive instruction manual for the Pipishell PIMF9 full-motion TV wall mount, detailing installation steps, safety information, and compatibility checks for various TV sizes and wall types.</p>
 <p>Pipishell Installation Instruction</p> <p>PISF1</p> <p>Thank you for choosing our product! We strive to provide you with the best quality products and services in the industry. Should you have any issues, please don't hesitate to contact us.</p> <p>Technical Support: USA: 1-800-468-1808 (Mon-Fri 9am - 5pm EST) CAN: 1-800-746-3886 (Mon-Fri 9am - 5pm EST) Other: info.support@pipishell.com Website: www.pipishell.com</p>	<p><a href="#">Pipishell PISF1 TV Wall Mount Installation Guide</a></p> <p>Comprehensive installation instructions for the Pipishell PISF1 TV wall mount, covering VESA measurement, hardware selection, wall plate mounting (concrete and wood studs), and TV attachment. Includes safety warnings and parts list.</p>




[Pipishell PILFK1 Full-Motion TV Wall Mount Instruction Manual](#)

Comprehensive installation guide for the Pipishell PILFK1 full-motion TV wall mount. Covers VESA compatibility, weight limits, wall type requirements, parts list, step-by-step assembly, safety information, and FAQs for TVs up to 132 lbs.



[Pipishell PIMF9 Full-Motion TV Wall Mount Instruction Manual](#)

Comprehensive instruction manual for the Pipishell PIMF9 Full-Motion TV Wall Mount. Includes safety information, parts list, compatibility checks, and step-by-step installation guides for various TV types and wall constructions.



[Pipishell PILFK1 Large Full-Motion TV Wall Mount Installation Guide](#)

Comprehensive installation guide for the Pipishell PILFK1 large full-motion TV wall mount. Includes warnings, weight capacity, tools needed, supplied hardware, and step-by-step instructions for mounting your TV securely.