

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [HOSOM](#) /

› [HOSOM 6 Pack Privacy Door Levers User Manual](#)

HOSOM 6 Pack Privacy Door Levers (B0CVVY5CF2)

HOSOM 6 Pack Privacy Door Levers User Manual

Model: 6 Pack Privacy Door Levers (B0CVVY5CF2)

PRODUCT OVERVIEW

The HOSOM 6 Pack Privacy Door Levers are designed for interior doors, offering privacy and security for spaces like bedrooms, bathrooms, and offices. These keyless lever handles feature a modern wave style and a satin nickel finish, providing both functionality and aesthetic appeal. They are reversible, making them suitable for both left and right-handed doors, and are constructed from durable zinc alloy, meeting ANSI Grade 3 standards for reliability.




Image: A set of six HOSOM privacy door levers, showcasing their satin nickel finish and wave-style design.


SETUP AND INSTALLATION

Installing your HOSOM privacy door levers is a straightforward process that requires only a screwdriver. Follow these steps for proper installation:

1. Prepare the Door

Ensure your door is prepared with the correct bore holes and backset. These levers are compatible with door thicknesses ranging from 1-3/8" to 1-3/4" (35mm to 45mm) and adjustable latches fitting 2-3/8" (60mm) or 2-3/4" (70mm) backsets.

Double Security



Exterior

Interior

Image: Diagram illustrating the required door thickness (1-3/8" to 1-3/4") and backset measurements (2-3/8" or 2-3/4") for installation.

2. Identify Components and Dimensions

Familiarize yourself with the various parts of the door lever and their dimensions to ensure correct assembly.

Fit Standard Doors




Image: Detailed diagram displaying the dimensions of each component of the door lever, including the latch, spindle, and handles.



Image: An exploded view showing all parts included in the HOSOM door lever package, such as the levers, latch, strike plate, and screws.

3. Install the Latch


Insert the latch mechanism into the edge bore hole of the door. Ensure the bevel of the latch bolt faces the door frame. Secure it with the provided screws.

4. Install the Levers


Align the exterior and interior lever assemblies with the latch. The exterior lever features a keyhole (for emergency access), and the interior lever has a thumb-turn button for privacy locking. Insert the spindle through the latch mechanism, connecting both levers.



Reversible Door Lever



For Left-Handed Door



For Right-Handed Door

Image: A diagram illustrating the "Double Security" feature, showing the exterior lever with a keyhole and the interior lever with a thumb-turn button, and how they connect through the door.

5. Secure the Levers

Fasten the levers to the door using the long screws provided, ensuring they pass through the interior lever, the latch, and into the exterior lever. Tighten securely but do not overtighten.

6. Test Operation and Reversibility

Test the lever operation to ensure smooth movement and proper latch engagement. These levers are reversible, meaning they can be installed on both left-handed and right-handed doors. If the lever direction is incorrect, simply reverse the orientation of the lever on the spindle before securing.

No Breaking Sturdy Door Handles

✓ Rustproof

✓ ANSI Grade 3

✓ Durable




Image: Diagram demonstrating the reversible nature of the door lever, showing how it can be configured for both left-handed and right-handed door installations.

OPERATING INSTRUCTIONS

The HOSOM Privacy Door Levers are designed for simple and effective privacy control without the need for keys for daily operation.

Locking the Door

From the interior side of the door, locate the thumb-turn button on the lever's base. Rotate the thumb-turn button to engage the lock. This will prevent the exterior lever from opening the door. The door can still be opened from the inside by turning the lever, which automatically retracts the latch bolt.



Image: Close-up view of the interior lever, highlighting the thumb-turn button used to engage the privacy lock.

Unlocking the Door

From the interior, simply turn the lever handle downwards. This action will retract the latch bolt and unlock the door. From the exterior, if the door is locked, an emergency key (or a small pointed object) can be inserted into the small hole on the exterior lever to disengage the lock.



Image: Close-up view of the exterior lever, showing the small emergency keyhole for unlocking from the outside.

MAINTENANCE

To ensure the longevity and smooth operation of your HOSOM Privacy Door Levers, follow these simple maintenance guidelines:

- Cleaning:** Wipe the levers regularly with a soft, damp cloth to remove dust and fingerprints. Avoid using abrasive cleaners, harsh chemicals, or solvents, as these can damage the satin nickel finish.
- Lubrication:** If the lever action becomes stiff over time, apply a small amount of silicone-based lubricant to the latch bolt and the internal mechanisms. Do not use oil-based lubricants, as they can attract dust and grime.
- Tightening Screws:** Periodically check and tighten any loose mounting screws. Loose screws can affect the lever's stability and operation.
- Avoid Excessive Force:** Do not force the lever or the locking mechanism. If you encounter resistance, inspect for obstructions or damage.

TROUBLESHOOTING

If you encounter issues with your HOSOM Privacy Door Levers, refer to the following common problems and their solutions:

Problem	Possible Cause	Solution
Lever is stiff or difficult to turn.	Accumulation of dirt, lack of lubrication, or misaligned components.	Clean the lever and latch mechanism. Apply silicone-based lubricant to moving parts. Check for proper alignment during installation.

Problem	Possible Cause	Solution
Door does not latch properly.	Strike plate misalignment, latch bolt obstruction, or incorrect backset.	Adjust the strike plate on the door frame. Ensure no debris is blocking the latch bolt. Verify the backset setting is correct (2-3/8" or 2-3/4").
Privacy lock does not engage or disengage.	Internal mechanism issue, or thumb-turn button is loose/damaged.	Check if the thumb-turn button is securely attached. If the issue persists, the internal mechanism may be faulty and require replacement.
Lever feels loose after installation.	Mounting screws are not tightened sufficiently.	Tighten all mounting screws firmly. Ensure the spindle is correctly seated between both levers.


SPECIFICATIONS


Feature	Detail
Brand	HOSOM
Model	6 Pack Privacy Door Levers
ASIN	B0CVVY5CF2
Material	Zinc Alloy
Color	Satin Nickel
Product Dimensions	12.4" L x 9.53" W (Overall package dimensions)
Exterior Finish	Nickel
Specific Uses	Interior Door (Bedroom, Bathroom, Office)
Special Feature	Easy to Install, Reversible for Right & Left Handed Doors
Lock Type	Privacy (Keyless interior lock, emergency exterior access)
Hand Orientation	Ambidextrous
Unit Count	6.0 Count
Item Weight	10.69 pounds (for 6 pack)
Door Compatibility	Adjustable latches fitting 2-3/8" (60mm) or 2-3/4" (70mm) backsets. Fits door thickness 1-3/8" to 1-3/4" (35mm to 45mm).
Certification	ANSI Grade 3

WARRANTY AND SUPPORT

For information regarding product warranty, returns, or technical support, please contact HOSOM customer service directly. Details are typically provided with your purchase documentation or can be found on the official HOSOM website. Always refer to the manufacturer's official channels for the most accurate and up-to-date support information.

Related Documents - 6 Pack Privacy Door Levers (B0CVVY5CF2)

	<p><u>HOSOM Keypad Deadbolt Installation and User Guide</u></p> <p>Comprehensive installation and user guide for the HOSOM Keypad Deadbolt, covering setup, programming, and troubleshooting for keyless entry.</p>
	<p><u>508K Series PrivacySet Lock Installation Guide</u></p> <p>Detailed installation instructions for the 508K Series PrivacySet door lock by MrArm. Covers door preparation, latch installation, jamb strike fitting, and handle attachment, with essential measurements and template guidance.</p>
	<p><u>Kwikset 69953-001 Installation Guide</u></p> <p>Step-by-step instructions for installing the Kwikset 69953-001 door lever, including preparing the door, adjusting the latch, and installing levers and strike.</p>
	<p><u>Kwikset Limited Warranties: Mechanical, Finish, and Electronic Coverage</u></p> <p>Detailed information on Kwikset's limited warranties for mechanical, finish, and electronic defects, including exclusions, claim procedures, remedies, and Kevo product specifics. Learn about coverage and limitations.</p>

	<p>BESTTEN Digital Lever with Keypad: Installation and Programming Guide</p> <p>Comprehensive guide for installing, programming, and troubleshooting the BESTTEN Digital Lever with Keypad, a keyless entry door lock. Includes package contents, step-by-step installation, user code management, advanced functions, and troubleshooting tips.</p>
<p><small>User Manual of Product 1: Weiser Powerbolt 2 Matte Black Keyless Entry Door Lock Deadbolt. Includes Electronic Keypad Door Lock with Braille Keypad (Up to 8 User Codes), Auto Lock, Electronic Door Lock, and Installation Instructions.</small></p> <p><small>User Manual of Product 2: Weiser Hafner Matte Black Door Handles. Reversible Passage Lever, Internal Door Handles for Hall and Closet Doors Non-Locking Hall/Closet Door Handles. Modern Home Decor.</small></p>	<p>Weiser Powerbolt 2 Keyless Entry Door Lock Installation and User Guide</p> <p>Comprehensive guide for installing and using the Weiser Powerbolt 2 Matte Black Keyless Entry Door Lock/Deadbolt Lock. Includes instructions for setup, programming user codes, changing master codes, and troubleshooting.</p>