

REOLINK Duo 3 PoE, RLN8-410

REOLINK Duo 3 PoE 16MP UHD Dual-Lens Security Camera System with RLN8-410 NVR User Manual

Model: Duo 3 PoE Camera, RLN8-410 NVR

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your REOLINK Duo 3 PoE 16MP UHD Dual-Lens Security Camera System, which includes the RLN8-410 Network Video Recorder (NVR). Please read this manual thoroughly before using the product to ensure proper functionality and safety.

2. PACKAGE CONTENTS

Verify that all components are present in your package:

- REOLINK RLN8-410 NVR (1 unit)
- REOLINK Duo 3 PoE Cameras (4 units)
- Ethernet Cables
- Mounting Screws and Wall Anchors
- Quick Start Guide
- Power Adapter for NVR
- USB Mouse



Image 2.1: Overview of the REOLINK Duo 3 PoE Camera System components, including the NVR and four cameras.

3. PRODUCT OVERVIEW

3.1 REOLINK Duo 3 PoE Camera

The Duo 3 PoE camera features a dual-lens design, providing a 180° panoramic view. It captures video at 16MP UHD resolution and includes F1.6 aperture for enhanced low-light performance and color night vision capabilities.



Image 3.1: Detailed view of the REOLINK Duo 3 PoE camera, highlighting its dual lenses and integrated spotlights.

- **Dual-Lens Design:** Provides a wide 180° panoramic field of view.
- **16MP UHD Resolution:** Delivers high-clarity video for detailed monitoring.
- **Color Night Vision:** F1.6 super aperture and 8x infrared LED lights enable clear color images in low-light conditions up to 100ft.
- **Motion Track:** Captures the complete movement of a target over time in a single image.
- **PoE Connectivity:** Power and data transmission via a single Ethernet cable.

3.2 REOLINK RLN8-410 NVR

The RLN8-410 is an 8-channel Network Video Recorder designed to manage and record video from REOLINK PoE cameras. It comes with a pre-installed 2TB HDD, expandable up to 8TB for extensive storage.



Image 3.2: The REOLINK RLN8-410 NVR unit, indicating its 2TB pre-installed hard drive.

- **8-Channel Input:** Supports up to 8 REOLINK IP cameras.
- **2TB Pre-installed HDD:** Provides ample storage for continuous recording.
- **Expandable Storage:** Supports external HDD up to 8TB.
- **PoE Ports:** Simplifies camera connection and power supply.
- **Independent System:** Can operate without internet for local viewing and recording.

4. SETUP

4.1 Camera Installation

Before mounting, test the camera's functionality and network connection in the desired location. Ensure the mounting surface is strong enough to support the camera.

1. Choose a suitable location for the camera, considering the 180° panoramic view.
2. Use the provided mounting template to mark drill holes.
3. Drill holes and insert wall anchors if necessary.
4. Secure the camera bracket to the wall or ceiling using the mounting screws.
5. Adjust the camera angle for optimal coverage.




Image 4.1: Example of a REOLINK Duo 3 PoE camera mounted on an exterior wall, showing its position and cable routing.

4.2 NVR Connection

Connect the NVR to your network and cameras using Ethernet cables.

1. Connect the NVR to a monitor using an HDMI or VGA cable.
2. Connect the NVR to a power source using the provided power adapter.
3. Connect the cameras to the NVR's PoE ports using Ethernet cables.
4. Connect the NVR's LAN port to your router using an Ethernet cable for internet access (optional for local operation).
5. Connect the USB mouse to the NVR for navigation.



Image 4.2: Connection diagram illustrating how PoE cameras connect to a PoE switch/NVR and how the NVR connects to a router.

4.3 Initial System Configuration

Upon first power-up, the NVR will guide you through the initial setup process. This typically involves setting a password, configuring network settings, and adding cameras.

- Follow the on-screen prompts to complete the NVR setup wizard.
- Download the REOLINK App for mobile access or the REOLINK Client for desktop access.
- Scan the QR code on the NVR or camera to add devices to the app/client.

5. OPERATING INSTRUCTIONS

5.1 Live View

Access live video feeds from your cameras through the NVR, REOLINK App, or Client software.



Image 5.1: A multi-camera live view interface displayed on a monitor connected to the NVR.

- On the NVR, use the mouse to select cameras for single or multi-channel display.
- In the REOLINK App/Client, select the desired camera to view its live feed.

5.2 Recording and Playback

The NVR continuously records video to the pre-installed 2TB hard drive. You can review recorded footage at any time.

- **Continuous Recording:** The system is configured for 24/7 recording by default.

- **Motion-Triggered Recording:** Configure cameras to record only when motion is detected to save storage space.
- **Playback:** Access the playback interface on the NVR, app, or client to select a date and time for reviewing recorded events.

5.3 Motion Detection and Alerts

The Duo 3 PoE camera features advanced motion detection, including person/vehicle detection, and a unique Motion Track feature.




Image 5.2: The Motion Track feature consolidating a 15-second video of movement into a single image with timestamps.

- **Motion Track:** View a summary of movement within a single image, showing the path of detected objects.
- **Customizable Motion Zones:** Define specific areas for motion detection to reduce false alarms.
- **Alerts:** Receive push notifications, emails, or trigger a siren when motion is detected.

5.4 Night Vision Modes

The Duo 3 PoE camera offers both infrared black & white night vision and color night vision.



Image 5.3: Comparison of night vision modes, showing a scene with spotlights off (black and white) and spotlights on (color).

- **Infrared Night Vision:** Provides clear black and white video up to 100ft in complete darkness.
- **Color Night Vision:** Activated by the F1.6 aperture and built-in spotlights, providing full-color video in low-light conditions.

- **Adjustable Spotlights:** Control the brightness of the integrated spotlights via the app or client.

5.5 Remote Access

Access your camera system remotely using the REOLINK App on your smartphone or the REOLINK Client on your computer.

- Ensure your NVR is connected to the internet.
- Open the REOLINK App/Client and log in to your account.
- Select your NVR or individual cameras to view live feeds, playback recordings, and configure settings from anywhere.

6. MAINTENANCE

- **Regular Cleaning:** Periodically clean the camera lenses with a soft, dry cloth to ensure clear image quality.
- **Firmware Updates:** Check for and install firmware updates for both cameras and NVR to ensure optimal performance and security. Updates are available via the REOLINK App/Client or the official REOLINK website.
- **Hard Drive Management:** The NVR will automatically overwrite older footage when the hard drive is full. Regularly back up important recordings if needed. Consider expanding storage with an external HDD if more retention is required.
- **Cable Inspection:** Periodically inspect all Ethernet cables for damage or wear, especially outdoor cables, to maintain reliable connections.

7. TROUBLESHOOTING

7.1 No Video Feed

- **Check Power:** Ensure the NVR is powered on and cameras are receiving power via PoE.
- **Check Cables:** Verify all Ethernet cables are securely connected between cameras and NVR, and between NVR and monitor/router.
- **NVR Status:** Check the NVR's status lights. Refer to the NVR's specific manual for indicator meanings.
- **Camera Status:** Some cameras have indicator lights. Consult the camera's manual.

7.2 Poor Image Quality

- **Clean Lens:** Ensure the camera lens is clean and free from dust or smudges.
- **Resolution Settings:** Verify the camera's resolution settings are set to 16MP UHD in the NVR or app.
- **Lighting:** Ensure adequate lighting for optimal image quality, especially at night. Adjust spotlight settings if using color night vision.

7.3 Motion Detection Not Working

- **Enable Detection:** Confirm motion detection is enabled for the specific camera in the NVR or app settings.
- **Configure Motion Zones:** Ensure motion detection zones are properly configured and cover the desired areas.
- **Sensitivity:** Adjust motion detection sensitivity. High sensitivity may trigger false alarms, while low sensitivity might miss events.

7.4 Remote Access Issues

- **Internet Connection:** Verify the NVR has a stable internet connection.
- **Router Settings:** Ensure your router's firewall or security settings are not blocking the REOLINK app/client.

- **App/Client Version:** Ensure you are using the latest version of the REOLINK App or Client software.

8. SPECIFICATIONS

Feature	Specification
Camera Model	REOLINK Duo 3 PoE
NVR Model	REOLINK RLN8-410
Video Resolution	16MP UHD (4K)
Viewing Angle	180° Panoramic
Night Vision	Color Night Vision (F1.6 aperture, 6500K spotlights), up to 100ft Black & White IR Night Vision
Connectivity	Wired (PoE)
NVR Channels	8 Channels
NVR Storage	2TB HDD (pre-installed), expandable up to 8TB external HDD
Motion Detection	Person/Vehicle Detection, Motion Track
Frame Rate	30 FPS (for 4K resolution, may vary with higher resolutions)
Operating Temperature	(Refer to product packaging or official website for exact range)

9. WARRANTY AND SUPPORT


REOLINK products typically come with a limited warranty. For specific warranty terms and conditions, please refer to the warranty card included in your package or visit the official REOLINK website.


For technical support, product registration, or to download the latest software and firmware, please visit the REOLINK Support Center:

Official REOLINK Website: www.reolink.com

Customer Service Email: (Refer to official website for current contact information)



	Reolink RLN8-410 NVR: Specifications, Hardware Versions, and Camera Compatibility Guide Comprehensive guide to Reolink RLN8-410 NVR, detailing specifications, hardware versions, supported cameras, and compatibility issues. Includes information on NVR setup and troubleshooting.
	Reolink PoE NVR: Manual de Usuario Completo para Instalación y Configuración Guía detallada del Reolink PoE NVR, cubriendo instalación, configuración, vista en vivo, grabación, reproducción, red y solución de problemas para sistemas de seguridad Reolink.
	Reolink PoE NVR User Manual: Setup, Operation, and Troubleshooting Guide A comprehensive user manual for Reolink PoE NVR systems, covering setup, live view, surveillance, recording, system management, and troubleshooting for models like RLN8-410 and RLN16-410.
	Reolink PoE NVR System Quick Start Guide - Setup, Specs & Troubleshooting Quick start guide for Reolink PoE NVR Systems and PoE NVRs, including setup instructions, connection diagrams, troubleshooting tips, specifications, and compliance information for models like RLN8-410.
	Reolink 4CH/8CH/16CH Super HD 4.0MP Network Video Recorder User Manual User manual for Reolink 4CH/8CH/16CH Super HD 4.0MP Network Video Recorder and 4.0MP Network Camera systems, detailing setup, features, operation, and support resources.
	Reolink NVS4 Network Video Recorder Setup and Operation Guide A comprehensive guide to setting up and operating the Reolink NVS4 Network Video Recorder, including specifications, connection diagrams, and app integration for video surveillance.



[pdf] User Manual Quick Start Guide

PoE NVR System QSG2 A EN DE FR IT ES 20191018 8 Pasi Kilpeläinen Reolink Rln8 410 Manual Pdf
rln8 manual daeryuhealthcare rlk8 800b4 pikaohje reolink fi 2020 07 |||

Tekninen tuki Jos tarvitset apua, ole hyv ja ota yhteytt Reolinkiin ennen tuotteen palauttamista. Us ... een. Tekniset tiedot Verkkovideotallennin NVR

Dekoodausresoluutio: 5MP/4MP/3MP/1080p/720p 8MP jos **RLN8-410** SATA-laite: 1 x 2TB HDD 1 x 3TB HDD jos RLN16-410 Virtalhde: Ottoteho 100-240V, 48V 1.8...
lang:fi **score:44** filesize: 1.06 M page_count: 9 document date: 2020-02-03



RLN8-410 8CH PoE NVR with 2TB HDD for 24/7 Continuous Video Recording with Reolink Cameras	
• 2TB HDD 8-Channel NVR • Support up to 8MP • Local & Remote Access	
Specifications	
Hardware	
Hardware	N7MB01
Video/Audio Input	
IP Video Input	PoE IP Camera x 8
Audio Input	Cameras with built-in mic
Video/Audio Output	
HDMI Output Resolution	3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768
VGA Output Resolution	1920x1080, 1280x1024, 1280x720, 1024x768
Audio Output	1-Channel, RCA
Decoding	
Video Format	H.264, H.265
Live View/Playback Resolution	7680x4360, 4408x1728, 4032x2512, 4096x3072, 3840x2160, 2560x1600, 2560x1920, 2560x1440, 2048x1536, 2304x1296, 1080p, 720p
Synchronous Playback	Up to 4 channels

[Reolink RLN8-410 NVR: Specifications, Hardware Versions, and Camera Compatibility Guide](#)

Comprehensive guide to Reolink RLN8-410 NVR, detailing specifications, hardware versions, supported cameras, and compatibility issues. Includes information on NVR setup and troubleshooting.

lang:en **score:43** filesize: 566.06 K page_count: 16 document date: 0000-00-00



[Reolink PoE NVR System Quick Start Guide - Setup, Specs & Troubleshooting](#)

Quick start guide for Reolink PoE NVR Systems and PoE NVRs, including setup instructions, connection diagrams, troubleshooting tips, specifications, and compliance information for models like RLN8-410.

lang:en **score:43** filesize: 458.29 K page_count: 9 document date: 2024-04-15



[pdf] User Manual

Pasi Kilpeläinen Käyttöohje Luurinetti fi Lisää NVR Reolink Clientiin Lataa asiakasohjelmisto viralliselta verkkosivultamme reolink software and manual ! Asennusvinkejä rln8 410 PoE käyttöohjeet luurinetti files products

Tekninen tuki Jos tarvitset apua, ole hyv ja ota yhteytt Reolinkiin ennen tuotteen palauttamista. Us ... een. Tekniset tiedot Verkkovideotallennin NVR

Dekoodausresoluutio: 5MP/4MP/3MP/1080p/720p 8MP jos **RLN8-410** SATA-laite: 1 x 2TB HDD 1 x 3TB HDD jos RLN16-410 Virtalhde: Ottoteho 100-240V, 48V 1.8...
lang:it **score:43** filesize: 1.34 M page_count: 18 document date: 2019-11-15

[pdf] Quick Start Guide

58 03 005 0018 PoE NVR QSG1 B DE FR IT ES 20211129 Apply to RLN8 410 RLN16 Operational Instruction Aug 2021 EN @ReolinkTech reolink Technical Support rln8 2t trovaprezzi it manuali |||

Questo manuale d istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per Reolink **RLN8-410-2T** o cerca il tuo prodotto tra le migliori offerte di Videosorveglianza Technical Support If you need any technical help, please visit our official support site and contact our support team before r...

lang:it **score:42** filesize: 418.47 K page_count: 24 document date: 2022-03-28





[pdf] Quick Start Guide Guide

58 03 005 0018 PoE NVR QSG1 B DE FR IT ES 20211129 82068 Reolink RLN8 410 en RLN16 Quick Start Guide data kommago nl files |||


Technical Support If you need any technical help, please visit our official support site and contact ... K info apex-ce.com Aug 2021 QSG1_B 58.03.005.0018 EN/DE/FR/IT/ES Operational Instruction Apply to: **RLN8-410**, RLN16-410 ReolinkTech https://reolink.com EN Contents What s in the Box NVR Introducti... lang:it score:41 filesize: 524.13 K page_count: 24 document date: 2023-06-13



[pdf] Quick Start Guide Guide Diagram

Reolink Quick Start Guide REOLINK 8CH Network Video Recorder for Home Security Camera System Only Work with 16MP 12MP 4K 8MP 5MP 4MP PoE IP 24 7 Recording to Pre Installed 2TB Hard Drive RLN8 410 Black User Digital B0F5PPPYDN B0CZMPYBDS B01D2TQXJW Electronics 81DeldiYTJL m media amazon images l |||

58.03.001.0445 March 2024 QSG1_A_EN Quick Start Guide Apply to: PoE NVR System/PoE NVR R e o l i ... : The NVR is compatible with both PoE and Wi-Fi cameras and allows the connection of up to 8 cameras **RLN8-410** or 16 cameras RLN16-410 . 9 English Mount the Camera Installation Tips Do not face the ... lang:en score:40 filesize: 427.44 K page_count: 8 document date: 2024-04-15



[pdf]

Rejestrator Reolink RLN8 410 8 kan Dysk 2TB Sklep internetowy stylem pl rejestrator reolink rln8 dysk 2tb 276369 upload files product |||

Rejestrator Reolink **RLN8-410** 8-kan Dysk 2TB Indeks: 276369 Producent: reolink Kod producenta: **RLN8-410** Cena: 1,301.03 zł Opis Rejestrator Reolink **RLN8-410** 8-kan Dysk 2TB Parametry Stan Nowy ... lang:en score:39 filesize: 34.09 K page_count: 1 document date: 2023-07-24



[pdf] Installation Guide

Enregistreur NVR Reolink RLN8 410 8 canaux PoE Jusqu à 4K Disque dur intégré 2To securitemarche fr 25711639 cdn manomano files |||

ENREGISTREUR NVR REOLINK **RLN8-410** 8 CANAUX / POE / JUSQU 4K / DISQUE DUR INTGR 2TO Rfrence : F002-2800-09 FICHE PRODUIT Enregistrement continu 24h/24, 7j/7 Si vous optez pour l enregistrement 24h/24, 7j/7 ou si vous avez plusieurs camras IP grer, ce NVR Reolink se prsente comme le choix idal. Di... lang:fr score:38 filesize: 128.22 K page_count: 3 document date: 2022-11-05



[Reolink PoE NVR: Manual de Usuario Completo para Instalación y Configuración](#)

Guía detallada del Reolink PoE NVR, cubriendo instalación, configuración, vista en vivo, grabación, reproducción, red y solución de problemas para sistemas de seguridad Reolink.

lang:es **score:38** filesize: 7.76 M page_count: 68 document date: 2022-03-22



[\[pdf\] Installation Guide](#)

Enregistreur NVR Reolink RLN8 410 8 canaux PoE Disque dur intégré 2To securitemarche fr 5b2f2022b6cec370ac92cfde61ae02d8ff59ae73 cdn manomano pim dam img 1567 39864446 ||| ENREGISTREUR NVR REOLINK **RLN8-410** 8 CANAUX / POE / DISQUE DUR INTGR 2TO Rfrence : F002-2800-09 FICHE PRODUIT Enregistrement continu 24h/24, 7j/7 Si vous optez pour l enregistrement 24h/24, 7j/7 ou si vous avez plusieurs camras IP grer, ce NVR Reolink se prsente comme le choix idal. Disque dur 2To...

lang:fr **score:38** filesize: 101.2 K page_count: 4 document date: 2024-08-29



[\[pdf\] Installation Guide](#)

Enregistreur NVR Reolink RLN8 410 8 canaux PoE Disque dur intégré 2To securitemarche fr 2a33b5a17c73cdc0145e93f2d7f02f1cb484133bcdn manomano pim dam img 1567 39864446 2a33b5a17c73cdc0145e93f2d7f02f1cb484133b ||| ENREGISTREUR NVR REOLINK **RLN8-410** 8 CANAUX / POE / DISQUE DUR INT GR 2TO R f rence : F002-2800-09 FICHE PRODUIT Enregistrement continu 24h/24, 7j/7 Si vous optez pour l enregistrement 24h/24, 7j/7 ou si vous avez plusieurs cam ras IP g rer, ce NVR Reolink se pr sente comme le choix id...

lang:fr **score:37** filesize: 101.2 K page_count: 4 document date: 2024-10-10



[\[pdf\] User Manual Quick Start Guide Guide](#)

Reolink Quick Start Guide Manual de usuarioReolink Cámara Duo 3 PoE Doble Lente UHD 16MP panorámica 180° Seguimiento Movimiento visión Nocturna a Color detección Personas vehículos Animales Audio bidireccional grabación 24 7 Amazon es ElectrónicaB1xfmjy7pkLm media amazon images I B1xfmjy7pkL ref dp product quick view |||

Technical Support If you need any technical help, please visit our official support site and contact ... 2023 QSG1_A 58.03.006.0096 EN/D E /FR /IT/E S Item No. : P750 Quick Start Guide Apply to: Reolink Duo 3 PoE R e o l i n k T e c h h t t p s : / / r e o l i n k . c o m EN Content What s in the Box Cam...

lang:it **score:37** filesize: 3.09 M page_count: 36 document date: 2024-02-01

[pdf] Quick Start Guide

58 03 005 0018 PoE NVR QSG1 B DE FR IT ES 20210831 OTTO Apply to RLN8 410 RLN16 Operational Instruction Aug 2021 EN @ReolinkTech reolink Technical Support 389ea850 ea6c 4598 92d0 26d1a1ebac13 d otto de files |||


Technical Support If you need any technical help, please visit our official support site and contact ... K info apex-ce.com Aug 2021 QSG1_B 58.03.005.0018 EN/DE/FR/IT/ES Operational Instruction Apply to: **RLN8-410**, RLN16-410 ReolinkTech https://reolink.com EN Contents What s in the Box NVR Introducti... lang:it score:37 filesize: 647.93 K page_count: 24 document date: 2021-08-31



[pdf] Specifications Declaration of Conformity

Reolink RLN8 410 EU Declarations of Conformity for Products home cdn reolink us support decl NVR series |||

EU Declaration of Conformity EN Manufacturer:REOLINK INNOVATION LIMITED Address: FLAT/RM 705 7/F ... f the manufacturer and belongs to the following product: Product Type: Network Video Recorder Model: **RLN8-410** The object of the declaration described above is in conformity with the relevant Union ha... lang:de score:37 filesize: 258.04 K page_count: 5 document date: 2024-09-26



[pdf] Quick Start Guide Guide

58 03 005 0018 PoE NVR QSG1 B DE FR IT ES 20211129 Quick Start Guide Reolink RLN8 410 8 Channel 24 7 Reliable Recording up to 12MP 8x 1x HDD MEGATEH eu Online shopping EU 231042041661251324 1776 name August 2022 home cdn reolink us 08 |||

Technical Support If you need any technical help, please visit our official support site and contact ... K info apex-ce.com Aug 2021 QSG1_B 58.03.005.0018 EN/DE/FR/IT/ES Operational Instruction Apply to: **RLN8-410**, RLN16-410 ReolinkTech https://reolink.com EN Contents What s in the Box NVR Introducti... lang:it score:37 filesize: 402.53 K page_count: 24 document date: 2022-03-28



[pdf] Quick Start Guide Troubleshooting Guide Guide

B800 B400 D400 QSG1 A EN DE FR IT ES 20181127 1 360° 3 2 Connection de la caméra Le peut UNIQUEMENT fonctionner avec Reolink POE NVR Ces caméras ne peuvent pas seulement ou d 39 autres logiciels tiers D800Quick Start Guide wizard cz images |||

Technical Support Technical support Visit https://support. reolink.com Troubleshooting your probl ... AN Camera 1 3 5 7 2 4 6 8 PoE NVR Note: B400/D400 can work with Reolink 8 channel POE NVR **RLN8-410** and 16 channel POE NVR RLN16-410. B800 can ONLY work with Reolink 8 channel POE NVR RLN8-4... lang:en score:37 filesize: 1.11 M page_count: 8 document date: 2018-11-27



Reolink RLN8-410 8CH PoE NVR with 2TB HDD for 24/7 Continuous Video Recording with Reolink Cameras - 2TB HDD 8-Channel NVR - Support up to 16MP - Local & Remote Access	
Specifications	
Hardware	
Hardware	N7M801
Video/Audio Input	
IP Video Input	PoE IP Camera x 8
Audio Input	Cameras with built-in mic
Video/Audio Output	
HDMI Output Resolution	3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768
VGA Output Resolution	1920x1080, 1280x1024, 1280x720, 1024x768
Audio Output	1-Channel, RCA
Decoding	
Video Format	H.264, H.265
Live View/Playback Resolution	7680*2160, 4608*1728, 4512*2512, 4096 *3072, 3840*2160, 3840*2560, 2560*19 20, 2560*1440, 2048*1536, 2304*1296, 1080p, 720p

[pdf] Specifications Dimension Guide

RLN8 410 Reolink Rln8 datablad efobasen efo no produkt 6452251 Produktblad |||

RLN8-410 8CH PoE NVR with 2TB HDD for 24/7 Continuous Video Recording with Reolink Cameras 2TB HDD 8-Channel NVR Support up to 16MP Local Remote Access Specifications Hardware Hardware Video/Audio Input IP Video Input Audio Input Video/Audio Output HDMI Output Resolution VGA Output Resolution... lang:en score:36 filesize: 153.54 K page_count: 3 document date: 2024-09-10



[pdf] User Manual Quick Start Guide

Administrator User Manual Reolink PoE NVR Sept 2021 QSG1 A D1ROURA LRS m media amazon images I

User Manual Reolink PoE NVR Sept 2021 QSG1_A contents 1. NVR Introduction..... specifications of your NVR model. User Manua11 Reolink PoE NVR 1. NVR Introduction Device Overview **RLN8-410**/RLN16-410 Reolink has 16-CHANNE PoE NVR RLN16-410 and 8-channel PoE NVR **RLN8-410**. Add came...

lang:en score:36 filesize: 8.21 M page_count: 65 document date: 2021-10-21



[pdf] User Manual Quick Start Guide Guide

Administrator User Guide Reolink 4K NVR 5MP PoE CCTV Security Camera System 8CH with 2TB HDD and 4X Motion Detection Outdoor IP Cameras 100ft Night Vision Remote Access RLK8 520D4 DIY Tools C1 eIQX jsL m media amazon images I |||

Sept 2021 QSG1_A User Manual Reolink PoE NVR contents contents cifications of your NVR model. User Manual 2 Reolink PoE NVR 1. NVR Introduction Device Overview **RLN8-410**/RLN16-410 Reolink has 16-CHANNE PoE NVR RLN16-410 and 8-channel PoE NVR **RLN8-410**. Add came...

lang:en score:35 filesize: 6.84 M page_count: 92 document date: 2022-02-17



[\[pdf\]](#) User Manual Quick Start Guide

Administrator Kamerasysteme NVRs Download Center Reolink Benutzerhandbuch herunterladen PoE Kameras NVR home cdn reolink us assets multiple languages manual name v 1651216452253 ||| September 2021 QSG1_A Benutzerhandbuch Reolink PoE NVR Inhalt..... .. ezifikationen Ihres NVR-Modells. Benutzerhandbuch1 Reolink PoE NVR 1. NVR Einfhrung Gerte-bersicht **RLN8-410**/RLN16-410 Reolink bietet den 16-Kanal PoE NVR RLN16-410 und den 8-Kanal PoE NVR **RLN8-410** a... lang:de **score:35** filesize: 7.65 M page_count: 72 document date: 2022-03-22



[Reolink PoE NVR User Manual: Setup, Operation, and Troubleshooting Guide](#)

A comprehensive user manual for Reolink PoE NVR systems, covering setup, live view, surveillance, recording, system management, and troubleshooting for models like RLN8-410 and RLN16-410.

lang:en **score:35** filesize: 2.11 M page_count: 65 document date: 2024-08-17



[\[pdf\]](#) User Manual Quick Start Guide

Administrator REOLINK RLK16 800B8 User Manual Mnaual files thelostmanual org data display embed toolleft true toolright false print zoom auto quot ||| User Manual Reolink PoE NVR Sept 2021 QSG1_A Downloaded from thelostmanual.org contents 1. NVR I ... ownloaded from thelostmanual.org User Manua1l Reolink PoE NVR 1. NVR Introduction Device Overview **RLN8-410**/RLN16-410 Reolink has 16-channe PoE NVR RLN16-410 and 8-channel PoE NVR **RLN8-410**. Add came...

lang:en **score:35** filesize: 2.11 M page_count: 65 document date: 2024-08-17

reolink

Reolink Duo 3 PoE

16MP Dual-Lens 180° View PoE Camera

• 16MP Ultra HD

• 180° Panorama

• Motion Track



Specifications

Video & Audio	
Image Sensor	1/2.7" CMOS sensor
Resolution	7680x2160 (16MP) @ 20FPS
Lens	f=2.8mm/F1.6
Video Compression	H.265
Field of View	Horizontal 180° Vertical 55°
Infrared Night Vision	30 meters (LED 6pcs/20m@850nm) (Auto-switching with IR-cut filter)
Color Night Vision	With spotlight 8pcs/5W@500K/560 Lumens
Frame Rate	Main stream: 4fps - 20fps (default: 20fps) Sub stream: 4fps - 20fps (default: 20fps)
Code Rate	Mainstream: 3072-10240Kbps (default: 8192Kbps) Substream: 256-2048Kbps (default: 1024Kbps)

[Reolink Duo 3 PoE 16MP Dual-Lens 180° Security Camera Specifications and Features](#)

Detailed specifications and features for the Reolink Duo 3 PoE, a 16MP dual-lens 180° panoramic PoE security camera with advanced night vision, motion detection, and smart home compatibility.

lang:en score:34 filesize: 471.67 K page_count: 4 document date: 2024-06-12

Reolink RLA-BKC1 Corner Mounting Bracket: Installation Guide and Compatibility

Reolink | SUPPORT

Reolink Support > FAQs > Introduction >

Search...

Reolink RLA-BKC1 Corner Mounting Bracket: Installation Guide and Compatibility

The Reolink RLA-BKC1 corner mounting bracket allows easy placement of cameras in corners, providing optimal angles and simple installation in tight spaces. This guide includes installation instructions and a compatibility list for your Reolink camera.

Table of Contents

1. Overview of Reolink RLA-BKC1

2. Reolink RLA-BKC1 Compatibility List

3. Step-by-Step Installation Instructions

1. Overview of Reolink RLA-BKC1

The Reolink RLA-BKC1 bracket offers enhanced installation flexibility by enabling corner mounting, providing better coverage in corners that would otherwise be difficult to access. Its durable construction ensures reliable performance for both indoor and outdoor use.

Enhanced Installation Flexibility

Generally, cameras are installed on flat walls or accessible surfaces. The RLA-BKC1 solves this by enabling corner mounting, offering a 90-degree angle for better coverage in tight spaces or areas where flat surfaces and other mounting options aren't available.

Increased Surveillance Coverage

Corner mounting often provides a wider view for more comprehensive coverage. The RLA-BKC1 lets you utilize unused corner spaces, capturing more area with a single camera.

[Reolink RLA-BKC1 Corner Mounting Bracket: Installation and Compatibility Guide](#)

Comprehensive installation guide and compatibility list for the Reolink RLA-BKC1 corner mounting bracket. Discover how to enhance your Reolink camera's surveillance coverage and positioning in tight spaces with this durable accessory.

lang:en score:34 filesize: 1.92 M page_count: 9 document date: 2025-04-30

reolink

Sept. 2021 QSG1_A

Manuel

NVR PoE Reolink



[\[pdf\] Quick Start Guide Guide](#)

reolink Guide de l'utilisateur Reolink 12MP Kit Caméra Surveillance 4X IP PoE Détection Personne Véhicule Audio Bidirectionnel Vidéo avec 8CH 2To NVR Vision Nocturne en Couleur RLK8 1200B4 A Amazon fr High Tech C1RzlbIGSOL m media amazon images l Manuel TechReolink 1200D4 Techm C1RzlbIGSOLm ref dp product quick viewm |||

Manuel NVR PoE Reolink Sept. 2021 QSG1_A Sommaire Sommaire

..... dle de NVR. 1 NVR PoE de Reolink Manuel de l'utilisateur

1. Prsentation du NVR Aperu de l'appareil **RLN8-410**/RLN16-410 Reolink propose le NVR PoE 16 canaux RLN16-410 et le NVR PoE 8 canaux **RLN8-410**...

lang:fr score:34 filesize: 5.72 M page_count: 79 document date: 2022-06-10

[\[pdf\]](#) User Manual Quick Start Guide

Administrator Surveillance Systems NVRsDownload Center ReolinkReolink PoE NVR User Manualhome
cdn reolink us assets multiple languages manual Reolink Manual name v 1755149076723 Systemy
monitoringu i rejestratory NVRsSurveillance NVRsCentrum pobierania ReolinkDownload ManualReolink
1756705785113home NVRsSurveillance 1755149076723home 1756783565039 1756783565039home
1749717420157 1746545646562home 1748362053033home 1748504820457home

1747014750143home 1757568755791home 1758247757143home 1758520721302home

1759682893453home NVRReolink ManualSurveillance ReolinkIf you choose a camera that is 8MP or
above it can only support one channel playback For cameras are less than up to 4 channelDownload

1760322203133home ||| ||| User Manual Reolink PoE NVR Sept 2021 QSG1_A contents 1. NVR

Introduction .2 Device Overview 2 Light Status .4 2. Setup and Installation . 5 Set up the NVR .5 3. Use

Your System 10 Live View .10 4. Surveillance . 12 Set up Motion Detection ||| User Manual Reolink PoE

NVR Sept 2021 QSG1_A contents 1. NVR Introduction .2 Device Overview 2 Light Status .4 2. Setup and

Installation . 5 Set up the NVR .5 3. Use Your System 10 Live View .10 4. Surveillance . 12 Set up Motion

Detection ||| User Manual Reolink PoE NVR Sept 2021 QSG1_A contents 1. NVR Introduction .2 Device

Overview 2 Light Status .4 2. Setup and Installation . 5 Set up the NVR .5 3. Use Your System 10 Live

View .10 4. Surveillance . 12 Set up Motion Detection ||| User Manual Reolink PoE NVR Sept 2021

QSG1_A contents 1. NVR Introduction .2 Device Overview 2 Light Status .4 2. Setup and Installation . 5

Set up the NVR .5 3. Use Your System 10 Live View .10 4. Surveillance . 12 Set up Motion Detection |||

User Manual Reolink PoE NVR Sept 2021 QSG1_A contents 1. NVR Introduction .2 Device Overview 2

Light Status .4 2. Setup and Installation . 5 Set up the NVR .5 3. Use Your System 10 Live View .10 4.

Surveillance . 12 Set up Motion Detection ||| User Manual Reolink PoE NVR Sept 2021 QSG1_A contents

1. NVR Introduction .2 Device Overview 2 Light Status .4 2. Setup and Installation . 5 Set up the NVR .5 3.

Use Your System 10 Live View .10 4. Surveillance . 12 Set up Motion Detection ||| User Manual Reolink

PoE NVR Sept 2021 QSG1_A contents 1. NVR Introduction .2 Device Overview 2 Light Status .4 2. Setup

and Installation . 5 Set up the NVR .5 3. Use Your System 10 Live View .10 4. Surveillance . 12 Set up

Motion Detection ||| User Manual Reolink PoE NVR Sept 2021 QSG1_A contents 1. NVR Introduction .2

Device Overview 2 Light Status .4 2. Setup and Installation . 5 Set up the NVR .5 3. Use Your System 10

Live View .10 4. Surveillance . 12 Set up Motion Detection ||| User Manual Reolink PoE NVR Sept 2021

QSG1_A contents 1. NVR Introduction .2 Device Overview 2 Light Status .4 2. Setup and Installation . 5

Set up the NVR .5 3. Use Your System 10 Live View .10 4. Surveillance . 12 Set up Motion Detection |||

User Manual Reolink PoE NVR Sept 2021 QSG1_A contents 1. NVR Introduction .2 Device Overview 2

Light Status .4 2. Setup and Installation . 5 Set up the NVR .5 3. Use Your System 10 Live View .10 4.

Surveillance . 12 Set up Motion Detection ||| User Manual Reolink PoE NVR Sept 2021 QSG1_A contents

1. NVR Introduction .2 Device Overview 2 Light Status .4 2. Setup and Installation . 5 Set up the NVR .5 3.

Use Your System 10 Live View .10 4. Surveillance . 12 Set up Motion Detection ||| User Manual Reolink

PoE NVR Sept 2021 QSG1_A contents 1. NVR Introduction .2 Device Overview 2 Light Status .4 2. Setup

and Installation . 5 Set up the NVR .5 3. Use Your System 10 Live View .10 4. Surveillance . 12 Set up

Motion Detection

User Manual Reolink PoE NVR Sept 2021 QSG1_A contents 1. NVR

Introduction..... ion Device Overview RLN8-410/RLN16-410 Reolink

has 16-channe PoE NVR RLN16-410 and 8-channel PoE NVR **RLN8-410**. Add

cameras to the PoE NVR, you are able to customize your own security systems.

Reolink ...

lang:en score:33 filesize: 8.21 M page_count: 65 document date: 2021-10-21



EU Declaration of Conformity (EN)

Manufacturer

REOLINK INNOVATION LIMITED

Address

FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN STREET MONK KOK KL HONG KONG

This declaration of conformity is issued under the sole responsibility of the manufacturer and belongs to the following product:

Product Type

IP Camera

Model

Reolink Duo 3 PoE

The object of the declaration described above is in conformity with the relevant Union harmonization legislation:

- EMC Directive 2014/53/EU

- RoHS Directive 2011/65/EU

The following harmonized standards and technical specifications have been applied:

EMC	EN 55032:2015/A1:2020 EN IEC 60950-3-2:2017 EN 60950-3-3:2015/A2:2021 EN 55015:2017/A1:2020
Safety	EN 62368-1:2020/A1:2020
RoHS	IEC 62321-5-1:2015/IEC 62321-5:2015 IEC 62321-6:2015/A1:2017 IEC 62321-7-2:2017/IEC 62321-6:2015 IEC 62321-11:2016/IEC 62321-8:2017

Signed for and on behalf of:

REOLINK INNOVATION LIMITED

Place of issue

Hong Kong

Date of issue

20-07-2024

Name

Wang yijun

Position

Technical Director

Signature:



[pdf] Specifications Declaration of Conformity

Reolink Duo 3 PoE EU Declarations of Conformity for Products home cdn reolink us support decl series |||

EU Declaration of Conformity EN Manufacturer:REOLINK INNOVATION LIMITED

Address:FLAT/RM 705 7/F F ... ity of the manufacturer and belongs to the following

product: Product Type: IP Camera Model:Reolink Duo 3 PoE The object of the


declaration described above is in conformity with the relevant Union har...

lang:de score:33 filesize: 258.4 K page_count: 5 document date: 2024-09-25

Reolink Duo 3 PoE

Reolink Duo 3 PoE cattura filmati con una risoluzione di 16MP e unisce du e immagini per un'ampia visione a 180°. Utilizzando una tecnologia avanzat a, Reolink Duo 3 PoE è in grado di rilevare e classificare potenziali oggetti co me persone, veicoli e animali, fornendo avvisi affidabili e mirati. Grazie alla tecnologia PoE e all'angolo ultra-grandangolare della telecamera, è suffic iente un solo cavo di rete per trasmettere alimentazione e dati per ottener e una sorveglianza a doppio campo. Più comodità, più sicurezza.

1. Specifiche



1	Sensore di luce diurna
2	Microfono
3	Lente
4	Riflettori puntati
5	Luci a infrarossi
6	Staffa di montaggio

[pdf] Quick Start Guide Specifications

Reolink Duo 3 PoE 1 SpecificheIT PoEm reolink files docs specs QSG duo poe IT |||

Reolink Duo 3 PoE Reolink Duo 3 PoE cattura filmati con una risoluzione di 16MP e

unisce du e immagini per un'ampia visione a 180 . Utilizzando una tecnologia avanzat

a, Reolink Duo 3 PoE in grado di rilevare e classificare potenziali oggetti co me

persone, veicoli e animali, fornendo avvisi aff...

lang:it score:33 filesize: 818.33 K page_count: 8 document date: 2025-06-20

Reolink RLN8-410 8 Channel PoE NVR Specifications

Model	RLN8-410
Resolution	4K Ultra HD
Video Input	8x HDMI 2.0 (Supports 4K@60FPS)
Audio Input	2x Analog (Supports 24-bit/48kHz)
Video Output	4x HDMI 2.0 (Supports 4K@60FPS)
Audio Output	2x Analog (Supports 24-bit/48kHz)
Storage	2x SATA 6Gb/s (Supports up to 16TB per drive)
Network	1x RJ45 (Supports 10/100/1000Mbps)
Power	1x DC 12V (Supports up to 10A)
Dimensions	180mm (W) x 180mm (H) x 45mm (D)
Weight	1.2kg

[pdf] Specifications Dimension Guide Warranty

BAICHUAN 63 Specification Sheet Reolink 4K PoE NVR 8 Channel CCTV Camera System Network

Video Recorder with 2TB Hard Drive Supports 12MP 8MP 5MP 4MP 1080P HD IP 24 7 Surveillance

Recording RLN8 410 DIY Tools 61Th29jAFeL m media amazon images I |||

Reolink **RLN8-410** 4K 8 Channels PoE NVR Specifications NVR Model Video/Audio

Input Video Input Audio Input Decoding Resolution Video Output Video/Audio Output

VGA Output HDMI Output Audio output Sysynchronous Playback SATA HDD


Maximum Capacity External HDD External Interface USB Interf...

lang:en score:33 filesize: 119.33 K page_count: 1 document date: 2022-02-16




[\[pdf\]](#) User Manual Quick Start Guide

Administrator Sistemas de Cámaras NVRsCentro Descarga ReolinkReolink NVR PoE Manual
 Usuariohome cdn reolink us assets multiple languages manual Reolink Usuario name v 1752460216435
 NVRsSistemas ReolinkCentro UsuarioReolink 1752460216435home 1753064328523
 1753064328523home 1754888252930 ||| ||| Sept. 2021 QSG1_A Manual de Usuario Reolink PoE NVR
 contenidos contenidos 1 1. Introduccin NVR 2 Descripcin general del dispositivo . 2 Estado de luces 4 2.
 Instalacin y Configuracin .5 Configurar el NVR . 5 3. Use su sistema .11 Vista en v ||| Sept. 2021 QSG1_A
 Manual de Usuario Reolink PoE NVR contenidos contenidos 1 1. Introduccin NVR 2 Descripcin general
 del dispositivo . 2 Estado de luces 4 2. Instalacin y Configuracin .5 Configurar el NVR . 5 3. Use su
 sistema .11 Vista en v
 Sept. 2021 QSG1_A Manual de Usuario Reolink PoE NVR contenidos
 contenidos..... de NVR. Manual del usuario1 Reolink PoE NVR 1.
 Introduccin NVR Descripcin general del dispositivo **RLN8-410**/RLN16-410 Reolink
 tiene PoE NVR RLN16-410 de 16 canales y PoE NVR **RLN8-410** de 8 canales. A...
 lang:es **score:33** filesize: 7.76 M page_count: 68 document date: 2022-03-22




[\[pdf\]](#) Specifications Declaration of Conformity

EC Declaration of Conformity Charles Declaratie conformitate NVR Reolink RLN8 410 NHD spy shop ro
 media custom upload NVS8 8 canale MP PoE HDD 2TB inclus 12 fileuploader d file NVS8NVR roNVR
 roDeclaratie NVS8Declaratie NVS8spy NHDspy srsltid AfmBOopHAMXls9Rfhf2utiS HyDgwjiG2g
 Qicv971z6dJUu2AejWnFaspy |||
 DoC-202009-14 EU Declaration of Conformity EN Manufacturer: Address: REOLINK
 INNOVATION LIMITED ... f the manufacturer and belongs to the following product:
 Product Type: Network Video Recorder Model: **RLN8-410 RLN8-410** NO HDD ,
 RLN4, RLN4 NO HDD The object of the declaration described above is in ...
 lang:en **score:33** filesize: 25.66 K page_count: 1 document date: 2020-09-10



[\[pdf\]](#) User Manual Quick Start Guide Installation Guide


Reolink PoE Camera User Manual name v 1701669093555 home cdn reolink us assets multiple
 languages manual |||
 User Manual Reolink PoE Camera Sept 2021 QSG1_A User Manual Reolink PoE
 Camera contents 1. Came ... camera, which cannot work independently. It works
 perfectly when connected to Reolink 8-channel NVR **RLN8-410**, 16-channel NVR
 RLN16-410, or in Reolink PoE surveillance systems. 1 Mount 2 Metal Case 3 ...
 lang:en **score:32** filesize: 11.46 M page_count: 89 document date: 2021-10-30



[pdf] User Manual

Manual de utilizare Camera supraveghere IP exterior Reolink B800 8 MP IR 30 m 4 mm microfon spy shop ro media custom upload ||| Camera supraveghere IP exterior Reolink B800 CE ESTE IN CUTIE INFORMATII GENERALE CONEXIUNI Camer ... tware-ului pentru PC sau al unui monitor HDMI/VGA. B800 poate functiona doar cu NVR PoE cu 8 canale **RLN8-410** . REGLAJUL IMAGINII 1. Rasuceste imbusul in camera ca in imagine si roteste-o dupa nevoi...

lang:it **score:32** filesize: 486.06 K page_count: 3 document date: 2020-05-19



[pdf] Quick Start Guide Specifications

Reolink Duo 3 PoE 1 EspecificacionesES PoEm reolink files docs specs QSG duo poe ES ||| Reolink Duo 3 PoE La c mara R e o l i n k D u o 3 P o E captura im genes con una impresionante resoluci n de 16 MP y adem s fusiona dos im genes para ofrecer una amplia experiencia de visi n de 180 . Gracias a su avanzada tecnolog a, la Reolink Duo 3 PoE puede detectar y clasificar objetos p...

lang:es **score:32** filesize: 942.28 K page_count: 8 document date: 2025-06-20



Reolink RLK8-1200D4-A Security Camera System Specifications

Detailed specifications for the Reolink RLK8-1200D4-A security camera system, including the D1200 IP camera and RLN8-410 NVR. Covers video, audio, power, software features, and environmental requirements.

lang:en **score:31** filesize: 68.78 K page_count: 2 document date: 2024-01-19



[pdf] User Manual Quick Start Guide Troubleshooting Guide Guide

B800 B400 D400 QSG1 A EN DE FR IT ES 20181127 Only Manual Rotation 1 360° 3 2 The cable connections are shown as below DC48V AUDIO OUT USB HDMI VGA LAN eSATA 5 7 4 6 8 PoE NVR 220V 60Hz 110V 50Hz Camera Router HD TV Monitor Phone Pad ios Android PC English AN Reolink rlb800 IP Ueberwachungskamera 3840 x 2160 Pixel asset re in de add 160267 c1 gl 002269242ML00 Technical Support Technical support Visit https://support. reolink.com Troubleshooting your probl ... AN Camera 1 3 5 7 2 4 6 8 PoE NVR Note: B400/D400 can work with Reolink 8 channel POE NVR **RLN8-410** and 16 channel POE NVR RLN16-410. B800 can ONLY work with Reolink 8 channel POE NVR RLN8-4...

lang:en **score:31** filesize: 1.11 M page_count: 8 document date: 2018-11-27

RLN8-410 NVR Specifications	
Model	RLN8-410
Resolution	1080p
Frame rate	25/30fps
Storage	2TB HDD
Power	12V DC
Dimensions	180x180x45mm
Weight	0.5kg
Operating temperature	0°C to 40°C
Humidity	10% to 90% RH
Material	ABS
Color	Black
Mounting	Wall mount
Accessories	Power supply, mounting bracket, screws
Warranty	3 years

[pdf] Specifications

Administrator Model RLN8 410 Compressed in H.264 GUI 16-bit True Color Operating System

Embedded Linux OS Password security Multi-level RLK8 410B2D2 Specifications m reolink files docs

specs |||

Model Compressed in on GUI Operating System Password security Video Input Audio

o Input Decoding ... r Supply Working temperature Working humidity Dimensions on

mm 8-Channel NVR Specifications **RLN8-410** H.264 16-bit True Color Embedded

Linux OS Multi-level users management, 1 Admin 19 Users...

lang:en score:31 filesize: 369.19 K page_count: 2 document date: 2017-09-29

Reolink	
RLN8-410	
NVR PoE à 8 canaux avec disque dur de 2 To pour un enregistrement vidéo continu 24/7 avec les caméras Reolink	
• NVR 8 canaux 2TB HDD • Prend en charge jusqu'à 16MP • Accès local et à distance	
Specifications	
Matériel	
Matériel	N7MB01
Entrée vidéo/audio	
Entrée vidéo IP	Caméra IP PoE * 8
Entrée audio	Caméras avec micro intégré
Sortie vidéo/audio	
Résolution de la sortie HDMI	VGA, HDMI
Résolution de la sortie VGA	- HDMI: 3840*2160, 1920*1080, 1280*1024, 1280*720, 1024*768 - VGA: 1920*1080, 1280*1024, 1280*720, 1024*768
Sortie audio	1-Canal, RCA
Décodage	
Format vidéo	H.264, H.265
Résolution Live View/Playback	7680*2160, 4608*1728, 4352*2512, 4096*3072, 3840*2160, 2560*2560, 2560*1920, 2560*1440, 2048*1536, 2304*1296, 1080p, 720p

[pdf] Specifications Dimension Guide

RLN8 410 NVR PoE à 8 canaux avec disque dur de 2 To pour un enregistrement vidéo continu 24/7 les

caméras Reolink 2TB HDD media adeo mkp 21a278b9c348bbd67c527e647d17630b |||

RLN8-410 NVR PoE 8 canaux avec disque dur de 2 To pour un enregistrement vidéo

continu 24/7 avec les caméras Reolink NVR 8 canaux 2TB HDD Prend en charge

jusqu'à 16MP Accès local et à distance Specifications Matériel Matériel Entrée vidéo/audio

Entrée vidéo IP Entrée audio Sortie vidéo/audio Résolution de l...

lang:fr score:31 filesize: 274.41 K page_count: 4 document date: 2024-11-27

Reolink	
RLN8-410	
8CH PoE NVR with 2TB HDD for 24/7 Continuous Video Recording with Reolink Cameras	
• 2TB HDD 8-Channel NVR • Support up to 16MP • Local & Remote Access	
Specifications	
Hardware	
Hardware	N7MB01
Video/Audio Input	
IP Video Input	PoE IP Camera x 8
Audio Input	Cameras with built-in mic
Video/Audio Output	
HDMI Output Resolution	3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768
VGA Output Resolution	1920x1080, 1280x1024, 1280x720, 1024x768
Audio Output	1-Channel, RCA
Decoding	
Video Format	H.264, H.265
Live View/Playback Resolution	7680*2160, 4608*1728, 4352*2512, 4096*3072, 3840*2160, 2560*2560, 2560*1920, 2560*1440, 2048*1536, 2304*1296, 1080p, 720p

[pdf] Specifications Dimension Guide

RLN8 410 Specifications Alarmbutiken 8CH PoE NVR with 2TB HDD for 24/7 Continuous Video

Recording Reolink Cameras 8 Channel Support up to 16MP Local Remote Access rln8 1721308909618

alarmbutiken 2020 05 |||

RLN8-410 8CH PoE NVR with 2TB HDD for 24/7 Continuous Video Recording with

Reolink Cameras 2TB HDD 8-Channel NVR Support up to 16MP Local Remote

Access Specifications Hardware Hardware Video/Audio Input IP Video Input Audio

Input Video/Audio Output HDMI Output Resolution VGA Output Resolution...

lang:en score:31 filesize: 158.38 K page_count: 3 document date: 2024-07-18

[illegible]

[\[pdf\]](#) Instructions

Instructions d'utilisation Reolink 12MP Kit Caméra Surveillance 4X IP PoE Détection de Personne
Véhicule Audio Bidirectionnel Vidéo avec 8CH 2To NVR Vision Nocturne en Couleur RLK8 1200B4 A

Amazon.fr High Tech A1XAJ0eDHIL m media amazon images | ||

Vido et audio Alimentation Spcifications-Camra-IP-RLK8-1200B4-A-4.0mm Modle
B1200 4.0mm Capteu ... Sortie vido/audio Dcodage DISQUE DUR Interface externe
Spcifications-Kit-NVR-RLK8-1200B4-A Modle **RLN8-410** Entre vido IP Camra IP PoE
x 8 Entre audio Camras avec micro intgr Sortie vido VGA, ...


lang:fr score:30 filesize: 1.04 M page_count: 2 document date: 2024-01-19

[\[pdf\]](#) User Manual Quick Start Guide Installation Guide

PoE CamerasDownload Center Reolink Manual Camera User Manualhome cdn reolink us assets
multiple languages manual Reolink Manual name v 1755149076723 CamerasKamery PoEDownload
ReolinkCentrum pobierania ManualReolink 1755149076723home 1756705785113 CamerasPoE
ReolinkDownload 1756783565039home 1756705785113home 1748504820457 1747014750143
1746545646562home 1757568755791home 1758247757143home 1758520721302home
1759682893453home 1760322203133home ||| ||| User Manual Reolink PoE Camera Sept 2021 QSG1_A
User Manual Reolink PoE Camera contents 1. Camera Introduction 2 Device Overview 2 2. Setup and
Installation . 9 Power on PoE Cameras 9 Set up PoE Cameras on App 11 Install the Camera . 12 3. |||
User Manual Reolink PoE Camera Sept 2021 QSG1_A User Manual Reolink PoE Camera contents 1.
Camera Introduction 2 Device Overview 2 2. Setup and Installation . 9 Power on PoE Cameras 9 Set up
PoE Cameras on App 11 Install the Camera . 12 3. ||| User Manual Reolink PoE Camera Sept 2021
QSG1_A User Manual Reolink PoE Camera contents 1. Camera Introduction 2 Device Overview 2 2.
Setup and Installation . 9 Power on PoE Cameras 9 Set up PoE Cameras on App 11 Install the Camera .
12 3. ||| User Manual Reolink PoE Camera Sept 2021 QSG1_A User Manual Reolink PoE Camera
contents 1. Camera Introduction 2 Device Overview 2 2. Setup and Installation . 9 Power on PoE
Cameras 9 Set up PoE Cameras on App 11 Install the Camera . 12 3. ||| User Manual Reolink PoE
Camera Sept 2021 QSG1_A User Manual Reolink PoE Camera contents 1. Camera Introduction 2 Device
Overview 2 2. Setup and Installation . 9 Power on PoE Cameras 9 Set up PoE Cameras on App 11 Install
the Camera . 12 3. ||| User Manual Reolink PoE Camera Sept 2021 QSG1_A User Manual Reolink PoE
Camera contents 1. Camera Introduction 2 Device Overview 2 2. Setup and Installation . 9 Power on PoE
Cameras 9 Set up PoE Cameras on App 11 Install the Camera . 12 3. ||| User Manual Reolink PoE
Camera Sept 2021 QSG1_A User Manual Reolink PoE Camera contents 1. Camera Introduction 2 Device
Overview 2 2. Setup and Installation . 9 Power on PoE Cameras 9 Set up PoE Cameras on App 11 Install
the Camera . 12 3. ||| User Manual Reolink PoE Camera Sept 2021 QSG1_A User Manual Reolink PoE
Camera contents 1. Camera Introduction 2 Device Overview 2 2. Setup and Installation . 9 Power on PoE
Cameras 9 Set up PoE Cameras on App 11 Install the Camera . 12 3. ||| User Manual Reolink PoE
Camera Sept 2021 QSG1_A User Manual Reolink PoE Camera contents 1. Camera Introduction 2 Device
Overview 2 2. Setup and Installation . 9 Power on PoE Cameras 9 Set up PoE Cameras on App 11 Install
the Camera . 12 3. ||| User Manual Reolink PoE Camera Sept 2021 QSG1_A User Manual Reolink PoE
Camera contents 1. Camera Introduction 2 Device Overview 2 2. Setup and Installation . 9 Power on PoE
Cameras 9 Set up PoE Cameras on App 11 Install the Camera . 12 3. ||| User Manual Reolink PoE
Camera Sept 2021 QSG1_A User Manual Reolink PoE Camera contents 1. Camera Introduction 2 Device
Overview 2 2. Setup and Installation . 9 Power on PoE Cameras 9 Set up PoE Cameras on App 11 Install
the Camera . 12 3. ||| User Manual Reolink PoE Camera Sept 2021 QSG1_A User Manual Reolink PoE
Camera contents 1. Camera Introduction 2 Device Overview 2 2. Setup and Installation . 9 Power on PoE
Cameras 9 Set up PoE Cameras on App 11 Install the Camera . 12 3.

User Manual Reolink PoE Camera Sept 2021 QSG1_A User Manual Reolink PoE Camera contents 1. Came ... camera, which cannot work independently. It works perfectly when connected to Reolink 8-channel NVR **RLN8-410**, 16-channel NVR **RLN16-410**, or in Reolink PoE surveillance systems. 1 Mount 2 Metal Case 3 ...

lang:en score:30 filesize: 11.46 M page_count: 89 document date: 2021-10-30



RLN8-410-PoE NVR Specifications		
	Model	RLN8-410
Hardware	Hardware	N7MB01
Video/Audio Input	IP Video Input	PoE IP Camera x 8
	Audio Input	Cameras with built-in mic
Video/Audio Output	HDMI Output Resolution	3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768
	VGA Output Resolution	1920x1080, 1280x1024, 1280x720, 1024x768
	Audio output	1-Channel RCA
	Video Format	H.264, H.265
Decoding	Live View / Playback Resolution	4096x3072, 3840x2160, 2560x1920, 2560x1440, 2048x1536, 2304x1296, 1080p, 720p
	Synchronous Playback	Up to 4 channels
HDD	SATA	1 x SATA interface (1 x 2TB HDD included)
	External HDD	1 x SATA interface for HDD
	Capacity	Up to 12TB (max. 6TB capacity for each HDD)
External Interface	USB interface	2 x USB 2.0
	Network Interface	1 RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface for LAN/WAN
	Max. Power Per Port	25W
PoE	Supported Standard	IEEE 802.3af/at
	Network Protocols	HTTP, TCP/IP, UDP, DHCP, PPP, UPnP, RTSP, SMTP, S/N, TLS, DNS, DDNS, NTP, FTP
	Browsers Supported	Edge, Firefox, Chrome, Safari
	OS Supported	PC: Windows, Mac OS, smartphone: iOS, Android
	Max. User Access	20 users (1 admin account & 19 user accounts); supports up to 12 simultaneous video streams (10 substreams & 2 mainstreams)
General	Power Supply	DC 48V-51V
	Power Consumption	<10W (Without HDD@Full)
	Working Environment	Temperature: -10°C ~ +45°C (14°F ~ 113°F); Humidity: 10%~90%
	Dimensions	280 x 41 x 210mm

[pdf] Specifications Dimension Guide

rln8 410 en json xlsx Reolink RLN8 PoE NVR Specifications v 1688024262214 home cdn reolink us files docs specs |||

Hardware Video/Audio Input Video/Audio Output **RLN8-410**-PoE-NVR-Specifications Model **RLN8-410** Hardware N7MB01 IP Video Input PoE IP Camera x 8 Audio Input Cameras with built-in mic HDMI Output Resolution 3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768 VGA Output Resolution 1920x1080, ... lang:en score:30 filesize: 53.6 K page_count: 2 document date: 2023-05-19

RLN8-410-PoE NVR Specifications		
	Model	RLN8-410
Hardware	Hardware	N7MB01
Video/Audio Input	IP Video Input	PoE IP Camera x 8
	Audio Input	Cameras with built-in mic
Video/Audio Output	HDMI Output Resolution	3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768
	VGA Output Resolution	1920x1080, 1280x1024, 1280x720, 1024x768
	Audio output	1-Channel RCA
	Video Format	H.264, H.265
Decoding	Live View / Playback Resolution	4096x3072, 3840x2160, 2560x1920, 2560x1440, 2048x1536, 2304x1296, 1080p, 720p
	Synchronous Playback	Up to 4 channels
HDD	SATA	1 x SATA interface (1 x 2TB HDD included)
	External HDD	1 x SATA interface for HDD
	Capacity	Up to 12TB (max. 6TB capacity for each HDD)
External Interface	USB interface	2 x USB 2.0
	Network Interface	1 RJ-45 10/100 Mbps self-adaptive Ethernet interface for LAN/WAN
	Max. Power Per Port	25W
PoE	Supported Standard	IEEE 802.3af/at
	Network Protocols	HTTP, TCP/IP, UDP, DHCP, PPP, UPnP, RTSP, SMTP, S/N, TLS, DNS, DDNS, NTP, FTP
	Browsers Supported	Edge, Firefox, Chrome, Safari
	OS Supported	PC: Windows, Mac OS, smartphone: iOS, Android
	Max. User Access	20 users (1 admin account & 19 user accounts); supports up to 12 simultaneous video streams (10 substreams & 2 mainstreams)
General	Power Supply	DC 48V-51V
	Power Consumption	<10W (Without HDD@Full)
	Working Environment	Temperature: -10°C ~ +45°C (14°F ~ 113°F); Humidity: 10%~90%
	Dimensions	280 x 41 x 210mm
Warranty	Weight	1.6kg
	Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/

[pdf] Specifications Dimension Guide Warranty

RLN8 410 PoE NVR Specifications v 1690346158289 home cdn reolink us files docs specs ||| Hardware Video/Audio Input Video/Audio Output **RLN8-410**-PoE-NVR-Specifications Model **RLN8-410** Hardware N7MB01 IP Video Input PoE IP Camera x 8 Audio Input Cameras with built-in mic HDMI Output Resolution 3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768 VGA Output Resolution 1920x1080, ... lang:en score:30 filesize: 34.51 K page_count: 1 document date: 2023-06-16

RLN8-410-PoE NVR Specifications		
	Model	RLN8-410
Hardware	Hardware	N7MB01
Video/Audio Input	IP Video Input	PoE IP Camera x 8
	Audio Input	Cameras with built-in mic
Video/Audio Output	HDMI Output Resolution	3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768
	VGA Output Resolution	1920x1080, 1280x1024, 1280x720, 1024x768
	Audio output	1-Channel RCA
	Video Format	H.264, H.265
Decoding	Live View / Playback Resolution	7680x2160, 4096x3072, 3840x2160, 2560x1920, 2560x1440, 2048x1536, 2304x1296, 1080p, 720p
	Synchronous Playback	Up to 4 channels
HDD	SATA	1 x SATA interface (1 x 2TB HDD included)
	External HDD	1 x SATA interface for HDD
	Capacity	Up to 12TB (max. 6TB capacity for each HDD)
External Interface	USB interface	2 x USB 2.0
	Network Interface	1 RJ-45 10/100 Mbps self-adaptive Ethernet interface for LAN/WAN
	Max. Power Per Port	25W
PoE	Supported Standard	IEEE 802.3af/at
	Network Protocols	HTTP, TCP/IP, UDP, DHCP, PPP, UPnP, RTSP, SMTP, S/N, TLS, DNS, DDNS, NTP, FTP
	Browsers Supported	Edge, Firefox, Chrome, Safari
	OS Supported	PC: Windows, Mac OS, smartphone: iOS, Android
	Max. User Access	20 users (1 admin account & 19 user accounts); supports up to 12 simultaneous video streams (10 substreams & 2 mainstreams)
General	Power Supply	DC 48V-51V
	Power Consumption	<10W (Without HDD@Full)
	Working Environment	Temperature: -10°C ~ +45°C (14°F ~ 113°F); Humidity: 10%~90%
	Dimensions	280 x 41 x 210mm
Warranty	Weight	1.6kg
	Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/

[pdf] Specifications Dimension Guide

RLN8 410 PoE NVR Specifications v 1659342868707 home cdn reolink us files docs specs ||| Hardware Video/Audio Input Video/Audio Output **RLN8-410**-PoE-NVR-Specifications Model **RLN8-410** Hardware N7MB01 IP Video Input PoE IP Camera x 8 Audio Input Cameras with built-in mic HDMI Output Resolution 3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768 VGA Output Resolution 1920x1080, ... lang:en score:30 filesize: 35.4 K page_count: 2 document date: 2024-02-29



[Manual de Usuario Cámara Reolink PoE: Guía Completa de Instalación y Configuración](#)

Descubra cómo instalar, configurar y utilizar su cámara de seguridad Reolink PoE con este manual detallado. Aprenda sobre funciones, solución de problemas y más.
lang:es score:30 filesize: 10.18 M page_count: 102 document date: 2022-03-21

RLN8-410 PoE NVR Specifications	
Model	RLN8-410
Resolution	4K (3840 x 2160)
Video Input	8 x HDMI (4K@60Hz, 4K@30Hz, 1080P@60Hz, 1080P@30Hz, 720P@60Hz, 720P@30Hz, 480P@60Hz, 480P@30Hz)
Audio Input	1 x 3.5mm Audio In (Line Level)
Audio Output	1 x 3.5mm Audio Out (Line Level)
Storage	1 x SATA 6Gb/s HDD (3.5") (Supports up to 16TB)
Power	1 x DC 12V/2A Power Supply
Dimensions	180mm (W) x 140mm (H) x 45mm (D)
Weight	0.5kg
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-20°C to 60°C (-4°F to 140°F)
Humidity	10% to 90% RH (Non-condensing)
Warranty	3 Years

[\[pdf\] Specifications](#)

RLN8 410 PoE NVR Spezifikationen v 1706599443647 home cdn reolink us files docs specs |||
Hardware A/V-Eingang A/V-Ausgang Dekodierung Festplatte Externe Schnittstelle
Modell Hardware Video ... ng Stromverbrauch Arbeitsumgebung Dimensionen mm
Gewicht ohne Festplatte Eingeschränkte Garantie **RLN8-410**-PoE-NVR-
Spezifikationen **RLN8-410** N7MB01 PoE IP-Kamera x 8 Eingebautes Mikrofon in der
Kame...

lang:de score:30 filesize: 116.67 K page_count: 1 document date: 2024-02-26