

- Manuals.plus /
- > Bruni /
 - > Bruni Screen Protector Instruction Manual for Akuvox S563

Bruni Bruni 4052225732842

Bruni Screen Protector Instruction Manual for Akuvox S563

Model: Bruni 4052225732842

1. PRODUCT OVERVIEW

The Bruni Screen Protector is a crystal clear protective film designed specifically for the Akuvox S563 device. It is engineered to safeguard your device's display from scratches, impacts, and daily wear while maintaining optimal touch sensitivity and visual clarity.



Image 1.1: Bruni Screen Protector packaging and the protective film itself, designed for Akuvox S563.

Key Features:

- **Precision Fit:** Accurately developed and compatible with Akuvox S563.
- **Scratch Resistance:** Made from durable PET material to protect against scratches.
- **High Transparency:** Ensures unadulterated display of screen contents.
- **Touch Sensitivity:** Optimized for touch displays, ensuring no impairment of usability.
- **Bubble-Free Application:** Designed for easy, bubble-free installation.
- **Residue-Free Removal:** Can be removed or repositioned without leaving adhesive residue.
- **Made in Germany:** Manufactured with quality standards.

2. PACKAGE CONTENTS

Before beginning installation, please verify that all components are present in your package:

Schneller-Touch

Blitzschnell,
hochsensibel und
präzise



Image 2.1: Visual representation of the package contents, including the screen protector film, mounting tool, microfiber cloth, and installation instructions.

- Bruni Screen Protector Film (2X)
- Mounting Tool (Squeegee)
- Microfiber Cleaning Cloth
- Installation Instructions (this manual)

3. SETUP AND INSTALLATION

Follow these steps carefully for a successful, bubble-free application of your Bruni Screen Protector.

Preparation:

1. **Clean the Device Screen:** Use the provided microfiber cloth to thoroughly clean the Akuvox S563 screen. Ensure there are no dust particles, smudges, or fingerprints. A clean screen is crucial for a bubble-free application.

2. **Work in a Dust-Free Environment:** Choose a clean, well-lit area to minimize dust settling on the screen during application.

Application Steps:

3. **Peel Back Layer 1:** Carefully peel back a small portion of the protective film labeled 'Layer 1' (or similar indicator) from one end of the screen protector. Avoid touching the adhesive side.
4. **Align the Protector:** Align the exposed adhesive edge of the screen protector with one edge of your Akuvox S563 screen. Ensure precise alignment with all cutouts (if any) and edges.
5. **Apply Gradually:** Slowly and steadily lower the rest of the screen protector onto the device screen, simultaneously peeling off 'Layer 1' as you go. Use the provided mounting tool (squeegee) to gently press down and smooth out the film, pushing any air bubbles towards the edges.
6. **Remove Air Bubbles:** If bubbles appear, gently lift the nearest edge of the protector and reapply, using the squeegee to push the air out. Small bubbles may disappear naturally within 24-48 hours.
7. **Remove Layer 2:** Once the protector is fully applied and smoothed, carefully peel off the top protective layer, usually labeled 'Layer 2' (or similar indicator).

Kratzfester Displayschutz



Image 3.1: Illustration of hands carefully applying the screen protector to a device, demonstrating the gradual application process.

4. OPERATING AND FUNCTIONALITY

Once installed, the Bruni Screen Protector functions passively to enhance your device's durability and user experience.

Display Protection:

The film provides a robust barrier against everyday hazards, significantly reducing the risk of scratches from keys, coins, or other sharp objects. Its material composition also offers a degree of impact absorption, protecting the screen from minor drops.



SUPER EINFACHE MONTAGE

In nur 3 Schritten. Eine Anleitung liegt
dem Lieferumfang bei.

Image 4.1: A visual representation of the screen protector's scratch-resistant properties, showing a key unable to damage the protected surface.

Stoßfest

Bis 1 Meter Fallhöhe

MADE IN 
GERMANY




Image 4.2: An illustration depicting the screen protector's ability to withstand impacts, such as a 1-meter drop, protecting the underlying screen.

Optical Clarity and Touch Sensitivity:

The crystal clear design ensures that the original brightness, color, and sharpness of your Akuvox S563 display are fully preserved. The film is engineered to be ultra-thin, allowing for precise and responsive touch interactions without any noticeable delay or reduction in sensitivity.

Lieferumfang

Displayschutzfolie



Montagewerkzeug

Mikrofasertuch



Montageanleitung



Image 4.3: A screen displaying vibrant colors, demonstrating that the Bruni protector maintains true color reproduction and optical clarity.

Echte Farben

Klare Schutzfolie, keine Farbabschwächung



Image 4.4: A finger interacting with a device screen, illustrating the unimpaired and sensitive touch response provided by the screen protector.

5. MAINTENANCE

To ensure the longevity and continued clarity of your Bruni Screen Protector, follow these simple maintenance guidelines:

- **Regular Cleaning:** Use the provided microfiber cloth or a similar soft, lint-free cloth to gently wipe the screen protector.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, alcohol, or ammonia-based solutions, as these can damage the film's coating or adhesive.
- **Gentle Wiping:** Apply light pressure when cleaning to avoid dislodging the protector or causing scratches.

6. TROUBLESHOOTING

Here are solutions to common issues you might encounter during or after installation:

Air Bubbles:

- **Small Bubbles:** Many small bubbles will naturally dissipate within 24-48 hours.
- **Large Bubbles:** Gently lift the nearest edge of the screen protector and use the squeegee to push the air bubble towards the edge as you reapply the film.

Dust Particles Under the Film:

- If a dust particle is causing a bubble, carefully lift the edge of the protector near the dust. Use a piece of adhesive tape to gently dab the dust particle off the screen or the adhesive side of the film. Reapply the protector.

Misalignment:

- If the protector is significantly misaligned, carefully peel it off completely. Clean the screen again and attempt reapplication, paying close attention to alignment. The film is designed for residue-free removal and repositioning.

7. SPECIFICATIONS

Feature	Detail
Compatibility	Akuvox S563
Material	Polyethylene Terephthalate (PET)
Item Hardness	4H
Product Dimensions	7.48 x 4.33 x 0.5 inches (packaging) / 7.5"L x 4.3"W (film)
Item Weight	0.459 ounces
Special Features	Made in Germany, Residue-free removable, Very easy to apply, Crystal clear

8. WARRANTY AND SUPPORT

Specific warranty information for this Bruni product is not provided in this manual. For details regarding warranty coverage, returns, or technical support, please refer to the product packaging or contact Bruni customer service directly through their official website or the retailer from whom the product was purchased.

Manufacturer: atFoliX GmbH

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0CW4XQJP2>

More documents and user manuals: <https://manuals.plus/>