



[Manuals.plus](#) /

› [Himimi](#) /

› Himimi Retractable Garden Hose Reel User Manual

Himimi ZYW016-38

Himimi Retractable Garden Hose Reel User Manual

Model: ZYW016-38

INTRODUCTION

Thank you for choosing the Himimi Retractable Garden Hose Reel. This manual provides essential information for the safe and efficient operation, installation, and maintenance of your new hose reel. Please read it thoroughly before first use and retain it for future reference.

This automatic retractable hose reel is designed for convenient watering tasks in your garden, patio, or other outdoor areas. It features a durable hose, a versatile 10-pattern sprayer nozzle, and a 180° swivel bracket for flexible use.



Image: The Himimi Retractable Garden Hose Reel, featuring a black casing with a blue central reel, a blue hose, and a blue and black sprayer nozzle. The unit is designed for wall mounting.

SAFETY INFORMATION

Always observe the following safety precautions to reduce the risk of injury or damage:

- Do not allow children to operate the hose reel without adult supervision.
- Ensure the hose reel is securely mounted to a sturdy surface before use.
- Do not pull the hose out beyond the red stopper.
- When retracting the hose, always guide it manually to prevent rapid recoil and potential injury or damage to the unit.
- Do not use the hose reel with hot water or chemicals.
- Drain the hose reel completely before freezing temperatures to prevent damage.
- Wear appropriate protective gear, such as gloves and eye protection, when handling the hose or nozzle.

PACKAGE CONTENTS

Verify that all items listed below are included in your package:

- Himimi Retractable Garden Hose Reel (1/2" x 131FT hose pre-installed)
- 10-Function Sprayer Nozzle
- Wall Mount Bracket
- Mounting Hardware (screws, wall anchors)
- Lead-in Hose (6.6FT)
- User Manual



Image: Diagram showing the dimensions of the hose reel and a visual representation of the included components: the hose reel unit, the 10-function nozzle, the lead-in hose, mounting hardware, and the user manual.

SETUP AND INSTALLATION

Follow these steps to properly install your Himimi Retractable Garden Hose Reel:

1. **Choose a Location:** Select a sturdy wall or wooden post capable of supporting the weight of the hose reel when full of water. Ensure there is enough clearance for the 180° swivel function.

2. Mount the Bracket:

- Position the wall mount bracket at the desired height. Use a level to ensure it is straight.
- Mark the drilling points through the holes on the bracket.
- Drill pilot holes using an appropriate drill bit for your wall material.
- Insert wall anchors (if necessary for your wall type).
- Securely fasten the bracket to the wall using the provided screws.



Image: A close-up view of the robust swivel bracket, highlighting its construction and attachment points.

3. **Attach the Hose Reel:** Slide the hose reel unit onto the mounted bracket. Ensure it clicks securely into place. The unit should be able to swivel freely.
4. **Connect the Lead-in Hose:** Connect the shorter 6.6FT lead-in hose to your water tap and to the inlet connection on the side of the hose reel. Ensure all connections are tight to prevent leaks.



Image: Detailed view of the brass hose connectors, emphasizing their leak-free design and durability.

5. **Attach the Nozzle:** Screw the 10-function sprayer nozzle onto the end of the main hose.

Your browser does not support the video tag.

Video: A demonstration of the Himimi Retractable Garden Hose Reel, including its installation and features. This video provides a visual guide to the setup process.

OPERATION

Using your Himimi Retractable Garden Hose Reel is simple and efficient:

Extending the Hose:

Gently pull the hose to the desired length. You will hear a clicking sound as the hose locks into place. The hose can be locked at any length, providing flexibility for various tasks.

Lock At Any Length



Image: A woman demonstrating the "Lock At Any Length" feature, pulling the hose to a specific point and showing the adjustable lock mechanism.

Retracting the Hose:

To retract the hose, give it a short, sharp tug. This will disengage the locking mechanism. Slowly guide the hose back into the reel. Do not release the hose abruptly, as it can retract quickly and cause damage or injury.



Image: A diagram illustrating the clever auto-guide retract mechanism, showing how the hose latches and automatically retracts with proper guidance.

Using the 10-Function Nozzle:

The included nozzle offers 10 different spray patterns to suit various watering needs. Rotate the nozzle head to select your desired pattern (e.g., Shower, Center, Flat, Soaker, Mist, Jet, Triangle, Rinse, 1/2Vert, Cone). The nozzle also features an upgraded water pressure adjustment and a lock to maintain continuous flow without holding the trigger.



Image: A visual guide to the 10 different spray patterns available on the included nozzle, demonstrating each pattern's appearance.

Your browser does not support the video tag.

Video: A short demonstration of the 10-pattern nozzle, showcasing its various spray modes and ease of use.

180° Swivel Function:

The hose reel can swivel 180 degrees on its wall mount bracket, allowing you to reach different areas of your garden without kinking the hose.

180° Swivel Bracket



Image: A diagram illustrating the 180-degree swivel capability of the hose reel on its wall mount, showing its range of motion.

MAINTENANCE

Proper maintenance will extend the life of your Himimi Retractable Garden Hose Reel:

- **Winterization:** Before the first frost, disconnect the hose reel from the water supply. Drain all water from the hose and the reel. Store the unit indoors in a dry, protected area to prevent freezing damage. The reel can be easily lifted off its bracket for storage.
- **Cleaning:** Periodically clean the exterior of the hose reel with a damp cloth. Avoid using harsh chemicals or abrasive cleaners.
- **Hose Inspection:** Regularly inspect the hose for any signs of wear, kinks, or damage. Replace the hose if significant damage is found.
- **Nozzle Care:** If the nozzle becomes clogged, disconnect it and flush with water. Ensure all spray holes are clear.
- **Connection Checks:** Periodically check all hose connections for tightness to prevent leaks.



Image: A diagram illustrating the hose's temperature range tolerance (-5°C to 45°C) and its multi-layer construction, including woven internal and hybrid external layers for durability and flexibility.

TROUBLESHOOTING

If you encounter issues with your hose reel, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Hose does not retract fully.	Hose is kinked or tangled; debris inside the reel; spring mechanism issue.	Pull out the entire hose and untangle any kinks. Ensure the hose is clean. Guide the hose manually during retraction. If the issue persists, contact customer support.
Water leaks from connections.	Loose connections; worn O-rings/washers; damaged hose.	Tighten all connections. Check and replace O-rings or washers if damaged. Inspect the hose for cracks or punctures.
No water flow from nozzle.	Water supply off; nozzle clogged; hose kinked.	Ensure water supply is on. Clean the nozzle. Check the hose for kinks.
Hose does not lock at desired length.	Locking mechanism is dirty or damaged.	Pull the hose out fully and retract it slowly, listening for clicks. If the mechanism is jammed, try gently cleaning around the locking points.

Your browser does not support the video tag.

Video: A general overview of the Himimi Retractable Garden Hose Reel, demonstrating its functionality which may assist in troubleshooting common operational issues.

SPECIFICATIONS

Feature	Detail
Brand	Himimi
Model Number	ZYW016-38
Hose Length	131 FT (125FT main hose + 6.6FT lead-in hose)

Feature	Detail
Hose Diameter	1/2 Inch
Hose Material	3-layer PVC Hybrid
Case Material	Impact-resistant Polypropylene
Nozzle Functions	10 Patterns (Shower, Center, Flat, Soaker, Mist, Jet, Triangle, Rinse, 1/2Vert, Cone)
Swivel Angle	180°
Working Pressure	200 PSI
Bursting Pressure	600 PSI
Operating Temperature	-5°C to 45°C (23°F to 113°F)
Item Weight	36.1 pounds
Installation Type	Wall Mount

WARRANTY AND SUPPORT

Himimi is committed to providing high-quality products. For warranty information, technical support, or any questions regarding your hose reel, please contact our customer service team.

Please refer to your purchase documentation or the Himimi official website for the most up-to-date warranty terms and contact details.

When contacting support, please have your model number (ZYW016-38) and purchase date available.

Your browser does not support the video tag.

Video: A promotional video for the Himimi Retractable Garden Hose Reel, showcasing its features and benefits. This video can provide additional context for product understanding.