



Manuals.plus /

› Delphin /

› DELPHIN RUNIX 101004305 Baitcast Fishing Reel Instruction Manual

Delphin RUNIX 101004305

DELPHIN RUNIX 101004305 Baitcast Fishing Reel Instruction Manual

Model: RUNIX 101004305 | Brand: Delphin

INTRODUCTION

The DELPHIN RUNIX Baitcast Fishing Reel is engineered for precision and power, particularly suited for predator fishing. Its design offers enhanced winding strength, improved bait contact, and single-handed operation compared to traditional front-drag reels. Featuring 7 stainless steel ball bearings, this reel ensures durability, smooth performance, and facilitates longer, lighter casts. The 6.3:1 gear ratio provides precise bait control, especially for vertical fishing. A sensitive magnetic brake system prevents line tangles during casting. The reel also includes a POWER handle for increased leverage during retrieves. An integrated overload indicator on the star drag system alerts you when the set drag is exceeded. Weighing only 262g, the RUNIX reel is comfortable for extended use.

SETUP

1. Unpacking and Inspection

Carefully remove the DELPHIN RUNIX reel from its packaging. Inspect the reel for any signs of damage that may have occurred during shipping. Ensure all components are present.

2. Spooling Fishing Line

Attach your chosen fishing line to the reel's spool. Ensure the line is spooled evenly and under appropriate tension to prevent tangles and ensure smooth casting. Refer to the reel's specifications for recommended line capacities:

- **Capacity (mm/m):** 0.30/270, 0.35/220, 0.40/190



Image: Top view of the DELPHIN RUNIX reel, displaying the line capacity markings on the side.

3. Mounting the Reel to a Rod

Securely attach the DELPHIN RUNIX reel to your fishing rod's reel seat. Ensure it is firmly tightened to prevent movement during casting and retrieving.



Image: The DELPHIN RUNIX Baitcast Reel, showcasing its overall design and how it would appear when mounted on a rod.

4. Initial Brake Adjustment

The DELPHIN RUNIX features both a **star drag** and a **magnetic brake system**.

Star Drag: Adjust the star-shaped knob near the handle to set the main drag tension. This controls the resistance when a fish pulls line from the reel.

Magnetic Brake: Use the external dial on the side of the reel to adjust the magnetic braking force. This system helps prevent backlashes (bird's nests) during casting, especially with lighter lures or in windy conditions. Start with a higher setting and gradually reduce it as you become more comfortable with casting.



Image: A detailed view of the DELPHIN RUNIX reel's magnetic brake adjustment dial, labeled 'RUNIX' and 'CLOSE / OPEN'.

OPERATING INSTRUCTIONS

1. Casting

1. Press the thumb bar to disengage the spool and allow line to free-spool.
2. Hold the lure or bait at the desired distance from the rod tip.
3. Execute a smooth casting motion.
4. As the lure approaches the target, gently feather the spool with your thumb to control its rotation and prevent overruns.
5. Engage the reel by turning the handle or releasing the thumb bar.

2. Retrieving

Turn the POWER handle to retrieve your line. The 6.3:1 gear ratio allows for efficient and precise retrieval, which is particularly beneficial for vertical fishing techniques where bait control is crucial. The POWER

handle design provides increased leverage for battling stronger fish.

3. Drag System Usage

The star drag system allows you to adjust the fighting drag. When a fish pulls hard enough to exceed the set drag, the line will smoothly peel off the spool. The reel is equipped with an overload indicator that signals when the drag system is under significant stress, helping you manage the fight effectively.

MAINTENANCE

1. Cleaning After Use

After each fishing trip, especially in saltwater environments, rinse the reel with fresh water to remove salt, dirt, and debris. **Do not submerge the reel.** Wipe it dry with a soft cloth.

2. Lubrication

Periodically apply a small amount of high-quality reel oil to moving parts such as the handle knobs, spool shaft, and worm gear. Use reel grease on gears if accessible. Consult a professional if unsure about internal lubrication.

3. Storage

Store your DELPHIN RUNIX reel in a dry, cool place away from direct sunlight and extreme temperatures. Loosen the drag slightly before storage to relieve pressure on the drag washers.

TROUBLESHOOTING

- **Backlashes/Bird's Nests:** Increase the magnetic brake setting. Practice casting technique, ensuring a smooth release and thumb control on the spool.
- **Stiff Operation:** Clean the reel thoroughly and apply lubrication to moving parts. Check for any debris obstructing movement.
- **Drag Slipping:** Ensure the star drag is tightened appropriately. If the issue persists, the drag washers may need inspection or replacement.
- **Line Not Spooling Evenly:** Check the line guide for obstructions or damage. Ensure the line is spooled under consistent tension.

SPECIFICATIONS

Feature	Detail
Model	DELPHIN RUNIX
Model Number	DE-101004305
Line Capacity (mm/m)	0.30/270, 0.35/220, 0.40/190
Gear Ratio	6.3:1
Number of Bearings	6+1 SS (Stainless Steel)
Weight	262 g
Main Material	Stainless Steel
Hand Orientation	Left
Color	Black
Fishing Technique	Casting

WARRANTY AND SUPPORT

For warranty information, technical support, or service inquiries regarding your DELPHIN RUNIX Baitcast Fishing Reel, please contact your retailer or the official Delphin customer service. Keep your proof of purchase for any warranty claims.

For further assistance, visit the official Delphin website or consult the contact information provided with your purchase.