

Inter Link 15500100

Vetra Storage Cabinet - User Manual

Brand: Inter Link | **Model:** 15500100

1. INTRODUCTION

Thank you for choosing the Inter Link Vetra Storage Cabinet. This manual provides essential information for the assembly, operation, and maintenance of your new cabinet. Please read this manual thoroughly before beginning assembly and keep it for future reference.

The Vetra Storage Cabinet is designed for versatile storage in various home or office environments, offering a practical solution for organizing your belongings.

2. PRODUCT FEATURES

- Constructed from durable beech wood or beech heartwood replica for a natural aesthetic.
- Features two doors for enclosed storage, maintaining a tidy appearance.
- Includes multiple internal shelves for organized storage.
- Each shelf has a maximum load capacity of 5 kg, suitable for various items.
- Designed for floor mounting, ensuring stability.
- Neutral style suitable for integration into diverse interior designs.

3. PACKAGE CONTENTS

Upon unpacking, please verify that all components are present and undamaged. The package should contain:

- 1 x Vetra Storage Cabinet (disassembled components)
- All necessary hardware for assembly (screws, dowels, hinges, handles, etc.)
- Assembly instructions (typically a separate document included in the packaging)

If any parts are missing or damaged, please contact customer support immediately.

4. SETUP AND ASSEMBLY

Assembly of the Vetra Storage Cabinet requires basic tools (e.g., screwdriver, hammer) and typically two people for ease and safety. Please follow the detailed assembly instructions provided in the separate manual included with your product packaging. Ensure you have sufficient space and a clean, flat surface for assembly.

Key Assembly Steps (General Guidance):

1. Identify all components and hardware.
2. Assemble the base and top panels.
3. Attach the side panels to the base and top.
4. Insert the back panel into the grooves.
5. Install shelf supports and position the shelves as desired.
6. Attach hinges to the doors and cabinet frame.
7. Mount the doors onto the cabinet.
8. Install door handles.
9. Ensure all screws are tightened and the cabinet is stable.



Figure 4.1: Fully assembled Vetra Storage Cabinet, showcasing its natural beech finish and two doors.



Figure 4.2: Interior view of the Vetra Storage Cabinet with one door open, showing the adjustable shelves.

5. OPERATING INSTRUCTIONS

The Vetra Storage Cabinet is designed for straightforward use. To operate:

- **Opening/Closing Doors:** Gently pull the handles to open the doors. Push the doors firmly until they close completely.
- **Placing Items:** Distribute weight evenly on the shelves. Do not exceed the maximum load capacity of **5 kg per shelf** to prevent damage or instability.
- **Adjusting Shelves:** If shelves are adjustable, carefully remove items, lift the shelf, reposition the shelf pins to the desired height, and reinsert the shelf.

6. MAINTENANCE AND CARE

Proper care will extend the life and maintain the appearance of your Vetra Storage Cabinet.

- **Cleaning:** Wipe surfaces with a soft, damp cloth. Avoid abrasive cleaners, harsh chemicals, or excessive moisture, which can damage the finish.
- **Spills:** Clean spills immediately with a dry cloth to prevent staining or warping.
- **Sunlight:** Avoid prolonged exposure to direct sunlight, which can cause fading or discoloration of the wood finish.
- **Humidity:** Maintain a stable room temperature and humidity level to prevent wood expansion or contraction.
- **Hardware:** Periodically check and tighten any loose screws or fittings to ensure stability.

7. TROUBLESHOOTING

If you encounter any issues with your Vetra Storage Cabinet, refer to the following common solutions:

- **Cabinet is Wobbly:**
 - Ensure the cabinet is placed on a level surface.
 - Check all assembly screws and tighten any that are loose.
 - Verify that the back panel is properly seated in its grooves.
- **Doors Do Not Align or Close Properly:**
 - Adjust the hinges. Most cabinet hinges allow for minor adjustments (up/down, left/right, in/out) using a screwdriver. Refer to the hinge manufacturer's instructions if available.
 - Ensure the cabinet itself is square and stable.
- **Shelves Sagging:**
 - Reduce the weight on the shelf. Ensure you are not exceeding the 5 kg load limit.
 - Verify that shelf pins are fully inserted and correctly seated.

For issues not covered here, please contact customer support.

8. SPECIFICATIONS

Brand	Inter Link
Model Number	15500100
Color	Natural (Beech)
Material	Beech or Beech heartwood
Dimensions (L x W x H)	34 x 70 x 189 cm
Item Weight	46 kg
Max Shelf Load	5 kg per shelf
Mounting Type	Floor Mount
Included Components	Shelves

9. WARRANTY AND SUPPORT

Warranty information for the Vetra Storage Cabinet is typically provided with the product packaging or at the point of purchase. Please retain your proof of purchase for warranty claims.

For technical support, missing parts, or warranty inquiries, please contact Inter Link customer service through the contact information provided on their official website or in your product documentation.

Note: Information regarding the availability of spare parts is not explicitly provided.

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question