

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Rain-X](#) /

› [Rain-X 28" Vision Wiper Blade Instruction Manual](#)

Rain-X Vision

Rain-X 28" Vision Wiper Blade Instruction Manual

Model: Vision (085-13-2841)

1. INTRODUCTION

Thank you for choosing the Rain-X 28" Vision Wiper Blade. This product is designed to provide clear visibility and reliable performance in various weather conditions. This manual provides essential information for the proper installation, operation, and maintenance of your new wiper blade to ensure optimal performance and longevity.

For additional product information and support, please visit the official Rain-X website.

2. SETUP AND INSTALLATION

Proper installation is crucial for the effective operation of your Rain-X Vision Wiper Blade. Always refer to your vehicle's owner's manual for specific wiper blade removal and installation instructions, as procedures may vary by vehicle model.

2.1 Before You Begin

- Ensure your vehicle is parked safely with the engine off.
- Lift the wiper arm away from the windshield until it locks into an upright position. Exercise caution to prevent the arm from snapping back onto the windshield, which could cause damage.
- Protect your windshield by placing a towel or cloth on it before removing the old blade.

2.2 Removing the Old Wiper Blade

Most wiper blades are attached to the wiper arm via a connector. Identify the release tab or button on your existing blade's connector and press it while sliding the old blade off the arm. Some older models may require a different removal method.

2.3 Installing the New Rain-X Vision Wiper Blade

The Rain-X Vision Wiper Blade is designed with a universal adapter system to fit various wiper arm types. The packaging indicates compatibility with several common arm types, including:

- Small J-Hooks (9x3)
- Large J-Hooks (9x4)

- Pinch Tab (P&L, P&L CLONE)
- Push Tab Button (PTB, NARROW PTB)
- P&H (NARROW P&H)

Locate the correct adapter for your vehicle's wiper arm. Slide the new Rain-X Vision Wiper Blade onto the wiper arm connector until it clicks securely into place. Gently lower the wiper arm back onto the windshield.



Image: Back of packaging illustrating different wiper arm adapter types compatible with the Rain-X Vision Wiper Blade.



FITS MOST WIPER BLADE ARMS:



SMALL J-HOOKS
(9 x 3)




LARGE J-HOOKS
(9 x 4)



**P & L
Pinch
Tab**



P & H



PTB
(Push Tab
Button)



**N & L
CLONE**
Pinch Tab
Button)



**NARROW
P & H**



NARROW
PTB
(Push Tab
Button)

See insert inside package for
complete installation instructions.

OR

For installation videos, scan the
below code with your smartphone's
QR Code App or visit rainx.com.



Image: Detailed view of the packaging, highlighting installation instructions and a QR code for video guides.

For detailed, step-by-step installation instructions specific to your vehicle, please refer to the insert inside the product package or visit the official Rain-X website at rainx.com for installation videos.

3. OPERATING INSTRUCTIONS

The Rain-X Vision Wiper Blade is designed for all-weather performance, providing a smooth, streak-free wipe. To operate, simply activate your vehicle's windshield wiper system as you normally would. Ensure your windshield is wet when operating wipers to prevent damage to the blade or windshield.





Image: The Rain-X Vision Wiper Blade, illustrating its curved design for optimal windshield contact.

4. MAINTENANCE

Regular maintenance helps extend the life and performance of your wiper blades:

- **Clean Blades Regularly:** Wipe the rubber edge of the wiper blades with a damp cloth or a mild glass cleaner to remove dirt, grime, and road film.
- **Inspect for Damage:** Periodically check the rubber element for cracks, tears, or hardening. Replace blades if any damage is observed.
- **Avoid Dry Wiping:** Do not operate wipers on a dry windshield, as this can damage the rubber and scratch the glass.
- **Clear Snow and Ice:** Before operating wipers in freezing conditions, ensure all snow and ice are cleared from the windshield and wiper blades to prevent damage.

5. TROUBLESHOOTING

If you experience issues with your wiper blades, consider the following common problems and solutions:

Problem	Possible Cause	Solution
Streaking	Dirt or grime on the blade, worn rubber, or windshield contamination.	Clean the wiper blade rubber. Clean the windshield thoroughly. If streaks persist, the blade may be worn and require replacement.
Chattering/Skipping	Blade rubber is hardened, bent wiper arm, or improper blade angle.	Clean the blade. Check if the wiper arm is bent or if the blade is installed correctly. If the rubber is stiff, replacement is recommended.
Unswept Areas	Insufficient pressure from the wiper arm or incorrect blade length.	Ensure the wiper arm spring tension is adequate. Verify that the correct blade length was installed for your vehicle.

6. SPECIFICATIONS

- **Brand:** Rain-X
- **Model:** Vision
- **Item Model Number:** 085-13-2841
- **UPC:** 079118101817
- **Item Length:** 28 Inches

- **Mounting Type:** Multi-adapter system (compatible with Pinch Tab, J-Hook, Push Tab Button, P&H)
- **Vehicle Service Type:** Car
- **Item Weight:** Approximately 10.4 ounces
- **Features:** Standard Beam Blade Technology, All Weather Performance, Curved Smooth Wipe


7. WARRANTY AND SUPPORT


For specific warranty information regarding your Rain-X Vision Wiper Blade, please refer to the product packaging or contact Rain-X customer service directly. Warranty terms and conditions may vary.

If you require further assistance, have questions about installation, or need to report a product issue, please visit the official Rain-X website or contact their customer support channels. Contact information can typically be found on the product packaging or the manufacturer's website.

© 2024 Rain-X. All rights reserved. Information in this manual is subject to change without notice.


Related Documents - Vision

	<p>Installation Guide: 9x3 J-Hook Arms</p> <p>Detailed installation instructions for 9x3 J-Hook Arms, explaining the proper connection of the pre-installed small connector to ensure a secure fit or audible click.</p>
	<p>Rain-X Wiper Blade Application Guide</p> <p>Find the correct Rain-X wiper blade size and type for your vehicle. This comprehensive guide covers a wide range of makes and models, detailing specific application data to ensure optimal fit and performance.</p>
	<p>Vision SB-800P Soundbar Loudspeaker Owners Manual</p> <p>Comprehensive owners manual for the Vision SB-800P Soundbar Loudspeaker, detailing installation, connections, specifications, safety warnings, and warranty information. Essential guide for setup and operation.</p>
	<p>Vision VFM-F1 Digital Signage Floor Stand Installation and Assembly Guide</p> <p>Detailed assembly and installation instructions for the Vision VFM-F1 digital signage floor stand, including parts list and step-by-step guidance for mounting displays.</p>



[Vision VFM-F26 Height-Adjustable Professional Display Cart Assembly Instructions](#)

Step-by-step assembly guide for the Vision VFM-F26 professional display cart. This manual details the assembly of the wheeled base, vertical support poles, VESA mounting plate, and optional shelf, including part identification and installation procedures.



[Vision TM-1200 Universal Projector Ceiling Mount Installation Guide](#)

Comprehensive installation and assembly guide for the Vision TM-1200 universal projector ceiling mount. Features a detailed parts list and step-by-step instructions with textual descriptions of diagrams.