



Manuals.plus /

› [Simpol Home](#) /

› [Simpol Home 71" Acrylic Freestanding Bathtub Instruction Manual](#)

Simpol Home SH-BT-X06

Simpol Home 71" Acrylic Freestanding Bathtub

Model: SH-BT-X06

Instruction Manual

1. INTRODUCTION

Thank you for choosing the Simpol Home 71" Acrylic Freestanding Bathtub. This manual provides essential information for the safe installation, operation, and maintenance of your new bathtub. Please read this manual thoroughly before installation and retain it for future reference. Proper installation and care will ensure years of comfortable and luxurious bathing.

2. PRODUCT OVERVIEW

The Simpol Home Freestanding Bathtub is designed for luxury and comfort, featuring a contemporary aesthetic and durable construction. It is crafted from high-quality acrylic and reinforced with fiberglass for exceptional longevity and heat retention.

Key Features:

- **Dimensions:** 71" Long x 31" Wide x 23" Deep.
- **Material:** 100% glossy white acrylic, reinforced with fiberglass.
- **Durability:** Stainless steel bracket at the base for a robust structure, bearing capacity up to 1000 LBS.
- **Insulation:** Double-walled, reinforced design for superior heat retention.
- **Ergonomic Design:** Meticulously crafted for optimal depth and comfort, accommodating natural body contours.
- **Integrated Features:** Brushed stainless steel slotted overflow and rounded drain.

Product Visuals:



Front view of the Simpol Home 71-inch white acrylic freestanding bathtub, showcasing its sleek, contemporary design.



The Simpol Home bathtub seamlessly integrated into a modern bathroom setting, highlighting its elegant presence.




The bathtub positioned in a bright bathroom, demonstrating its versatility in various interior designs.





The bathtub filled with water, illustrating its generous soaking depth and the integrated overflow feature.

PRODUCT SIZE



A detailed diagram outlining the precise dimensions of the bathtub, crucial for planning installation.

Integrated Slotted Overflow




An illustrative cross-section revealing the bathtub's robust multi-layered construction, including acrylic, fiberglass, and OSB reinforcement.



An overhead view demonstrating the bathtub's superior heat retention capabilities, keeping bathwater warm for longer periods.



Visual representation of the bathtub's key benefits: warmth retention, fade resistance, durability, radiation resistance, stain resistance, and ease of cleaning.



Close-up view of the integrated slotted overflow and the polished drain, highlighting their design and functionality.



A visual representation of the bathtub's ergonomic design, providing seamless support and comfort for extended relaxation.



A diagram detailing the double-walled insulation structure, which contributes to the bathtub's excellent heat retention.

3. SAFETY INFORMATION

Please observe the following safety precautions to prevent injury or damage:

- **Professional Installation:** It is highly recommended that installation be performed by a qualified plumber to ensure proper function and compliance with local codes.
- **Weight Capacity:** The bathtub has a bearing capacity of up to 1000 LBS. Do not exceed this weight limit, including water and occupants.
- **Hot Water Safety:** Always test water temperature before entering the tub to prevent scalding.
- **Slip Hazard:** The tub surface can be slippery when wet. Use caution when entering and exiting. Consider using non-slip mats if desired.
- **Chemicals:** Avoid using harsh or abrasive chemicals that could damage the acrylic surface. Refer to the Maintenance section for cleaning guidelines.
- **Children and Pets:** Never leave children or pets unattended near the bathtub, especially when it contains water.

4. SETUP AND INSTALLATION

This freestanding bathtub requires careful placement and connection to your plumbing system. Professional installation is strongly advised.

Installation Steps (General Guide):

1. **Site Preparation:** Ensure the installation area is level, clean, and has adequate structural support for the tub's weight when filled. Verify access to drain and water supply lines.
2. **Positioning:** Carefully move the bathtub to its desired location. Due to its weight (136.7 pounds), it is recommended to have multiple people assist.

3. **Leveling:** Use a level to ensure the tub is perfectly level. Adjust the integrated leveling feet if necessary to prevent rocking and ensure proper drainage.
4. **Drain Connection:** Connect the bathtub's drain assembly to your floor drain. Ensure all connections are secure and watertight to prevent leaks.
5. **Overflow Connection:** Connect the integrated overflow to the drain system as per plumbing codes.
6. **Water Supply:** Connect your chosen faucet (not included) to the hot and cold water supply lines according to the faucet manufacturer's instructions.
7. **Leak Test:** Once all connections are made, fill the tub with water and inspect all plumbing connections for any signs of leaks. Allow water to drain completely to check drain function.
8. **Final Placement:** Secure the tub in place if required by local codes or personal preference.

Refer to the product dimensions diagram (Image 5 in Product Overview) for precise measurements and planning.

5. OPERATING INSTRUCTIONS

Operating your Simpol Home bathtub is straightforward:

- **Filling the Tub:** Open the hot and cold water valves on your faucet to achieve the desired water temperature. The tub has an 80-gallon capacity.
- **Soaking:** The double-walled insulation design helps retain warm water for an extended period, enhancing your bathing experience.
- **Draining:** To drain the tub, activate the pop-up drain mechanism. The integrated slotted overflow will prevent overflowing.

6. MAINTENANCE AND CARE

Proper maintenance will preserve the beauty and longevity of your acrylic bathtub.

- **Regular Cleaning:** For daily cleaning, use a soft cloth or sponge with mild, non-abrasive soap and warm water. Rinse thoroughly after cleaning.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, scouring pads, steel wool, or harsh chemicals (e.g., acetone, paint thinner, strong acids, or alkalis) as these can damage the acrylic surface.
- **Stain Removal:** For stubborn stains, a diluted solution of household bleach (1 part bleach to 10 parts water) can be used, but rinse immediately and thoroughly.
- **Prevent Scratches:** Avoid dropping sharp or heavy objects into the tub. Do not use the tub as a work surface.
- **Drain Maintenance:** Periodically remove hair and debris from the drain to ensure proper flow.
- **Polishing:** To maintain the high-gloss finish, you may occasionally use a non-abrasive acrylic polish.

7. TROUBLESHOOTING

If you encounter issues with your bathtub, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Slow Drainage	Hair or debris in drain; improper drain installation.	Remove drain cover and clear any obstructions. If problem persists, consult a plumber.
Water Leaks	Loose drain connections; damaged seals.	Check all plumbing connections for tightness. Inspect seals for damage. Contact a plumber if unable to resolve.
Tub Not Level	Uneven floor; leveling feet not adjusted.	Adjust the integrated leveling feet until the tub is stable and level.
Water Temperature Drops Quickly	External factors (e.g., cold room); extreme water temperature.	Ensure bathroom is adequately heated. While the tub has excellent insulation, extreme conditions can affect retention.

If the problem persists after attempting these solutions, please contact Simpol Home customer support or a qualified professional.

8. SPECIFICATIONS

Detailed specifications for the Simpol Home 71" Acrylic Freestanding Bathtub:

- **Model Number:** SH-BT-X06
- **Product Dimensions:** 71"L x 31"W x 23"H
- **Material:** Acrylic
- **Color:** White (Tub), Chrome (Fittings)
- **Installation Type:** Freestanding
- **Capacity:** 80 Gallons
- **Item Weight:** 136.7 pounds
- **Shape:** Oval
- **Finish Type:** Brushed (Fittings)
- **UPC:** 717024827857

9. WARRANTY INFORMATION

Specific warranty details for the Simpol Home 71" Acrylic Freestanding Bathtub are not provided in this manual. For information regarding product warranty, including coverage period and terms, please contact Simpol Home customer support directly or refer to the product's purchase documentation.

10. CUSTOMER SUPPORT

For any questions, technical assistance, or support regarding your Simpol Home bathtub, please contact our customer service team:

- **Brand:** Simpol Home
- **Contact:** Refer to your purchase receipt or the official Simpol Home website for the most current contact information.

When contacting support, please have your model number (SH-BT-X06) and purchase date available.

