#### Manuals+

Q & A | Deep Search | Upload

#### manuals.plus /

- > CHARGEWORX /
- > CHARGEWORX Mini Portable Charger Power Bank with Lightning Output (Model CX6895CB) User Manual

## **CHARGEWORX CX6895CB**

# CHARGEWORX Mini Portable Charger Power Bank

MODEL: CX6895CB (LIGHTNING OUTPUT)

User Instruction Manual

### 1. Introduction

Thank you for choosing the CHARGEWORX Mini Portable Charger Power Bank. This compact and efficient power bank is designed to provide convenient on-the-go charging for your compatible Apple devices. Featuring a built-in Lightning connector, a 5,000 mAh battery capacity, dual charging capabilities, pass-through charging, and an intuitive LCD display, it ensures your devices stay powered when you need them most.



Image 1.1: The CHARGEWORX Mini Portable Charger Power Bank connected to a smartphone.

## 2. Safety Information

Please read all safety instructions before using this product to prevent injury or damage.

- Do not expose the power bank to extreme temperatures (hot or cold), direct sunlight, or high humidity.
- Do not disassemble, modify, or attempt to repair the device. This will void the warranty.
- Keep the power bank away from water and other liquids.
- Do not drop, puncture, or apply excessive force to the power bank.
- Use only certified charging cables and adapters.
- Keep out of reach of children.
- Dispose of the power bank responsibly according to local regulations.

# 3. Package Contents

- CHARGEWORX Mini Portable Charger Power Bank (Model CX6895CB)
- User Instruction Manual

#### 4. Product Features

- Built-in Lightning Connector: Directly connect to compatible Apple devices without extra cables.
- 5,000 mAh Battery Capacity: Provides sufficient power for emergency charges.
- **Dual Output:** Charge two devices simultaneously using the built-in Lightning connector and the USB-C port.
- Pass-Through Charging: Charge the power bank and a connected device at the same time.
- LCD Display: Clearly shows the remaining battery percentage.
- Compact and Portable Design: Easily fits into pockets or small bags.
- Protective Cap: Covers the Lightning connector when not in use.
- Safety Features: Includes auto shut-off and over-charging protection.
- Compatibility: Designed for Apple iPhone Series 14 and older models.



Image 4.1: Key features of the CHARGEWORX Mini Portable Charger.



Image 4.2: The 5,000 mAh battery capacity provides power for your devices.

# 5. Getting Started

## 5.1. Charging the Power Bank

- 1. Locate the USB-C input/output port on the side of the power bank.
- 2. Connect a USB-C charging cable (not included) to this port.
- 3. Connect the other end of the USB-C cable to a compatible USB power adapter (e.g., wall charger, computer USB port).
- 4. The LCD display will show the charging progress, indicating the battery percentage.
- 5. The power bank is fully charged when the LCD display shows "100".



Image 5.1: The LCD display shows '100' when fully charged.

#### 5.2. Checking Battery Level

Briefly press the power button (if available, or simply observe the display when connected) to activate the LCD display and view the current battery percentage of the power bank.

# 6. Operating Instructions

## 6.1. Charging a Single Device

- 1. Remove the protective cap from the built-in Lightning connector.
- 2. Plug the Lightning connector directly into your compatible Apple device's charging port.
- 3. The power bank will automatically begin charging your device. The LCD display will show the power bank's remaining battery level.
- 4. Once charging is complete, or if you wish to stop, simply disconnect the power bank from your device and replace the protective cap.

## 6.2. Dual Device Charging

The power bank supports charging two devices simultaneously:

- 1. Connect your primary Apple device using the built-in Lightning connector as described in Section 6.1.
- 2. Connect a second device using a USB-C cable (not included) to the USB-C input/output port on the power bank.
- 3. Both devices will charge concurrently. Note that charging speed may vary when two devices are connected.



Image 6.1: Dual output allows charging of two devices at once.

## 6.3. Pass-Through Charging

This feature allows you to charge the power bank itself while it is simultaneously charging a connected device.

- 1. Connect your device to the power bank using the built-in Lightning connector.
- 2. Connect the power bank to a power source using a USB-C charging cable (not included) via its USB-C port.
- 3. Both the power bank and your connected device will charge.



Image 6.2: Pass-through charging allows simultaneous charging of the power bank and a device.

## 7. LCD Display

The integrated LCD display provides real-time information about the power bank's battery status. The numbers displayed represent the remaining battery percentage (0-100%). This allows you to easily monitor when the power bank needs recharging.

#### 8. Maintenance

- **Cleaning:** Use a soft, dry cloth to clean the surface of the power bank. Do not use harsh chemicals or abrasive materials.
- **Storage:** Store the power bank in a cool, dry place away from direct sunlight and extreme temperatures. If storing for extended periods, ensure it has at least a 50% charge.
- Handling: Avoid dropping or subjecting the power bank to strong impacts.

## 9. Troubleshooting

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Device not charging from power bank.	Power bank battery is depleted. Connector not fully inserted. Device incompatibility.	Recharge the power bank.  Ensure Lightning connector is securely plugged into the device.  Verify your device is compatible with Lightning output.
Power bank not charging.	USB-C cable or adapter faulty. Power source issue.	Try a different USB-C cable and/or power adapter.  Connect to a different power outlet or USB port.
Slow charging.	Using a low-power adapter. Charging two devices simultaneously.	Use a higher-wattage USB power adapter. Charging a single device will typically be faster.
LCD display not working.	Power bank is completely discharged. Device malfunction.	Charge the power bank for a period. If issue persists, contact support.

# 10. Specifications

Feature	Detail
Model Number	CX6895CB
Battery Capacity	5,000 mAh
Connector Type	Built-in Lightning, USB-C (Input/Output)
Output Voltage/Current	5V/A (Fast Charging)
Product Dimensions	3.07 x 1.06 x 2.09 inches
Item Weight	3.52 ounces
Special Features	Auto Shut-Off, Built-In Cable, Digital Display, Over Charging Protection, Pocket Size
Compatibility	Apple iPhone Series 14 and older

# 11. Warranty and Support

CHARGEWORX products are designed for reliability and performance. For warranty information, technical support, or any inquiries regarding your product, please refer to the official CHARGEWORX website or contact their customer service directly. Please retain your proof of purchase for warranty claims.

© 2025 CHARGEWORX. All rights reserved.



## Chargeworx KH1035BK 14 oz. Smart Mug User Guide

User guide for the Chargeworx KH1035BK 14 oz. Smart Mug with temperature control. Learn how to charge, turn on/off, use button controls, and connect to the Mug Link app.



## Chargeworx KH1035BK 14 oz. Smart Mug User Guide

User guide for the Chargeworx KH1035BK 14 oz. Smart Mug with temperature control. Learn how to charge, turn on/off, use button controls, and connect to the Mug Link app.



#### Coby & Chargeworx Holiday Electronics 2023 - Earbuds, Headphones, Smartwatch & More

Explore the festive collection from Coby and Chargeworx, featuring high-quality sport earbuds, active noise-canceling headphones, plush headphones with mic, the SW700 smartwatch, 2-in-1 wireless charging alarm clocks, powerful 20000mAh powerbanks, and true wireless party speakers.