

EMOOR FUJI

EMOOR Fuji Wood Slatted Low Bed Frame

Model: FUJI Twin (Earth-Natural)

INTRODUCTION

This manual provides instructions for the assembly, use, and maintenance of your EMOOR Fuji Wood Slatted Low Bed Frame. Designed for use with Japanese futon mattresses, memory foam, latex, or spring mattresses, this frame offers adjustable height and excellent breathability. Please read all instructions carefully before assembly and use.

SAFETY INFORMATION

For your safety and to prevent damage to the product, observe the following guidelines:

- Always follow the assembly instructions carefully to prevent instability or collapse.
- Do not exceed the maximum weight capacity of **440 lbs (200 kg)**.
- Be cautious around sharp edges when handling the product during assembly or relocation.
- Ensure all legs are securely attached and the bed frame is on a level surface to maintain stability.



The bed frame is designed to support a maximum weight of 440 lbs (200 kg). Ensure this limit is not exceeded.

SETUP AND ASSEMBLY

The EMOOR Fuji Bed Frame is designed for easy assembly. It ships in a single box with all necessary components and tools.

Included Components:

- Frame parts (Natural Solid Pine Wood)
- Slats (Solid Wood)
- Legs (for height adjustment)
- L-shaped hex wrench
- Anti-scratch felt pads

Assembly Steps:

1. Unpack all components and verify against the parts list in the included assembly instructions.
2. Assemble the main frame structure according to the diagrams provided in the separate assembly guide.
3. Attach the wooden slats to the frame. Ensure they are evenly spaced and securely fastened.
4. Determine your desired bed height (2in, 7in, or 12in) and attach the appropriate leg parts.
5. Carefully turn the assembled bed frame upright. It is recommended to have assistance for this step.
6. Place the anti-scratch felt pads on the bottom of the legs to protect your flooring.



How to Adjust



Choose from 3 heights with leg parts of different lengths by connecting or removing them.



(All parts are included.)

The bed frame offers three adjustable height options by connecting or removing leg parts.

OPERATING INSTRUCTIONS

Your EMOOR Fuji Bed Frame is designed for optimal support and comfort with various mattress types.

Mattress Compatibility:

This bed frame is ideal for Japanese Futon Mattresses (Twin size), as well as latex, memory foam, or spring mattresses. The wooden slats provide direct support, eliminating the need for a box spring.

Height Adjustment:

The bed frame can be set to three different heights:

- **2.36 inches (6cm):** Without any leg parts, for a low-profile floor bed style.
- **7.09 inches (18cm):** With one set of leg parts attached.
- **11.81 inches (30cm):** With two sets of leg parts (extended legs) attached. This option provides approximately 10 inches of under-bed storage space.

Breathability:

The design features wooden slats with air gaps, which promote air circulation. This helps your mattress breathe and release moisture, contributing to a more hygienic sleep environment.



The slatted design ensures good breathability for your mattress.

MAINTENANCE

Proper care will extend the life and appearance of your EMOOR Fuji Bed Frame.

- **Cleaning:** Wipe the wood surfaces with a dry cloth. Avoid using harsh chemicals or abrasive cleaners, which can damage the lacquer finish.
- **Inspection:** Periodically check all bolts and connections to ensure they remain tight. Retighten if necessary.
- **Environment:** Keep the bed frame in a dry environment. Avoid prolonged exposure to direct sunlight or extreme humidity, which can affect the wood.

TROUBLESHOOTING

If you encounter any issues with your bed frame, refer to the following common solutions:

- **Squeaking Noises:** Squeaking often indicates loose connections. Re-tighten all bolts and screws on the frame and legs. Ensure the bed is on a level surface.
- **Instability/Wobbling:** Verify that all legs are securely attached and that the bed frame is placed on a flat, even floor. An uneven floor can cause stress on the frame.
- **Damaged Parts:** If any part arrives damaged or breaks during normal use, contact EMOOR customer support for assistance. Do not attempt to repair structural components with unauthorized parts.

SPECIFICATIONS

Feature	Detail
---------	--------

Model Number	FUJI
Size	Twin (38x79in)
Product Dimensions (L x W x H)	78.73" x 38.58" x 11.81" (max height)
Adjustable Heights	2.36in (6cm), 7.09in (18cm), 11.81in (30cm)
Maximum Weight Capacity	440 lbs (200 kg)
Material	Natural Solid Pine Wood with Lacquer Finish
Color	Earth-natural
Included Components	Wood slatted bed, L-shaped hex wrench



Detailed dimensions of the EMOOR Fuji Twin bed frame.

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation included with your purchase or visit the official EMOOR website. You can also visit the [EMOOR Store on Amazon](#) for additional product details and contact options.

© 2026 EMOOR. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question