

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Fanbulous](#) /

› [Fanbulous 52-Inch Ceiling Fan with Lights and Remote Control \(Model CF01-2801\) User Manual](#)

Fanbulous CF01-2801

Fanbulous 52-Inch Ceiling Fan User Manual

Model: CF01-2801

[Contents](#) [Setup](#) [Operation](#) [Safety Information](#) [Package](#)
[Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty & Support](#)

INTRODUCTION

Thank you for choosing the Fanbulous 52-inch Ceiling Fan with Lights and Remote Control. This manual provides essential information for the safe installation, operation, and maintenance of your new ceiling fan. Please read these instructions thoroughly before installation and retain them for future reference.

SAFETY INFORMATION

WARNING: To reduce the risk of fire, electric shock, or personal injury, always follow these basic precautions:

- Read all instructions before installing the fan.
- Ensure all wiring is in accordance with national and local electrical codes. If you are unfamiliar with wiring, consult a qualified electrician.
- Before installation or servicing, disconnect power by turning off the circuit breaker at the main fuse box.
- The fan must be mounted to a ceiling joist or support structure capable of supporting a minimum of 35 lbs (15.9 kg).
- Do not operate the fan with damaged blades. Replace any damaged blades immediately.
- Avoid placing objects in the path of the fan blades.
- This fan is suitable for both indoor and outdoor (covered patio) use. Ensure proper protection from direct water exposure for outdoor installations.

PACKAGE CONTENTS

Carefully unpack all components and ensure you have received all items listed below. If any parts are missing or damaged, contact customer support.

- Ceiling Fan Motor Housing
- Fan Blades (3 pieces)
- LED Light Kit
- Remote Control with Wall Mount
- Mounting Bracket
- Hardware Pack (screws, wire nuts, washers)
- Instruction Manual

SETUP AND INSTALLATION

Before beginning installation, ensure the power is turned off at the circuit breaker.

1. Mounting the Bracket

Attach the mounting bracket securely to a ceiling joist or a suitable support structure. Ensure all screws are tightened to prevent wobbling.

2. Wiring the Fan

Connect the fan's electrical wires to the household wiring according to the provided wiring diagram in the hardware pack. Ensure all connections are secure with wire nuts.

3. Attaching the Fan Housing

Carefully lift the fan motor housing and attach it to the mounting bracket. Secure it with the provided screws, ensuring a flush mount against the ceiling.

4. Assembling the Blades

Attach the three fan blades to the motor housing using the provided screws. Ensure each blade is firmly secured. Note that the blades are constructed from durable ABS plastic.

5. Installing the LED Light Kit

Connect the LED light kit wires to the fan's light wires. Secure the light kit to the bottom of the fan housing.

6. Remote Control Pairing

Insert batteries into the remote control. Restore power to the fan. Within 30 seconds of restoring power, press and hold the 'Fan ON/OFF' button on the remote for 5 seconds until you hear a beep, indicating successful pairing.

Fanbulous

Reversible DC Motor



Summer

Forward Cool Airflow



Winter

Reverse Warm Airflow



Image: The Fanbulous 52-inch ceiling fan installed, showcasing its modern design and flush mount. This image provides a general view of the product after installation.



Image: A diagram illustrating the dimensions of the 52-inch ceiling fan, including blade span, height, and canopy size. Key features such as material (plastic), voltage (120V), 6 fan speeds, 3CCT LED light, and reversible DC motor are also highlighted.

OPERATING INSTRUCTIONS

Your Fanbulous ceiling fan is operated via the included remote control.

Remote Control Functions



Image: A detailed diagram of the remote control, labeling each button and its function, including All Off, Light On/Off, 1-6 Fan Speed, Fan On/Off, Forward or Reverse Rotation, 1H/4H/8H Timer, Natural Wind, Safe Mode, Cancel Timer, and Remote Controller Mute.

- **Power On/Off:** Press the **red power button** to turn the fan and light on or off.
- **Fan Speed:** Use buttons **1-6** to select desired fan speed. 1 is the lowest, 6 is the highest.
- **Light Control:** Press the **light bulb button** to turn the light on or off.
- **Color Temperature Adjustment (3CCT):** With the light on, press the **color temperature button** to cycle through 3000K (Warm White), 4500K (Natural White), and 6000K (Cool White). The fan features a memory function that remembers the last light setting.
- **Dimming:** Press and hold the light button to adjust brightness.
- **Timer Function:** Set the fan to turn off automatically after **1 hour, 4 hours, or 8 hours** using the respective buttons.
- **Reversible DC Motor:** Press the **forward/reverse button** to change the direction of the fan blades.

Reversible DC Motor Function

The fan features a reversible DC motor for year-round comfort.

Eanbulous

52 Inch Ceiling Fan with Light



Image: An illustration demonstrating the reversible DC motor function. In summer mode, the fan operates in forward rotation to create a cooling downdraft. In winter mode, it operates in reverse rotation to circulate warm air upwards, distributing heat evenly.

- **Summer Mode (Downward Airflow):** The fan blades rotate counter-clockwise, pushing air downwards to create a cooling breeze.
- **Winter Mode (Upward Airflow):** The fan blades rotate clockwise, drawing air upwards to circulate warm air trapped near the ceiling, helping to warm the room.

Light Color Temperature and Memory Function

Customizable Light

Meet the light demand in different scenarios



Image: A visual representation of the three available LED light color temperatures: 3000K (warm), 4500K (natural), and 6000K (cool), demonstrating how they appear in a living room setting.

- The integrated LED light offers three color temperatures (3000K, 4500K, 6000K) to suit various scenarios and preferences.
- The memory function retains your last selected light color temperature when the fan is turned off and back on.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your ceiling fan.

Cleaning

- Always turn off the power at the circuit breaker before cleaning.

- Use a soft, damp cloth to wipe down the fan blades and motor housing. Do not use abrasive cleaners or solvents, as they may damage the finish.
- Periodically check for dust accumulation on the blades and motor vents to ensure efficient airflow.

General Care

- Check all connections and mounting screws periodically to ensure they remain tight.
- The fan's DC motor is designed for long-term, maintenance-free operation and does not require lubrication.

TROUBLESHOOTING

If you experience issues with your fan, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Fan does not start	No power to the fan Loose wire connections Remote control not paired	Check circuit breaker and wall switch Verify all wire connections are secure Re-pair the remote control (see Setup section)
Light does not work	Loose wire connection to light kit LED light kit failure	Check light kit wiring Contact customer support for replacement if necessary
Remote control not responding	Dead batteries Remote not paired Interference	Replace batteries Re-pair the remote control Ensure no other devices are causing signal interference
Fan wobbles	Loose mounting screws Unbalanced blades	Tighten all mounting screws Use the included balancing kit (if applicable) to balance the blades. Ensure blades are securely attached.
Excessive noise	Loose screws Motor issue	Check and tighten all screws on the fan housing and blades If noise persists, contact customer support. Note that this fan features a quiet DC motor (approx. 35dB).

If you are unable to resolve the issue using these steps, please contact Fanbulous customer support.

SPECIFICATIONS

Feature	Detail
Brand	Fanbulous
Model Name	CF01-2801
Size	52 Inch
Color	Black
Product Dimensions	52"D x 52"W x 11"H

Feature	Detail
Power Source	AC/DC
Wattage	22 watts
Noise Level	35 Decibels
Control Method	Remote Control
Motor Type	Brushless DC Motor (Reversible)
Number of Power Levels	6 Fan Speeds
Light Type	Integrated LED (3 CCT: 3000K, 4500K, 6000K)
Installation Type	Flush Mount
Indoor/Outdoor Usage	Indoor, Outdoor (Covered)
Certifications	FCC, UL
Item Weight	12.62 pounds

WARRANTY AND SUPPORT

Fanbulous products are manufactured to high-quality standards. For warranty information, technical support, or to purchase replacement parts, please contact Fanbulous customer service through the retailer where the product was purchased or visit the official Fanbulous website. Please have your model number (CF01-2801) and purchase date available when contacting support.