

Rhinowalk RK9401

Rhinowalk Front Loader Bicycle Handlebar Mount RK9401 Instruction Manual

1. PRODUCT OVERVIEW

The Rhinowalk Front Loader Bicycle Handlebar Mount RK9401 is designed to securely attach luggage, such as tents, sleeping bags, or dry bags, to your bicycle's handlebars. This lightweight and durable mount is constructed from water-repellent polyester material, providing a stable platform for your gear during cycling trips. Please note that the bag itself is not included with this mount.

2. SAFETY INFORMATION

- **Maximum Load Capacity:** Do not exceed the maximum load capacity of 5 kg (11 lbs). Overloading can compromise stability and safety.
- **Secure Installation:** Ensure all straps and buckles are securely fastened before riding. Regularly check for tightness during your journey.
- **Handlebar Compatibility:** Before installation, verify that your bicycle's handlebar length and curvature are suitable for this mount to ensure a stable and safe fit.
- **Visibility:** Ensure the mounted luggage does not obstruct your view of the road or your bicycle's lights and reflectors.
- **Brake and Shifter Clearance:** Confirm that the mount and any attached luggage do not interfere with the operation of your brakes or shifters.

3. PACKAGE CONTENTS

The Rhinowalk Front Loader Bicycle Handlebar Mount RK9401 package includes the following components:

- 1 x Main Handlebar Mount Unit
- Multiple attachment straps (various lengths)
- EVA cushioning pads (6cm*5cm*2cm) to protect handlebars

RHINOWALK

FOCUS ON RIDING BAGS
YOUR OWN STYLE

HELLO BAG



Image: Detailed view of the Rhinowalk RK9401 mount components, showing the main unit, attachment straps of 33cm, 40cm, 35cm, and 35cm, and six EVA cushions measuring 6cm x 5cm x 2cm each. The main mount dimensions are 28cm height and 24.5cm width.

4. SETUP AND INSTALLATION

Follow these steps to properly install the Rhinowalk Front Loader Bicycle Handlebar Mount:

1. **Prepare Handlebar:** Clean the area of your handlebar where the mount will be attached. Ensure it is free from dirt or grease.
2. **Attach EVA Cushions:** Place the EVA cushioning pads between the mount and your handlebar. These pads protect your handlebar's finish and provide a more secure grip.
3. **Position the Mount:** Position the main mount unit on your handlebar, ensuring it is centered and does not obstruct your bike's controls (brakes, shifters, lights).
4. **Secure Top Straps:** Use the provided straps to firmly attach the top part of the mount to your handlebar. Thread the straps through the buckles and pull them tight.

5. **Secure Bottom Strap:** Use the additional strap to secure the bottom part of the mount to your bike's head tube or fork, preventing it from swinging.
6. **Final Check:** Wiggle the mount to ensure it is stable and does not move excessively. Adjust straps as needed for a snug fit.



Image: The Rhinowalk RK9401 mount securely installed on a bicycle handlebar, demonstrating how it holds a rolled dry bag. The mount is positioned centrally, with straps securing it to the handlebar and an additional strap stabilizing it against the head tube.



33cm




40cm



35cm



35cm



EVAクッション
6cm*5cm*2cm
(L*W*H)



24.5cm

28cm

Image: A grayscale view of the Rhinowalk RK9401 mount on a white bicycle, illustrating the attachment points and the overall profile when a bag is secured. This image highlights the minimal interference with the bike's aesthetics.

5. OPERATING INSTRUCTIONS

Once the mount is securely installed, you can attach your luggage:

- 1. Prepare Luggage:** Place your items into a suitable dry bag or roll-top bag. Ensure the bag is rolled tightly to minimize its size and prevent items from shifting.
- 2. Load onto Mount:** Position the prepared bag onto the main mount unit.
- 3. Secure Luggage:** Use the integrated straps on the mount to firmly secure your bag. Thread the straps over and around the bag, pulling them tight to prevent movement during your ride. Ensure the weight is evenly distributed and does not exceed 5 kg.



Image: The Rhinowalk RK9401 mount with a gray dry bag attached, viewed from the front. This perspective shows how the bag is cradled by the mount and secured by multiple straps, ensuring stability.

6. MAINTENANCE

- **Cleaning:** Wipe the mount with a damp cloth to remove dirt and debris. For stubborn stains, use mild soap and water, then rinse thoroughly and air dry. Do not use harsh chemicals or abrasive cleaners.
- **Inspection:** Periodically inspect all straps, buckles, and stitching for signs of wear, fraying, or damage. Replace any damaged components immediately.
- **Storage:** Store the mount in a cool, dry place away from direct sunlight when not in use to prolong its lifespan.

7. TROUBLESHOOTING

- **Mount feels loose:** Ensure all straps are pulled tight and the EVA cushions are properly positioned. Re-adjust if necessary.

- **Difficulty with buckles:** Some buckles may be stiff initially. Apply firm, even pressure to open and close them. Avoid forcing them, which could cause damage.
- **Luggage shifting:** Ensure your bag is tightly rolled and secured with all available straps. Distribute weight evenly within the bag. Do not exceed the maximum load capacity.
- **Interference with bike controls:** Re-position the mount slightly to ensure full clearance for brake levers, shifters, and cables.

8. SPECIFICATIONS

Model	RK9401
Brand	Rhinowalk
Material	Polyester
Color	Black
Mounting Type	Handlebar Mount
Maximum Load	5 kg (11 lbs)
Dimensions (Mount)	245mm (width) x 280mm (height) x 50mm (depth)
Water Resistance	Water Repellent

9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the official Rhinowalk website or contact your retailer. Keep your purchase receipt as proof of purchase for any warranty claims.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question