

marcronic FLE-042-F2-C58-K1-ee-fff

marcronic LED Dimmable Floor Lamp User Manual

MODEL: FLE-042-F2-C58-K1-EE-FFF

Brand: marcronic

1. Introduction

Thank you for purchasing the marcronic LED Dimmable Floor Lamp. This versatile lighting solution offers adjustable brightness and color temperature, designed to enhance various environments such as living rooms, bedrooms, and offices. Featuring both remote and touch control, along with a flexible reading lamp, this product provides efficient and comfortable illumination.

Please read this manual thoroughly before installation and operation to ensure proper use and to maintain the product's longevity.

2. Safety Instructions

- Ensure the power supply voltage matches the lamp's requirements (220 Volts).
- Do not disassemble or modify the lamp. This may cause electric shock or damage the product.
- Keep the lamp away from water and high humidity environments.
- Do not cover the lamp with cloth or other materials while it is operating, as this may cause overheating.
- Always unplug the lamp from the power outlet before cleaning or performing any maintenance.
- This product is for indoor use only.
- Keep the remote control batteries out of reach of children.

3. Package Contents

Verify that all components are present in the package:

- User Manual * 1
- 42W Floor Lamp * 1
- Remote Control * 1



An overview of the marctronic LED Dimmable Floor Lamp, showcasing its sleek black design, the main upward-facing lamp, the adjustable reading lamp, and the included remote control.

4. Setup

Follow these steps to assemble your floor lamp:

1. Carefully unpack all components from the box.
2. Connect the lamp pole sections by screwing them clockwise until secure. Ensure the power cord passes freely through the pole.
3. Attach the assembled pole to the lamp base, screwing it clockwise until firmly tightened.
4. Ensure all connections are secure before plugging the lamp into a power outlet.

UPGRADED PREMIUM MATERIALS



A detailed view of the marctronic LED Floor Lamp, indicating its dimensions (175cm height, 26cm main lamp diameter, 12cm reading lamp diameter, 35cm adjustable arm). Insets highlight key features: a convex surface for wider light diffusion, a UL-listed cord for safety, and a stable base that has passed tilt tests.

5. Operating Instructions

5.1 Power On/Off

- **Remote Control:** Press the **red power button** (🔴) to turn the lamp on or off.
- **Touch Control:** Lightly touch the designated touch area on the lamp pole to turn the lamp on or off.

5.2 Brightness Adjustment (Dimmable)

- **Remote Control:** Use the '+' and '-' buttons to adjust brightness in 10 steps (5% to 100%). Long press for stepless adjustment.
- **Touch Control:** Long press the touch area on the lamp pole for stepless brightness adjustment.



4 Color Temperature



5%

Stepless Dimmable Brightness



100%

A visual representation of the lamp's adjustable lighting, showing four distinct color temperatures and the stepless dimmable brightness from 5% to 100%.

5.3 Color Temperature Adjustment

- **Remote Control:** Use the '**CCT+**' and '**CCT-**' buttons to cycle through 4 color temperatures (2700K, 4000K, 5000K, 6500K). Long press for stepless adjustment.
- **Touch Control:** Short press the touch area to cycle through the 4 preset color temperatures.

5.4 Memory Function

The lamp features an intelligent memory function that recalls your last brightness and color temperature settings when powered on again.

5.5 Independent and Dual Light Use

The main lamp (37W/3500lm) and the sub reading lamp (7W/700lm) can be operated independently or simultaneously. Use the dedicated buttons on the remote control to switch between the main lamp, reading lamp, or both.


Independent & Dual Light Use



The marctronic LED Floor Lamp illuminating a living area, showing how both the main lamp and the reading lamp can be used independently or together to suit different lighting needs.

5.6 Smart Plug Compatibility

The lamp is compatible with smart plugs, allowing for integration with smart home systems for basic on/off control. Note that advanced functions like dimming and color temperature adjustment typically require the remote control or touch interface.



The marctronic LED Floor Lamp highlighting its various control options: touch control, remote control, and compatibility with smart plugs.

6. Maintenance

- **Cleaning:** Disconnect the power before cleaning. Use a soft, dry cloth to wipe the lamp. Do not use abrasive cleaners or solvents.
- **LEDs:** The LED light source is integrated and not user-replaceable. Do not attempt to replace the LEDs.
- **Storage:** If storing the lamp for an extended period, unplug it and store it in a dry, cool place.

Flicker-Free Eye Caring

LED floor lamp soft, steady and flicker-free light to protect your eyes. Allows you to enjoy what you're doing for longer



The marctronic LED Floor Lamp's flicker-free design ensures comfortable lighting, reducing eye strain during prolonged use.


7. Troubleshooting

Problem	Possible Cause	Solution
Lamp does not turn on.	No power supply. Loose connection. Remote control batteries depleted.	Check if the power cord is securely plugged into a working outlet. Ensure all lamp sections are tightly screwed. Replace remote control batteries (2x AAA, not included).
Remote control not working.	Batteries depleted or incorrectly inserted. Obstruction between remote and lamp. Remote out of range.	Replace batteries and ensure correct polarity. Remove any objects blocking the signal path. Operate the remote within 15 meters of the lamp.

Problem	Possible Cause	Solution
Brightness or color temperature not adjusting.	Incorrect button usage. Remote control issue.	Refer to Section 5 for correct button functions. Try using the touch control on the lamp pole. If the issue persists, check remote batteries.

8. Specifications

Feature	Detail
Brand	marcronic
Model Number	FLE-042-F2-C58-K1-ee-fff
Product Dimensions (L x W x H)	25 x 25 x 175 cm
Item Weight	4.2 Kilograms
Color	Black
Power Source	Corded Electric
Voltage	220 Volts
Wattage	44 Watts
Luminous Flux (Total)	4000 Lumens
Color Temperature	2700K - 6500K (Dimmable)
Number of Light Sources	180 (LEDs)
Special Feature	Dimmable, Remote Control, Touch Control
Components Included	User Manual * 1, 42W Floor Lamp * 1, Remote Control * 1
Batteries Required	No (for lamp), Yes (for remote, 2x AAA, not included)
Energy Efficiency Rating	F (42 kWh/1000h)



The EU energy efficiency label for the marctronic LED Floor Lamp, indicating an energy rating of F and consumption of 42 kWh/1000h. For more detailed product information, refer to the EPREL database via the QR code or link below.

[EPREL Product Datasheet \(Link\)](#)

9. Warranty and Support

marctronic products are designed for quality and reliability. While specific warranty details are not provided in this manual, please retain your proof of purchase for any warranty claims.

For technical support, troubleshooting assistance, or inquiries regarding spare parts, please contact your retailer or marctronic customer service through the contact information provided at the point of purchase.

© 2026 marctronic. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question