



[Manuals.plus](#) /

> [JUBEST](#) /

> JUBEST 60x80 Inch 3-Lite Frosted Glass Sliding Closet Door Instruction Manual (Model 3CD)

JUBEST 3CD

JUBEST 60x80 Inch 3-Lite Frosted Glass Sliding Closet Door Instruction Manual

Model: 3CD | Brand: JUBEST

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your JUBEST 60x80 Inch 3-Lite Frosted Glass Sliding Closet Door. Please read this manual thoroughly before beginning installation or use to ensure proper function and safety.

The JUBEST sliding closet door features a durable prefinished solid wood construction with a vinyl-wrapped MDF surface, designed for easy cleaning and scratch resistance. The frosted glass panels offer privacy while allowing natural light. This bypass door system is engineered for smooth operation and space-saving functionality, suitable for various interior applications.



Image: JUBEST Sliding Closet Door in a closet setting, illustrating key product attributes.

2. SAFETY INFORMATION

Always prioritize safety during installation and use. Failure to follow these instructions may result in injury or damage to the product or property.

- **Heavy Item:** The door panels and hardware are heavy. Always use appropriate lifting techniques and seek assistance when moving or installing components to prevent injury.
- **Tools:** Use only the recommended tools and ensure they are in good working condition.
- **Wall Structure:** Ensure the wall structure where the track will be mounted is solid and capable of supporting the weight of the door. Reinforcement may be necessary.
- **Glass Handling:** Handle glass panels with care to avoid breakage. Wear protective gloves and eyewear.
- **Children and Pets:** Keep children and pets away from the installation area.
- **Clearance:** Ensure adequate clearance around the door opening for safe operation.

3. PACKAGE CONTENTS

Verify that all components listed below are present and undamaged before beginning installation. If any parts are missing or damaged, contact customer support.

PACKING LIST

closet door*2 +installation hardware kits



Image: Detailed view of all included components in the package.

- Closet Door Panels (x2)
- Installation Hardware Kit (includes top track, rollers, guides, fascia, screws, etc.)

4. SPECIFICATIONS

Key specifications for the JUBEST 60x80 Inch 3-Lite Frosted Glass Sliding Closet Door:

Feature	Detail
Model Number	3CD

Feature	Detail
Overall Dimensions	0.87 x 60 x 80 inches (Thickness x Width x Height)
Each Panel Size	31 x 78.19 inches
Fit Opening Size	60 x 80 inches
Item Weight	70 pounds
Material	Wood and Glass (Prefinished solid wood construction with vinyl wrapped MDF surface, frosted glass)
Color	Black
Style	Modern

SLIDING CLOSET DOORS SIZE CHART



Option Name	A:Each Panel Size	B:Fit Opening Size	Thickness
48"	24.5" x 78.19"	48" x 80"	0.87"
60"	31" x 78.19"	60" x 80"	0.87"
72"	37" x 78.19"	72" x 80"	0.87"

Image: Detailed size chart for door panels and opening dimensions.

5. SETUP AND INSTALLATION

The JUBEST sliding closet door is designed for easy installation with a top track system and pre-drilled MDF panels. Follow these steps carefully.

5.1 Tools Required (Not Included)


- Measuring Tape
- Pencil
- Drill
- Screwdriver (Phillips head recommended)
- Level
- Stud Finder (if applicable)

5.2 Installation Steps

1. **Assemble Door Slabs:** Connect the pre-drilled MDF panel components to form the complete door slabs. Ensure all connections are secure.
2. **Install Hardware Kits:** Attach the rollers and guides to the top edge of the assembled door slabs as per the hardware kit instructions.
3. **Mount Top Track and Fascia:** Secure the top track to the header above the door opening. Ensure it is level and firmly anchored into studs or appropriate wall anchors. Install the matching fascia to conceal the track hardware. The design features no bottom track, keeping the floor clear.
4. **Hang the Doors:** Carefully lift and hang the door panels onto the top track rollers. Adjust as necessary to ensure smooth gliding and proper alignment.

EASY TO INSTALL

01



02



30^m

03





04



Image: Step-by-step visual guide for door installation.

HIGH QUALITY



FRAME

Solid wood construction with vinyl wrapped MDF surface



FROSTED GLASS

Tempered frosted glass secures privacy while offering natural light

Image: Detail of door construction, showing frame and frosted glass.

6. OPERATING INSTRUCTIONS

To operate your JUBEST sliding closet door, simply grasp the door handle and slide the panel horizontally along the top track. The bypass design allows one door panel to slide in front of the other, providing access to different sections of your closet or opening.

- Ensure the path of the door is clear of obstructions before sliding.
- Apply gentle, even pressure when opening or closing the door. Avoid forcing the door, as this can cause misalignment or damage.
- The top track system is designed for smooth and quiet operation. If you notice resistance, refer to the Troubleshooting section.



Image: Examples of the sliding door in different room settings.

7. MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your JUBEST sliding closet door.

- **Cleaning the Door Panels:** The vinyl-wrapped MDF surface is easy to clean. Use a soft, damp cloth with mild soap and water. Avoid abrasive cleaners or harsh chemicals, which can damage the finish.
- **Cleaning Frosted Glass:** For frosted glass, use a standard glass cleaner and a soft, lint-free cloth.
- **Track Maintenance:** Periodically inspect the top track for any debris or dust accumulation. Clean the track with a dry cloth or a vacuum cleaner attachment to ensure smooth roller movement.
- **Hardware Check:** Occasionally check all screws and fasteners to ensure they are tight. Retighten if necessary.

8. TROUBLESHOOTING

If you encounter issues with your sliding closet door, refer to the following common problems and solutions:

- **Door does not slide smoothly:**

- Check the top track for obstructions (dust, debris). Clean the track thoroughly.
- Inspect the rollers on the door panels for damage or misalignment. Adjust or replace if necessary.
- Ensure the door panels are properly hung on the track and are not binding against each other or the frame.

- **Door is difficult to open or close:**

- Verify that the top track is level. An unlevel track can cause resistance.
- Check for any warping in the door panels (unlikely with MDF, but inspect).
- Ensure all hardware is securely fastened and not loose.

- **Door panels are not aligned:**

- Adjust the rollers on the top of the door panels to achieve proper vertical alignment.
- Ensure the top track is installed straight and level.

If these steps do not resolve the issue, please contact JUBEST customer support for further assistance.

9. WARRANTY INFORMATION

JUBEST products are manufactured to high-quality standards. This product comes with a limited manufacturer's warranty covering defects in materials and workmanship under normal use. The specific terms and duration of the warranty may vary. Please retain your proof of purchase for warranty claims.

The warranty typically does not cover damage resulting from improper installation, misuse, abuse, accidents, modifications, or normal wear and tear. For detailed warranty information, please refer to the documentation included with your purchase or contact JUBEST customer support.

10. SUPPORT

For any questions, missing parts, installation assistance, or warranty inquiries, please contact JUBEST customer service. Our professional customer service team is available to help you.

Please have your product model number (3CD) and proof of purchase ready when contacting support to expedite assistance.

You can typically find contact information on the product packaging, the JUBEST official website, or through your retailer's customer service portal.