

- Manuals.plus /
- > TOAUTO /
 - > TOAUTO Wax Melting Pot 1.5L (Model WMF-1.5L-GREEN-FBM) Instruction Manual

TOAUTO WMF-1.5L-GREEN-FBM

TOAUTO Wax Melting Pot 1.5L

Model: WMF-1.5L-GREEN-FBM
Instruction Manual

1. INTRODUCTION

Thank you for choosing the TOAUTO 1.5L Wax Melting Pot. This appliance is designed for efficient and convenient wax melting for various crafting needs, particularly candle making. Please read this manual thoroughly before operating the device to ensure safe and optimal performance. Keep this manual for future reference.



Image: The TOAUTO 1.5L Wax Melting Pot, highlighting its key features.

2. SAFETY INSTRUCTIONS

WARNING: Failure to follow these safety instructions may result in fire, electric shock, or personal injury.

- Always place the wax melting pot on a stable, heat-resistant surface.
- Do not immerse the appliance, cord, or plug in water or other liquids.
- Keep out of reach of children and pets.
- Do not touch hot surfaces. Use handles and knobs.
- Unplug from outlet when not in use and before cleaning. Allow to cool before putting on or taking off parts, and before cleaning the appliance.
- Do not operate any appliance with a damaged cord or plug, or after the appliance malfunctions or has been damaged in any manner.
- Do not use outdoors.
- Do not let the cord hang over the edge of a table or counter, or touch hot surfaces.
- Do not place on or near a hot gas or electric burner, or in a heated oven.
- Extreme caution must be used when moving an appliance containing hot oil or other hot liquids.
- Always attach plug to appliance first, then plug cord into the wall outlet. To disconnect, turn any control to “OFF”, then remove plug from wall outlet.
- Use only for its intended purpose.

3. PRODUCT COMPONENTS

The TOAUTO Wax Melting Pot includes the following main components:

- Main Heating Unit with Non-Stick Pot
- Lid
- Power Cord with Control Dial
- Integrated Pouring Spout

4. SETUP

1. **Unpack:** Carefully remove all components from the packaging. Retain packaging for storage or future transport.
2. **Inspect:** Check the appliance for any signs of damage. Do not use if damaged.
3. **Clean:** Before first use, wipe the interior of the pot with a damp cloth and mild detergent. Rinse thoroughly and dry completely.
4. **Placement:** Place the wax melting pot on a flat, stable, and heat-resistant surface, away from flammable materials. Ensure adequate ventilation.

5. OPERATING INSTRUCTIONS

5.1 Filling the Pot

1. Ensure the pot is clean and dry.
2. Add your desired wax flakes or blocks into the pot. The pot has a 1.5L capacity, suitable for melting up to 1kg of wax

flakes per batch. Do not overfill beyond the maximum fill line.

1.5L CAPACITY

Can melt 1kg wax flaks each batch



Image: Filling the wax melting pot with wax flakes.

5.2 Power Adjustment and Melting

1. Plug the power cord into a standard electrical outlet.
2. Turn the control dial to select the desired power level: **Level I (300W)** for gentle melting or **Level II (450W)** for accelerated heating.
3. The indicator light will illuminate when the unit is heating.
4. Allow the wax to melt completely. Stir occasionally with a heat-resistant utensil to ensure even melting.

2 LEVELS OF POWER

Heating for your different melting need



I: 225W



II: 450W



Image: Adjusting the power level on the wax melting pot.

MEET ALL WAX NEEDS

Soy wax, bee wax, jelly wax, ice wax



Image: The wax melting pot effectively melting various types of wax.

5.3 Pouring Melted Wax

1. Once the wax is fully melted and at the desired temperature, carefully lift the pot using its handle.
2. Utilize the integrated dripless pouring spout to pour the melted wax into your molds or containers. The spout is designed for smooth and controlled dispensing.

DRIPLESS POURING SPOUT

Keep smooth flow from dripping



Image: Using the dripless pouring spout to transfer melted wax.

5.4 Step-by-Step Usage Overview

HOW TO USE THE WAX MELTING POT



Image: Visual guide for the wax melting process.

6. MAINTENANCE AND CLEANING

Regular cleaning ensures the longevity and optimal performance of your wax melting pot.

1. **Unplug and Cool:** Always unplug the appliance from the power outlet and allow it to cool completely before cleaning.
2. **Remove Excess Wax:** Once cooled, any remaining solid wax can often be gently scraped out. For stubborn residue, you can briefly reheat the pot on a very low setting to soften the wax, then wipe it out with a paper towel.
3. **Clean Interior:** The pot features a non-stick coating for easy cleanup. Wipe the interior with a soft cloth or sponge using warm, soapy water. For tougher spots, a non-abrasive scrubber can be used. Alternatively, you can clean by boiling water in the pot or using alcohol wipes.
4. **Clean Exterior:** Wipe the exterior of the appliance with a damp cloth. Do not use abrasive cleaners or immerse the main unit in water.
5. **Dry Thoroughly:** Ensure all parts are completely dry before storing or next use.

NON-STICK BOTTOM, EASY TO CLEAN

It is easy to clean by alcohol wipes or directly boil water



Image: Cleaning the non-stick interior of the wax melting pot.

INSPIRATION ADVENTURES



Image: Close-up view of the non-stick surface of the pot.

7. TROUBLESHOOTING

If you encounter issues with your TOAUTO Wax Melting Pot, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Appliance does not turn on.	Not plugged in; power outlet malfunction; damaged cord/plug.	Ensure the power cord is securely plugged into a working outlet. Check the power outlet with another appliance. Inspect the cord and plug for damage. If damaged, do not use and contact support.
Wax is melting too slowly.	Low power setting; too much wax; cold environment.	Switch to Level II (450W) for faster heating. Reduce the amount of wax if overfilled. Ensure the room temperature is not excessively cold.
Wax is not melting evenly.	Insufficient stirring; uneven wax distribution.	Stir the wax periodically during the melting process to ensure even heat distribution.
Difficulty cleaning wax residue.	Wax has hardened completely.	Briefly reheat the pot on a low setting to soften the wax, then wipe with a paper towel. Use warm, soapy water or alcohol wipes for residue.

If the problem persists after trying these solutions, please contact TOAUTO customer support.

8. SPECIFICATIONS

- **Model:** WMF-1.5L-GREEN-FBM
- **Capacity:** 1.5 Liters (approx. 3 lbs / 1 kg of wax flakes)
- **Power Settings:** Level I (300W), Level II (450W)
- **Voltage:** [Standard Voltage, e.g., 120V AC, 60Hz -*Note: Specific voltage not provided in input, assume standard for region.*]
- **Dimensions (L x W x H):** 21 x 20 x 26 cm (8.27 x 7.87 x 10.24 inches)
- **Weight:** 898 g (1.98 lbs)
- **Material:** Non-stick coated interior
- **Features:** Dripless pouring spout, Dual power adjustment, Easy-clean non-stick coating

9. WARRANTY AND SUPPORT

TOAUTO products are manufactured to high-quality standards. For warranty information, product support, or service inquiries, please refer to the warranty card included with your purchase or visit the official TOAUTO website.

Please have your model number (WMF-1.5L-GREEN-FBM) and purchase date available when contacting support.

© 2024 TOAUTO. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0CXDG6CJG>

More documents and user manuals: <https://manuals.plus/>