Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Aquonderful 302C

Aquonderful Elongated Smart Bidet Toilet Seat User Manual

Model: 302C

1. Introduction

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Aquonderful Elongated Smart Bidet Toilet Seat. Please read this manual thoroughly before installation and use to ensure proper function and safety. Keep this manual for future reference.



Figure 1: Aquonderful Elongated Smart Bidet Toilet Seat (Model 302C)

2. Product Features

- **Adjustable Washes:** Rear wash, front wash, and vortex wash settings for personalized cleansing.
- **Unlimited Warm Water:** Adjustable water pressure, nozzle position, and water temperature (cold, warm, hot).

- **Humanized Details:** Integrated LED night light, heated toilet seat, quiet soft-closing lid, stainless steel spray rod, and energy-saving mode.
- **Wireless Control:** Easy-to-use wireless remote control for complete command over all functions.
- **Easy Installation:** Designed for DIY installation with all necessary instructions and connectors included.



Figure 2: Key features of the Aquonderful Smart Bidet Toilet Seat, including adjustable washes, warm water, heated seat, night light, and wireless control.

3. What's in the Box

Verify that all components are present before beginning installation:

- 1x Smart Bidet Seat
- 1x Wireless Remote Control
- 1x Instruction Manual
- 2x Screws
- 2x Gaskets

- 2x Steel Discs
- 1x Mounting Plate
- 2x Anchoring Rubber
- 1x Three-way Valve
- 1x PE Pipe




Figure 3: All components included in the product packaging.

4. Setup and Installation

The Aquonderful Smart Bidet Toilet Seat is designed for easy DIY installation. No plumber is typically required. Please ensure you have a power outlet nearby.

4.1. Toilet Fit Check

Before installation, confirm your toilet dimensions match the requirements for an elongated seat:

- The distance from the center of the bolt holes to the toilet tank must be at least 1 inch (25mm).

- Measure the distance from the bolt holes to the front of the toilet bowl to determine the bowl shape (approximately 18.5 inches for elongated).
- Distance between bolt holes should be 4.7 - 7.5 inches (120mm-191mm).



Figure 4: Diagram illustrating how to measure your toilet for proper bidet seat fit. An electrical outlet is required for operation.

4.2. Installation Steps

1. **Remove Fixing Plate:** Detach the fixing plate from the bidet seat.
2. **Assembly Accessories:** Assemble the screws, gaskets, steel discs, mounting plate, and anchoring rubber as shown in the diagram.
3. **Install Toilet Bidet:** Slide the bidet seat onto the assembled mounting plate on your toilet.
4. **Connect Hoses:** Connect the PE pipe and water supply hose to the three-way valve and then to the toilet tank's water inlet. Ensure all connections are secure and leak-free.



Figure 5: Step-by-step visual guide for installing the bidet toilet seat.

5. Operating Instructions

Your Aquonderful Smart Bidet Toilet Seat comes with a wireless remote control for convenient operation of all features.

5.1. Remote Control Functions



Figure 6: Overview of the wireless remote control and its various functions.

- **Stop/Power:** Turns the unit on/off or stops current operation.
- **Rear Wash:** Activates the rear wash function.
- **Bidet Wash:** Activates the front (feminine) wash function.
- **Warm Air Drying:** Initiates the warm air drying cycle.
- **Kids Mode:** Provides a gentle wash and dry cycle suitable for children.
- **Auto Mode:** Automatically performs a sequence of wash and dry functions.
- **Strength (+/-):** Adjusts the water pressure for wash functions.
- **Backward/Forward:** Adjusts the nozzle position for precise cleaning.
- **Water Temp:** Adjusts the water temperature for washing.
- **Seat Temp:** Adjusts the heated seat temperature.
- **Drying Temp:** Adjusts the warm air dryer temperature.
- **Lighting:** Toggles the LED night light on/off.
- **ECO Mode:** Activates energy-saving mode.

- **Turbo Wash:** Provides a stronger, more concentrated wash.

5.2. Control Knob Functions

In addition to the remote, common functions can be accessed via the control knob on the side of the bidet seat.



Figure 7: The control knob allows for quick access to bidet wash, stop, rear wash, and drying functions.

5.3. Soft-Closing Seat and Lid

The bidet seat and lid feature a soft-closing mechanism to prevent slamming and ensure quiet operation.



Figure 8: The bidet seat features a soft-closing lid, heated seat, warm air dryer, and LED night light for enhanced comfort.

6. Maintenance and Cleaning

Regular cleaning ensures hygiene and extends the lifespan of your bidet seat.

- **Daily Cleaning:** Use a soft, damp cloth with mild soap to wipe down the exterior surfaces. Avoid abrasive cleaners or harsh chemicals.
- **Nozzle Cleaning:** The stainless steel nozzle is self-cleaning. For deeper cleaning, you can manually extend the nozzle (refer to remote control functions) and gently wipe it with a soft cloth.
- **Removing for Cleaning:** The seat has an easy-access release button to remove it from the toilet for thorough cleaning of both the bidet and the toilet bowl.

7. Troubleshooting

If you encounter any issues, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No water spray.	Water supply valve is closed; nozzle is clogged; seat sensor not activated.	Ensure water supply valve is fully open. Clean the nozzle. Ensure you are seated properly to activate the seat sensor.
Heated seat not warming.	Heated seat function is off; temperature setting is too low; ECO mode is active.	Check seat temperature setting on remote. Disable ECO mode if active.
Dryer not working or insufficient air.	Dryer function is off; temperature setting is too low.	Activate dryer function and increase drying temperature on remote.
Remote control not responding.	Batteries are low or dead; remote is out of range.	Replace batteries. Ensure remote is within effective range of the bidet seat.

8. Specifications

Attribute	Detail
Brand	Aquonderful
Model Number	302C
Color	White
Material	Acrylonitrile Butadiene Styrene (ABS)
Style	Contemporary
Shape	Elongated
Product Dimensions	20"L x 15.9"W
Operation Mode	Automatic
Item Weight	9.98 pounds
Batteries Required	Yes (for remote control)

9. Warranty and Support

For warranty information and customer support, please refer to the official Aquonderful website or contact their customer service directly. The product includes a user guide for further assistance.

- Official User Guide (PDF): Download Here
- Instructions for Use (IFU) (PDF): Download Here
- Visit the Aquonderful Store: Aquonderful Amazon Store

© 2025 Aquonderful. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question

and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CXPJ8G2P

More documents and user manuals: **https://manuals.plus/**