Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Bushnell 132516

Bushnell Powerview 10x25 Compact Binoculars User Manual

Model: 132516

1. Introduction

The Bushnell Powerview 10x25 Compact Binoculars are engineered to provide clear, magnified views in a portable and durable design. Featuring 10x magnification and 25mm objective lenses, these binoculars are ideal for bringing distant subjects into sharp focus. Their compact, foldable structure ensures easy transport, while the rugged, non-slip rubber armor offers enhanced durability and a secure grip. Equipped with fully-coated optics for bright, glare-free images and a smooth focusing mechanism, these binoculars are suitable for a wide range of activities, including sports, wildlife observation, and various outdoor adventures.



Figure 1: Bushnell Powerview 10x25 Compact Binoculars, showcasing their compact and robust design.

2. Setup

2.1 Unpacking

Carefully remove the binoculars and their accessories from the packaging. The package typically includes the binoculars and a protective carry case.



Figure 2: The binoculars with their included neck strap, ready for use.

2.2 Adjusting Interpupillary Distance

Hold the binoculars with both hands and look through the eyepieces. Adjust the distance between the two barrels by folding or unfolding the binoculars until you see a single, clear circular field of view. This ensures proper alignment with your eyes.



Figure 3: Adjusting the interpupillary distance for comfortable viewing.

2.3 Focusing

1. Close your right eye and focus on a distant object using the center focus wheel until the image in your left eye is sharp.
2. Close your left eye and use the diopter adjustment ring (usually on the right eyepiece) to focus the image in your right eye.
3. With both eyes open, use only the center focus wheel for subsequent focusing on objects at varying distances.



Figure 4: The central focus wheel for precise image clarity.

3. Operating

Once set up, the Bushnell Powerview binoculars are ready for use. Hold them steady and bring them to your eyes. Use the focusing mechanism to achieve a clear view of your target. Their compact size makes them easy to handle for extended periods.



Figure 5: Top view of the binoculars, highlighting their ergonomic design for comfortable handling.

4. Maintenance

4.1 Cleaning Lenses

To clean the lenses, first brush off any large dust particles with a soft lens brush or compressed air. Then, use a clean microfiber lens cloth and a small amount of lens cleaning fluid (specifically designed for optics) to gently wipe the lens surfaces in a circular motion. Avoid using abrasive cloths or harsh chemicals, as this can damage the multi-coated optics.

4.2 Cleaning Body

The rubber armored body can be cleaned with a soft, damp cloth. For stubborn dirt, a mild soap solution can be used, but ensure no moisture enters the optical components. Dry thoroughly before storage.

4.3 Storage

When not in use, store the binoculars in their protective carry case in a cool, dry place. Avoid extreme temperatures and high humidity,

which can affect the internal components and lens coatings.

5. Troubleshooting

Problem	Possible Cause	Solution
Blurry Image	Improper focus; lenses are dirty.	Adjust the center focus wheel and diopter. Clean lenses as per maintenance instructions.
Double Image / Not a Single Circle	Interpupillary distance not set correctly.	Adjust the distance between the barrels until a single, clear circular field of view is achieved.
Reduced Brightness	Dirty lenses; low light conditions.	Clean lenses. Binoculars perform best in adequate lighting.

6. Specifications

Magnification: 10X

Objective Lens: 25 millimeters

Close Focus: 21 feet / 6.4 meters

Field of View: 300 feet at 1000 yards / 100 meters at 1000 meters

Eye Relief: 9 millimeters

Exit Pupil: 2.5 millimeters

Weight: 8.5 ounces / 242 grams

Model: 132516

Size Class: Compact

Prism Type: Roof prism system

Optics: BaK-7 prisms, Multi-coated optics

Features: Non-slip, shock-absorbing rubber armor, Center focus system, Fold-down eyecups, Folding design

7. Warranty and Support

Bushnell Powerview Binoculars carry a **limited lifetime warranty** against defects in materials and workmanship for the original owner. In the event that your product fails due to a defect, Bushnell will repair or replace it at no cost to you. If a repair is not possible, the product will be replaced with an item of equal or better value. No receipt is required, and the warranty is fully transferable.
For support or warranty claims, please visit the official Bushnell website or contact their customer service department. Ensure to provide details of the issue to facilitate a quicker resolution.

© 2025 Bushnell. All rights reserved.
For more information, visit www.bushnell.com

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CXPR43M3

More documents and user manuals: **https://manuals.plus/**