

[manuals.plus](#) /

› [daylight](#) /

› [daylight Uno Pro Floor Lamp User Manual](#)

daylight Uno Pro Floor

daylight Uno Pro Floor Lamp User Manual

Model: Uno Pro Floor (UN1460)

INTRODUCTION

Thank you for choosing the daylight Uno Pro Floor Lamp. This manual provides essential information for the safe and efficient use of your new lamp. Please read these instructions carefully before assembly and operation, and retain them for future reference.





Figure 1: The daylight Uno Pro Floor Lamp.

SAFETY INFORMATION

- Ensure the lamp is placed on a stable, level surface to prevent tipping.
- Do not look directly into the LED light source for extended periods.
- Keep the power cord away from heat sources, sharp edges, and wet areas.
- Unplug the lamp from the power outlet before cleaning or performing any maintenance.
- This lamp is designed for indoor use only. Do not expose to water or high humidity.
- Do not attempt to modify or repair the lamp yourself. Contact qualified service personnel for assistance.

PACKAGE CONTENTS

Verify that all components are present in the package:

- Uno Pro Floor Lamp (main unit with flexible arm and LED head)
- Weighted Base
- Power Cable with Dimmer

SETUP INSTRUCTIONS

1. **Unpack Components:** Carefully remove all parts from the packaging.
2. **Assemble Base:** Attach the main lamp pole to the weighted base. Ensure it is securely fastened.
3. **Connect Power:** Insert the power cable into the lamp's power input port.
4. **Position Lamp:** Place the lamp on a flat, stable surface. The slender body allows it to fit into narrow corners, and the base can slide under most furniture.
5. **Plug In:** Connect the power adapter to a suitable electrical outlet.



Figure 2: Lamp dimensions and assembly overview.

OPERATING INSTRUCTIONS

Power On/Off and Brightness Adjustment

The Uno Pro Floor Lamp features a touch-sensitive control for easy operation.

- **To Turn On/Off:** Gently touch the designated touch switch on the lamp head.
- **To Adjust Brightness:** The lamp offers 4 adjustable brightness levels. Repeatedly touch the switch to cycle through the brightness settings (25%, 50%, 75%, 100%).



PIVOTING HEAD JOINTS

Individually adjustable heads for directing light precisely where needed.

SOFT-TOUCH FLEXIBLE ARM

Allows easy adjustment and positioning of the lamp heads.

EASY SHADE ROTATION

Simple twist mechanism to rotate and direct light.

Figure 3: Brightness levels for various activities.

Adjusting the Lamp Position

The lamp is equipped with a flexible arm and pivoting head joints for precise light direction.

- **Flexible Arm:** Gently bend the flexible arm to position the light source as needed. The arm retains its shape once adjusted.
- **Pivoting Head:** The lamp head can be individually adjusted and rotated to direct light precisely onto your task area.




Figure 4: Lamp adjustability features.

MAINTENANCE

- Cleaning:** Disconnect the power before cleaning. Wipe the lamp with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- LED Care:** The integrated LED light source is designed for long life and does not require replacement.
- Storage:** If storing the lamp, ensure it is clean and dry. Store in a cool, dry place away from direct sunlight.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Lamp does not turn on.	Power cable not properly connected or no power from outlet.	Check power cable connection to lamp and outlet. Test outlet with another device.
Light flickers or is dim.	Loose connection or power fluctuation.	Ensure all connections are secure. Try plugging into a different outlet.
Touch control is unresponsive.	Temporary electronic glitch or dirty sensor.	Unplug the lamp for 30 seconds, then plug it back in. Clean the touch sensor area with a soft, dry cloth.
Lamp emits a faint glow when off.	This is a characteristic of some LED dimming circuits.	This is normal operation for some units. If complete darkness is required, unplug the lamp from the wall outlet.

SPECIFICATIONS

Feature	Detail
Model Name	UnoPro Floor Lamp
Model Number	UN1460
Brand	daylight
Light Source Type	LED
Number of Light Sources	28
Color Temperature	6000K (Daylight)
Brightness	1,150 Lux at 30cm (400 Lumen)
Color Rendering Index (CRI)	95+
Wattage	8 watts
Voltage	1.1E+2 Volts (AC)
Switch Type	Touch Control (4 brightness levels)
Arm Type	Flexible, Adjustable
Base Material	Plastic (Weighted)
Shade Material	Plastic
Product Dimensions	2.76"D x 9.06"W x 22.64"H (overall height varies with adjustment)
Item Weight	6.16 pounds
Power Source	Corded Electric
Indoor/Outdoor Usage	Indoor
UPC	809802014600



Figure 5: High Color Rendering Index (CRI) for accurate color perception.

WARRANTY INFORMATION

The Daylight Uno Pro Floor Lamp comes with a **2-year manufacturer's warranty**. This warranty covers defects in materials and workmanship under normal use. Please retain your proof of purchase for warranty claims.

For detailed warranty terms and conditions, please refer to the documentation included with your product or visit the official Daylight website.

SUPPORT AND CONTACT

If you have any questions, require technical assistance, or need to make a warranty claim, please contact Daylight customer support.

- **Manufacturer:** Daylight Company
- **Website:** [Visit the Daylight Store on Amazon](#) (for general information and product range)

- For direct support, please refer to the contact information provided in your product packaging or the official Daylight Company website.

© 2023 Daylight Company. All rights reserved.