



[Manuals.plus](#) /

> [Vesta](#) /

> Vesta Top Selections 30-inch Auto-Clean Stainless Steel Under Cabinet Range Hood User Manual

Vesta Atlanta 30SS

Vesta Top Selections 30-inch Auto-Clean Stainless Steel Under Cabinet Range Hood

Model: Atlanta 30SS

1. SAFETY INFORMATION

Please read all instructions carefully before installation and operation. Keep this manual for future reference. Always disconnect power before servicing or cleaning the unit. Ensure proper grounding to reduce the risk of electric shock. Do not operate the range hood if any parts are damaged.

2. PACKAGE CONTENTS

Verify that all components are present and undamaged upon unpacking.

- Range Hood
- Baffle Filters (2 pcs)
- Oil Tray
- LED Lighting (pre-installed)
- Installation Part (mounting hardware)
- User Manual

Vesta

AUTO-STEAM CLEAN

WORRY FREE ON CLEANING



Image: Front view of the Vesta Top Selections Range Hood, showcasing its sleek stainless steel design.

3. SETUP AND INSTALLATION

This Vesta range hood is designed for under-cabinet mounting. Ensure adequate clearance above your cooking surface as per local building codes. The unit features a 23-inch depth, which is longer than many conventional models, providing enhanced coverage.



Vesta



STEAM AUTO-CLEAN FEATURE



REMOTE CONTROL



AUTO DELAY SHUTOFF



PREMIUM GRADE LEVEL OF STAINLESS STEEL

Image: Diagram illustrating the dimensions of the Vesta Range Hood, including its 22.9"D x 29.75"W x 8.3"H size and 23-inch depth. The range hood is compatible with three vent shapes: a 6-inch round vent, a 3.25"x10" top rectangle vent, or a 3.25"x10" back rectangle vent. Select the appropriate venting option for your kitchen configuration.

4. OPERATING INSTRUCTIONS

The Vesta range hood features a touch screen control panel for easy operation. The panel includes a clock display, delay shut-off function, and filter cleaning reminder.

DESIGNED FOR HEAVY-DUTY COOKING

CONÇU POUR LA CUISSON INTENSIVE



TOUCH SCREEN AND
REMOTE CONTROL WITH
AUTO DELAY SHUTOFF



AUTO STEAM CLEANING
WORRY FREE ON
DAILY USE



CHANGEABLE GU 10
LIGHT BULBS (CAN FIND
IN MOST HARDWARE
STORE)



QUIET OPERATION



860 POWERFUL SUCTION
BY VATTI ADVANCED
TURBO MOTORS
(LIFE-TIME WARRANTY)

Vesta

Image: Close-up of the Vesta Range Hood's touch control panel, showing the digital display and various function icons.

Fan Speed Control

The unit offers 6 fan speed levels to accommodate various cooking needs. Adjust the fan speed using the up and down arrows on the touch panel. The dual motors provide a powerful 860 CFM suction capacity.

LED Lighting

Two LED lights are integrated to provide brighter illumination for your cooking area. The lights can be controlled via the touch panel.

Auto Delay Turn Off

Utilize the Auto Delay Turn Off function to set a customizable timer from 1 to 15 minutes. This allows the hood to continue clearing the air after cooking is complete, then automatically shut off.

Official Product Video

Your browser does not support the video tag.

Video: An introductory video demonstrating the features and operation of the Vesta Auto-Clean Range Hood, including its touch controls, powerful suction, and auto-clean function.

5. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your range hood.

Auto-Clean Function

The range hood features a steam auto-clean function. Activate this setting via the touch panel to simplify internal cleaning. The specially designed magic plate separates captured smoke and increases ventilation performance, eliminating over 95% of smoke and grease particles. Collected grease flows into an integrated metal oil collector.



Image: Bottom view of the Vesta Range Hood, showing the dual aluminum alloy centrifugal blowers and the integrated oil collector.

Baffle Filter Cleaning

The two baffle filters are dishwasher-safe for easy cleaning. The touch panel will provide a reminder when filter cleaning is due. Remove the filters by sliding them out and wash them regularly to maintain air flow efficiency.

Oil Tray

The long oil tray at the back of the unit collects grease. A grease level indicator shows when the oil collector is full and needs to be emptied and cleaned.

6. TROUBLESHOOTING

If you encounter issues with your range hood, refer to the following common solutions:

- **No Power:** Check the circuit breaker and ensure the unit is properly plugged in.
- **Low Suction:** Clean or replace the baffle filters. Ensure the exhaust duct is not blocked.
- **Excessive Noise:** Verify that the fan blades are clean and free of obstructions. Ensure the unit is securely mounted.
- **Lights Not Working:** Check the LED light connections. If lights are replaceable, ensure they are correctly installed.
- **Auto-Clean Not Activating:** Ensure the water reservoir (if applicable for steam function) is filled and the function is correctly selected on the touch panel.

For persistent issues, please contact customer service.

7. SPECIFICATIONS

Feature	Specification
---------	---------------

Brand	Vesta
Model Number	Atlanta 30SS
Product Dimensions (DxWxH)	22.9"D x 29.75"W x 8.3"H
Material Type	Stainless Steel
Air Flow Capacity	860 Cubic Feet Per Minute (CFM)
Noise Level (Highest Speed)	65 dB
Number of Fan Speeds	6
Controls Type	Touch Panel
Light Source	LED (2 lights)
Voltage	110 Volts
Wattage	80 watts
Filter Type	Baffle Filters
Mounting Type	Under Cabinet Mount
Special Features	Auto Fan Shut-Off, Grease Filter, LED Lighting, Noise Reduction, Timer, Steam Auto Clean

8. WARRANTY AND SUPPORT

Vesta provides a 1-year limited factory warranty for the range hood and a lifetime motor warranty. This warranty covers defects in materials and workmanship under normal use.

For customer service or product inquiries, please contact a qualified specialist directly. You can reach Vesta support by dialing **(905) 886-5858** during business days.

Please have your model number (Atlanta 30SS) and proof of purchase ready when contacting support.