

VEVOR 5 Shower Modes

VEVOR 5-Mode LED Shower Panel System Instruction Manual

Model: 5 Shower Modes

INTRODUCTION

Thank you for choosing the VEVOR 5-Mode LED Shower Panel System. This comprehensive shower panel offers a luxurious and versatile showering experience with multiple water output modes and integrated LED lighting. Crafted from high-quality 304 stainless steel, this system is designed for durability and ease of use. Please read this manual thoroughly before installation and operation to ensure proper function and safety.

SAFETY INFORMATION

- Ensure all water supply lines are turned off before beginning installation.
- Consult a qualified plumber if you are unsure about any installation steps.
- Do not use abrasive cleaners or harsh chemicals on the stainless steel surface.
- Ensure proper sealing to prevent leaks and water damage.
- Keep small parts out of reach of children.

PRODUCT OVERVIEW & COMPONENTS

The VEVOR Shower Panel System integrates multiple functions into a single, sleek unit. Key components include:

- Shower Panel Body
- Overhead Shower Head (Rainfall/Waterfall)
- Body Massage Jets
- Tub Spout
- Handheld Shower Head with 59-inch (1.5m) Hose
- Brass Mixing Valve

- PVC Double Explosion-Proof Pipe
- 304 Stainless Steel Braided Nozzle
- Installation Hardware (2 x 1/2 Right Angle Adapters, 2 x 4-point Rubbers)



Figure 1: VEVOR Shower Panel System Components and Dimensions

SETUP & INSTALLATION

This shower panel is designed for wall-mounted installation. Follow these steps for a secure setup:

1. **Prepare the Wall:** Ensure the installation area is clean, dry, and structurally sound. Mark the desired mounting height for the shower panel.
2. **Connect Water Lines:** The system uses a G 1/2" interface for consistent high flow rate and stable water pressure. Connect your hot and cold water supply lines to the brass mixing valve using the provided 1/2" right-angle adapters and 4-point rubbers. Ensure all connections are tight and leak-free.
3. **Mount the Panel:** Secure the shower panel to the wall using appropriate mounting hardware (not always included, check package contents). Ensure the panel is level and firmly attached.
4. **Install Handheld Shower:** Attach the 59-inch (1.5m) handheld shower hose to the designated outlet on the panel and secure the handheld shower head in its bracket.
5. **LED Power:** The LED lights require two AA 1.5V dry batteries. Install these into the battery

compartment, typically located near the top spray head.

6. **Test for Leaks:** Slowly turn on the main water supply and check all connections for any leaks.



Figure 2: Water Connections and Internal Plumbing

OPERATING INSTRUCTIONS

Your VEVOR shower panel offers 5 distinct shower modes for a personalized experience:

- **Rainfall Mode:** Provides a gentle, enveloping shower from the overhead shower head.
- **Waterfall Mode:** Offers a refreshing, broad stream from the overhead shower head.
- **Body Massage Jets:** Directs invigorating streams from the panel-mounted jets.
- **Tub Spout:** Fills your bathtub quickly and efficiently.
- **Handheld Shower Head:** Offers flexible showering for targeted rinsing.

Mode Selection: Use the mode switch knob (typically the upper knob) to cycle through the different shower functions. **Note: Each mode should be operated independently; they cannot be activated simultaneously.**

Temperature Control: Use the lower knob, the 'Switch and Mixing Switch', to adjust water temperature and flow. Turn to the left for hotter water and to the right for cooler water. Push or pull to control water flow.

LED Lights: Activate the ambient LED lights by pressing the small button on the side of the panel

(requires 2 AA 1.5V batteries).



TWO-MODE OVERHEAD SHOWER

Embrace a full-body spa shower experience

Figure 3: Overhead Shower Modes (Rainfall & Waterfall)




MULTI-FUNCTION OUTPUT MODES

Catering to each family member's bathing preferences



1.5m Long Hose



2 Large Area Massage Jets



High Flow Tub Spout

Figure 4: Multi-Function Output Modes



Figure 5: Knob Control for Modes and Temperature


MAINTENANCE

Regular maintenance will ensure the longevity and optimal performance of your shower panel:

- **Cleaning the Panel:** The 304 stainless steel material is resistant to fingerprints, rust, and corrosion. Clean the surface with a soft cloth and mild soap or a non-abrasive stainless steel cleaner. Avoid harsh chemicals or abrasive pads that can scratch the finish.
- **Anti-Clog Nozzles:** The silicone nozzles on the shower heads and body jets are designed for easy cleaning. Simply rub your fingers over the nozzles to dislodge any mineral buildup or blockages. This prevents scale accumulation and maintains consistent water flow.
- **Hose Maintenance:** Periodically check the 59-inch hose for any kinks, cracks, or signs of wear. Replace if necessary to prevent leaks.
- **Battery Replacement:** If the LED lights dim or stop working, replace the two AA 1.5V dry batteries.

ANTI-CLOG SILICONE NOZZLES

Easily remove blockages with your finger



All for Your Clean Shower Experience

Figure 6: Cleaning Anti-Clog Silicone Nozzles

TROUBLESHOOTING

If you encounter any issues, refer to the following common troubleshooting tips:

- **Low Water Pressure:** Check if the main water supply is fully open. Inspect hoses and connections for kinks or blockages. Clean the shower nozzles as described in the Maintenance section.
- **Leaks:** Ensure all connections are tightly sealed. If leaks persist, check the rubber washers and O-rings for damage and replace if necessary.
- **LED Lights Not Working:** Verify that the two AA 1.5V dry batteries are correctly installed and not depleted. Replace batteries if needed.
- **No Water from a Specific Mode:** Ensure the mode selection knob is fully engaged for the desired function. Remember that modes operate independently.

For persistent issues, please contact VEVOR customer support.

SPECIFICATIONS

Feature	Detail
Brand	VEVOR
Model Number	5 Shower Modes
Color	Silver
Material	Acrylonitrile Butadiene Styrene (ABS), Stainless Steel
Finish Type	Brushed
Number of Handles	2
Mounting Type	Wall Mount
Item Weight	13.93 Pounds
Head Size	18.1 inches (460 mm)
Included Components	1 x 1.5 m Hose, 1 x ABS Handheld Shower, 1 x Handheld Shower Bracket, 2 x 1/2 Right Angle Adapters, 2 x 4-point Rubbers

WARRANTY & SUPPORT

VEVOR products are designed for quality and reliability. For warranty information, product registration, or technical support, please visit the official VEVOR website or contact our customer service team. Keep your purchase receipt for warranty claims.

Online Support: www.vevor.com/support