Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VEVOR 7009FL

VEVOR Shower Tower Panel Instruction Manual

Model: 7009FL
Brand: VEVOR

Introduction

This manual provides comprehensive instructions for the installation, operation, and maintenance of your VEVOR Shower Tower Panel. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the product. Keep this manual for future reference.





Figure 1: VEVOR Shower Tower Panel Overview

The VEVOR Shower Tower Panel features a sleek stainless steel design with multiple shower functions for an enhanced bathing experience.

Product Features

- **5-in-1 Shower System:** Offers rainfall, upper massage jets, bottom massage jets, bathtub spout, and a handheld shower head.
- **Height/Angle Adjustable Top Spray:** Large-area top spray with 100 fine water outlet holes, adjustable for height and angle.
- **Anti-Clog Nozzles:** Silicone nozzles on massage jets and handheld shower head for easy cleaning and blockage removal.
- **304 Stainless Steel Material:** Constructed from high-quality, fingerprint-resistant, rust-proof, and corrosion-resistant stainless steel.
- **Wall-Mounted, Easy Installation:** Equipped with G 1/2" interface for consistent high flow rate and stable water pressure. Includes brass mixing valve and PVC double explosion-proof pipe.
- **Digital Display:** Requires two 1.5V dry batteries for the display (batteries not included).

Components and Parts List

Before beginning installation, ensure all components are present and undamaged. Refer to Figure 2 for a visual guide.



Figure 2: Included Components

The image displays the main shower panel, the square rainfall shower head, the handheld shower head, and the various body massage jets

and controls.

Table 1: Included Components

Component	Description
Shower Panel Unit	Main stainless steel panel with integrated controls and digital display.
ABS Handheld Shower	Ergonomic handheld shower head with multiple settings.
Handheld Shower Bracket	Mounting bracket for the handheld shower.
1.5 m Hose	Flexible hose for the handheld shower.
Brass Shower Arm	Arm for mounting the rainfall shower head.
1/2" Right Angle Adapters (x2)	Connectors for water supply lines.
Mounting Hardware	Screws, anchors, and other necessary hardware for wall mounting.

Setup and Installation

The VEVOR Shower Tower Panel is designed for wall-mounted installation. Detailed instructions are provided to ensure a secure and leak-free setup. It is recommended to have basic plumbing knowledge or consult a professional for installation.

1. **Prepare the Installation Area:** Ensure the wall surface is clean, dry, and structurally sound to support the shower panel's weight.
2. **Mark Drilling Points:** Use the provided mounting template (if applicable) or measure according to the dimensions shown in Figure 3 to mark the drilling points for the mounting brackets.
3. **Drill Holes and Install Brackets:** Drill holes at the marked points and insert wall anchors. Secure the mounting brackets firmly to the wall.
4. **Connect Water Supply:** Connect the hot and cold water supply lines to the G 1/2" interfaces on the back of the shower panel using the provided adapters and braided hoses. Ensure all connections are tight to prevent leaks.
5. **Mount the Shower Panel:** Carefully lift the shower panel and align it with the installed wall brackets. Secure the panel to the brackets.
6. **Install Shower Head and Handheld:** Attach the brass shower arm and rainfall shower head to the top outlet. Connect the handheld shower hose to its designated outlet and place the handheld shower in its bracket.
7. **Insert Batteries:** Open the battery compartment for the digital display and insert two 1.5V dry batteries (AA size, not included).
8. **Test for Leaks:** Turn on the main water supply and check all connections for any leaks. Operate each shower function to ensure proper water flow and temperature control.



Figure 3: Wall-Mounted Installation Diagram with Dimensions

This diagram illustrates the recommended installation height and the positioning of hot and cold water inlet pipes for optimal performance.




Figure 4: Product Dimensions for Installation

The image provides key measurements including height, width, and depth, crucial for pre-installation planning and ensuring proper fit in your shower space.

Operating Instructions

Your VEVOR Shower Tower Panel offers multiple functions for a customized shower experience. Use the control knobs to select and adjust water flow and temperature.




Figure 5: Control Panel Overview

This image highlights the digital display, mode switching knob, and the main switch and mixing switch for water temperature and flow.

1. **Temperature and Flow Control:** Use the main mixing valve handle (Figure 5, item 3) to adjust the water temperature and overall flow. Turn left for hot, right for cold.
2. **Mode Selection:** The mode switching knob (Figure 5, item 2) allows you to select between the 5 shower modes. *Note: Each mode should be operated independently and cannot be activated simultaneously.*
    - **Rainfall Shower:** Turn the mode knob to activate the overhead rainfall shower. This provides a wide, gentle flow. The top spray is height and angle adjustable (Figure 6).
    - **Upper Massage Jets:** Select this mode for invigorating water jets from the upper body nozzles.
    - **Bottom Massage Jets:** Select this mode for targeted water jets from the lower body nozzles.
    - **Bathtub Spout:** Directs water flow from the tub spout at the bottom of the panel, useful for filling a tub or bucket.
    - **Handheld Shower Head:** Activates the detachable handheld shower for flexible use. This shower head has 3 settings (Figure 7).

3. **Digital Display:** The digital display (Figure 5, item 1) shows the water temperature. Ensure batteries are installed for this feature.



Figure 6: Adjustable Overhead Shower in Use

The rainfall shower head can be adjusted for both height and angle to suit individual preferences, providing a full-body enveloping experience.



Figure 7: Multi-Function Output Modes

This image details the various water output options, including the handheld shower with three spray patterns, the eight adjustable body massage jets, and the high-flow tub spout.

Maintenance

Regular maintenance ensures optimal performance and extends the lifespan of your shower panel.

- **Cleaning:** Wipe the stainless steel surface with a soft, damp cloth and mild soap. Avoid abrasive cleaners or harsh chemicals that can damage the finish.
- **Anti-Clog Nozzles:** The silicone nozzles on the shower heads and massage jets are designed for easy cleaning. If a nozzle becomes clogged with mineral deposits, gently rub it with your finger to dislodge the blockage (Figure 8).
- **Battery Replacement:** If the digital display fades or stops working, replace the two 1.5V dry batteries. Access the battery compartment as indicated in the installation section.
- **Leak Checks:** Periodically inspect all connections and hoses for any signs of leaks. Tighten connections as needed.



Figure 8: Cleaning Anti-Clog Nozzles

The image shows how easily blockages can be removed from the silicone nozzles by simply rubbing them with a finger, ensuring consistent water flow.

Troubleshooting

If you encounter issues with your shower panel, refer to the following common problems and solutions:

Table 2: Troubleshooting Guide

Problem	Possible Cause	Solution
Low Water Pressure	Clogged nozzles; insufficient main water pressure.	Clean nozzles as per maintenance section; check household water pressure.
Water Leaks	Loose connections; damaged seals/hoses.	Tighten all connections; inspect and replace damaged parts if necessary.

Problem	Possible Cause	Solution
Digital Display Not Working	Dead batteries; incorrect battery installation.	Replace batteries (2 x 1.5V dry batteries); ensure correct polarity.
No Water from Selected Mode	Mode knob not fully engaged; water supply issue.	Ensure mode knob is turned completely to the desired setting; check main water supply.

If the problem persists after attempting these solutions, please contact VEVOR customer support.

Specifications

Table 3: Product Specifications

Attribute	Detail
Brand	VEVOR
Model Number	7009FL
Material	304 Stainless Steel
Color	Silver
Finish Type	Brushed
Number of Handles	2
Item Weight	13.01 Pounds (5.9 kg)
Product Dimensions	52.76 x 7.87 x 16.93 inches (1340 x 200 x 430 mm)
Mounting Type	Wall Mount
Water Connection	G 1/2" Interface
Digital Display Power	2 x 1.5V Dry Batteries (AA size, not included)
UPC	197988199571

Warranty and Support

VEVOR products are designed for durability and performance. For warranty information, technical support, or replacement parts, please contact VEVOR customer service through their official website or the retailer where the product was purchased.
Please have your model number (7009FL) and purchase date ready when contacting support.

© 2024 VEVOR. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CYC47T4D

More documents and user manuals: **https://manuals.plus/**