



Manuals.plus /

› **MELLCOM /**

› MELLCOM 10' x 12' Hardtop Double Roof Gazebo Instruction Manual (Model B0CYC7RRHT)

MELLCOM B0CYC7RRHT

MELLCOM 10' x 12' Hardtop Double Roof Gazebo Instruction Manual

Model: B0CYC7RRHT

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your MELLCOM 10' x 12' Hardtop Double Roof Gazebo. Please read this manual thoroughly before beginning assembly or use to ensure safe and correct installation and to maximize the lifespan of your product.



Image: The MELLCOM 10' x 12' Hardtop Double Roof Gazebo, featuring a brown galvanized steel roof and aluminum frame, set up in a garden with curtains and netting.

IMPORTANT SAFETY INFORMATION

- **Assembly:** Ensure at least two people assist during installation. Ladders and gloves are recommended.
- **Stability:** Securely anchor the gazebo's stands into the ground.
- **Waterproofing:** Tighten all connections during installation for optimal waterproof performance.
- **Weather Conditions:** While designed for durability, exercise caution during extreme weather. The gazebo is rated for a wind rate of 40 MPH and a snow load of 2500 LBS.
- **Modifications:** Any modifications to the original structure may compromise its integrity and void the warranty.

PRODUCT OVERVIEW

The MELLCOM Hardtop Double Roof Gazebo is designed to provide a durable and versatile outdoor living space. It

features a robust construction and thoughtful design elements for comfort and longevity.

Key Features:

- **Enhanced Durability:** Galvanized steel double roof and sturdy 100% aluminum frame. The roof resists fading, rust, and UV rays. Powder-coated triangular aluminum frames ensure stability.
- **Efficient Water Management:** Designed to channel rainwater smoothly from the roof edge to the ground.
- **Functional Curtains and Netting:** Removable zippered double-layer waterproof curtains and netting provide privacy, ventilation, and insect protection. A double-track system allows for easy adjustment.
- **Easy Assembly:** Pre-drilled bases and a straightforward setup process.
- **Spacious and Versatile:** Ample space for various outdoor activities.



Image: Detail of the rustproof aluminum frame, highlighting the triangular design for stability and the anchoring plate for secure installation.



Image: Illustration of the gazebo's double-layer design, demonstrating natural airflow, mosquito protection, and sun-blocking capabilities with netting and curtains.

SETUP AND ASSEMBLY

Assembly of the MELLCOM Gazebo requires careful attention to detail and the assistance of at least two individuals. While designed for straightforward setup, allocating sufficient time (e.g., 2-3 full days) is recommended for unpacking, organizing parts, and construction.




Required Tools:

- Impact gun with hex bits (for lag bolts and roof screws)
- Ladders (at least two)
- Gloves
- Small socket set with ratchet (optional, but helpful)
- Battery-operated drills with Phillips bits (optional, but helpful)

Assembly Steps (General Overview):

1. **Unpacking and Organization:** Carefully unpack all boxes and verify that all components are present against the parts list in your included manual. Organize parts by type and label for easier access.
2. **Base Frame Assembly:** Assemble the main posts and horizontal beams on the ground level. Ensure all connections are secure using the provided lag bolts.
3. **Raising the Structure:** With the help of at least two people, carefully lift and secure the assembled base frame into its upright position.
4. **Roof Panel Assembly:** Assemble individual roof panels on the ground. Each side of the roof structure is assembled separately.
5. **Installing Roof Panels:** Lift the assembled roof panels onto the main frame. This step typically requires multiple people to hold the panels in place while they are fastened. Fasten all roof panels securely using the provided hardware. Note that the top roof section may require a different type of screw (e.g., triangle head) and corresponding bit, which should be included.
6. **Final Fastening:** Ensure all bolts and screws are tightened for structural integrity and weather resistance.
7. **Anchoring:** Securely anchor the gazebo's posts to the ground using appropriate anchors for your surface (e.g., deck, concrete, lawn).

10*12FT GAZEBO SIZE DESCRIPTION



MelcoM

Image: A visual representation of the gazebo's dimensions (10'x12' footprint, 9.5' height) and an estimated assembly time of 3-6 hours for multiple people.

OPERATING INSTRUCTIONS

Curtains and Netting:

The gazebo is equipped with a double-track system for its removable zippered curtains and netting. This system allows for flexible adjustment to suit your needs:

- **Privacy:** Close the curtains for enhanced privacy.
- **Insect Protection:** Deploy the netting to keep insects out while maintaining airflow.
- **Ventilation and Sun Protection:** Adjust both layers to control sunlight and airflow.
- **Securing:** Use the two-in-one Velcro straps to tie back curtains and netting when not in use.

THOUGHTFUL DETAILS



• Top Hooks



• Top Mesh



• Two-in-one Velcros

Image: Detailed view of thoughtful features: top hooks for hanging lights or fans, top mesh for ventilation, and two-in-one Velcro straps for securing curtains and netting.

Integrated Hooks:

The gazebo includes sturdy top hooks designed for hanging lights or fans, allowing for customization of your outdoor space.

MAINTENANCE

Regular maintenance will help preserve the appearance and structural integrity of your MELLCOM Gazebo.

- **Frame:** The aluminum frame is powder-coated for rust resistance. Clean with a mild soap and water solution and a soft cloth. Avoid abrasive cleaners.
- **Roof:** The galvanized steel double roof is designed to resist fading and rust. Periodically inspect for debris accumulation and clear as needed to maintain efficient water runoff.
- **Wood Components (if applicable):** While the wood is pre-treated for durability, regular inspection for signs of wear

or weathering is recommended. Applying a wood sealant or stain every few years can extend its life and maintain its appearance.

- **Curtains and Netting:** These are removable and waterproof. Clean according to fabric care instructions, typically with mild soap and water. Ensure they are completely dry before storing to prevent mildew.
- **Fasteners:** Periodically check all bolts and screws for tightness, especially after strong winds or heavy precipitation. Tighten as necessary.



PERFECT FOR ALL WEATHER



Wind Rate: 40 MPH



Snow Load: 2500 LBS

Image: The gazebo is depicted under both sunny and snowy skies, illustrating its design for all-weather performance with a wind rate of 40 MPH and a snow load capacity of 2500 LBS.

TROUBLESHOOTING

- **Water Leaks:** If you observe water leaks, first check all roof panel connections and fasteners. Ensure they are securely tightened. Verify that the roof panels are correctly overlapped and seated.
- **Stability Issues:** If the gazebo feels unstable, re-check all frame connections and ensure the anchoring plates are firmly secured to the ground. High winds can stress the structure; ensure proper anchoring is maintained.

- **Curtain/Netting Malfunction:** If curtains or netting are difficult to slide, inspect the double-track system for obstructions or damage. Clean the tracks if necessary.
- **Missing or Damaged Parts:** If any parts are missing or damaged during assembly or use, contact MELLCOM customer service for free replacement parts.

SPECIFICATIONS

Brand	MELLCOM
Model Number	B0CYC7RRHT
Material	Galvanized Steel Roof, Aluminum Frame
Style	Modern
Product Dimensions (L x W x H)	144"L x 120"W x 114"H (12'L x 10'W x 9.5'H)
Item Weight	209 Pounds
Water Resistance Level	Waterproof
Shape	Rectangular
UV Protection	100% Ultraviolet Light Protection
Assembly Required	Yes
Color	Brown
Wind Rate	40 MPH
Snow Load Capacity	2500 LBS

WARRANTY AND SUPPORT

MELLCOM is committed to customer satisfaction. If you encounter any issues with your gazebo, including missing or damaged parts, please contact MELLCOM customer service. Free replacement parts are available if needed. For further assistance or to inquire about specific warranty details, please refer to the contact information provided with your purchase documentation or visit the official MELLCOM website.

