

[manuals.plus](#) /

› [Yaheetech](#) /

› [Yaheetech Bathroom Wall Cabinet Instruction Manual](#)

Yaheetech 591775

Yaheetech Bathroom Wall Cabinet Instruction Manual

Model: 591775

Brand: Yaheetech

INTRODUCTION

This manual provides detailed instructions for the assembly, installation, operation, and maintenance of your Yaheetech Bathroom Wall Cabinet. Designed for versatile storage in bathrooms, kitchens, living rooms, or laundry areas, this wall-mounted cabinet offers an efficient solution for organizing your space. Please read all instructions carefully before beginning assembly and retain this manual for future reference.



Figure 1: Yaheetech Bathroom Wall Cabinet (Model 591775)

SAFETY INFORMATION

WARNING: Failure to follow these safety instructions may result in injury or product damage.

- Always follow the assembly instructions provided.
- Ensure the wall-mount cabinet is securely attached to the wall to prevent it from falling. Use appropriate wall anchors for your wall type.
- Do not overload the shelves beyond their weight capacity. The maximum weight capacity for each shelf is 28.7 lb (13 kg).
- Keep small parts and packaging materials away from children during assembly to prevent choking hazards.
- Exercise caution when handling tools during assembly.

PARTS LIST

Before assembly, verify that all parts and hardware are present and undamaged. Refer to the assembly video for visual

identification of components.

Main Components:

1. Side Panels (x2)
2. Top Panel (x1)
3. Bottom Panel (x1)
4. Back Panels (x2)
5. Adjustable Shelf (x1)
6. Doors (x2)

Hardware (Refer to video for specific labels):

- Dowel Pins
- Cam Locks and Screws
- Hinges and Screws
- Door Handles and Screws
- Magnetic Door Catch
- Shelf Pins
- Wall Mounting Hardware (screws, anchors)

ASSEMBLY INSTRUCTIONS

Your browser does not support the video tag.

Video 1: Official Yaheetech Bathroom Wall Cabinet Assembly Guide. This video provides a visual step-by-step walkthrough of the entire assembly process.

1. **Prepare Components:** Lay out all numbered wooden panels and lettered hardware on a clean, soft surface to prevent scratches. Identify each part according to the provided diagrams.
2. **Assemble Side Panels:** Insert dowel pins (C) into the pre-drilled holes on the side panels (1, 2). Attach the top and bottom support bars (3, 4) to the side panels using cam locks and screws (D). Ensure all connections are tight and secure.
3. **Install Back Panels:** Slide the two back panels (5) into the grooves on the assembled frame. Secure them in place.
4. **Attach Top Panel:** Place the top panel (6) onto the assembled frame, aligning the holes. Secure it using cam locks and screws (B).
5. **Install Magnetic Catch:** Attach the magnetic door catch (E) to the inside of the top panel using the provided screws.
6. **Attach Hinges to Doors:** Secure the hinges (F) to the pre-drilled holes on the doors (7, 8) using screws (G). Ensure they are firmly attached.
7. **Attach Handles to Doors:** Install the door handles (I) to the front of the doors using screws (H).
8. **Mount Doors to Cabinet:** Carefully align the door hinges with the pre-drilled holes on the cabinet frame. Secure the doors by screwing the hinges into the cabinet frame using screws (G). Adjust as necessary for proper alignment.
9. **Install Adjustable Shelf:** Insert the shelf pins (K) into the desired height holes inside the cabinet. Place the adjustable shelf (9) onto the pins.
10. **Wall Mounting:** Choose a suitable location on a sturdy wall. Mark the drilling points for the wall mounting hardware. Drill pilot holes and insert wall anchors if necessary. Securely attach the cabinet to the wall using the provided screws and anchors (L). It is highly recommended to mount the cabinet into wall studs for maximum stability. Note that mounting holes may be 14 inches apart, requiring new holes to be drilled 16 inches apart to align with standard wall

studs.



Figure 2: Product Dimensions

OPERATING INSTRUCTIONS

Your Yaheetech Wall Cabinet is designed for ease of use and adaptability.

Adjustable Shelf:

The cabinet features an adjustable shelf to accommodate items of various heights. There are 3 pairs of pre-drilled holes inside the cabinet. To adjust the shelf height:

1. Remove all items from the shelf.
2. Carefully lift the shelf off its pins.
3. Relocate the shelf pins to the desired set of holes.
4. Place the shelf back onto the pins, ensuring it is level and secure.



Adjustable shelf



Figure 3: Adjustable Shelf Mechanism

Versatile Placement:

The wall-mounted design allows for flexible use of space below the cabinet. It can be installed in various rooms to suit your storage needs.



Figure 4: Cabinet in Bathroom



Figure 5: Cabinet in Kitchen



Figure 6: Cabinet in Entryway



Figure 7: Cabinet in Office

MAINTENANCE

Maintaining your Yaheetech cabinet is simple due to its fine surface finish.

- **Cleaning:** Wipe the cabinet surfaces with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Spills:** Promptly wipe up any spills to prevent water damage or staining.
- **Hardware:** Periodically check all screws and connections to ensure they remain tight. Retighten if necessary.



Soft Close Hinges



Aluminum Handles



P2 Class MDF Board



Easy to clean up

Figure 8: Easy-to-Clean Surface and Durable Hardware

TROUBLESHOOTING

If you encounter issues with your cabinet, refer to the following common problems and solutions:

- **Cabinet Feels Shaky or Unstable:**

- Ensure all cam locks and screws are fully tightened.
- Verify that the back panels are correctly seated in their grooves and secured.
- Confirm the cabinet is securely mounted to wall studs. If your wall studs are 16 inches apart and the cabinet's pre-drilled mounting holes are 14 inches apart, you may need to drill new holes to align with the studs for optimal stability.
- If dowel pins appear too short or connections are loose, contact customer support for assistance.

- **Doors Do Not Align Properly:**

- Adjust the hinges. Most cabinet hinges allow for minor adjustments (up/down, left/right, in/out) using a screwdriver. Refer to the hinge manufacturer's instructions if available, or gently adjust screws on the hinges until alignment is achieved.
- Ensure the cabinet frame itself is square and level before attaching doors.

• **Doors Do Not Open Fully When Installed Near a Wall or Another Cabinet:**

- When installing the cabinet against a side wall, ensure there is sufficient clearance (at least the thickness of a piece of plywood) between the cabinet side and the wall for the door to swing open freely.
- If installing two units side-by-side, allow adequate space (approximately the thickness of two pieces of plywood) between them for both doors to open without obstruction.

SPECIFICATIONS

Feature	Detail
Brand	Yaheetech
Model Number	591775
Color	White
Materials	CARB P2-compliant MDF, Metal Hardware
Assembled Dimensions (L x W x H)	23.5" L x 12.5" W x 23.5" H
Item Weight	28.66 Pounds (13 kg)
Maximum Weight Capacity (Shelf / Bottom Shelf)	28.7 lb (13 kg)
Number of Shelves	3 (1 adjustable)
Mounting Type	Wall Mount
Assembly Required	Yes

WARRANTY AND SUPPORT

For warranty information, replacement parts, or technical support, please contact Yaheetech customer service directly through their official website or the retailer where the product was purchased. Please have your model number (591775) and purchase details ready when contacting support.