Toli FM1281

Toli Multi-functional Carpet Filmie (Model FM1281) User Manual

Your guide to installation, care, and optimal use.

1. Product Overview

The Toli Multi-functional Carpet Filmie (Model FM1281) is a high-quality, made-in-Japan carpet designed for durability, comfort, and enhanced functionality in your living space. It features a luxurious long cut pile and incorporates several advanced properties.

Key Features:

- **Flame Retardant:** Meets safety standards (Performance Test Number ES2160165).
- **Anti-static:** Controls human body potential to 3.0kV or less.
- **Water Repellent & Stain Resistant:** Treated to repel water and resist stains, making cleaning easier.
- **Anti-mite Processing:** Helps suppress the growth of mites.
- **Anti-shedding (Play Hair Free):** Designed to minimize fiber shedding.
- **Antibacterial:** Inhibits the growth of odor-causing bacteria.
- **Low Carbon Product:** Contributes to CO2 reduction.
- **Suitable for Underfloor Heating:** Can be used with hot carpets and underfloor heating systems.
- **Overlock Edges:** Prevents fraying and ensures durability.



Image 1: Overview of the Toli Multi-functional Carpet Filmie, highlighting its features and available sizing options.

2. Setup and Installation

This carpet is shipped rolled to prevent creases. It cannot be folded for transport or storage.

Unpacking and Placement:

1. Carefully unroll the carpet in your desired location.
2. Allow the carpet to settle for a few hours. Any minor ripples from shipping should flatten out naturally.
3. Ensure the carpet is placed on a clean, dry surface.

Edge Finishing:

The carpet features meticulous overlock processing on its edges to prevent fraying and ensure long-term durability.



Image 2: Various views showing the carpet rolled for delivery, its soft texture, the detailed overlock edge treatment, and its compatibility with hot carpets.

3. Operating and Usage

The Toli Filmie carpet is designed for versatile use in various indoor environments, including residential and light commercial settings.

- **All-Season Comfort:** The material and construction provide comfort throughout the year.
- **Underfloor Heating Compatible:** This carpet can be safely used over underfloor heating systems and with hot carpets.
- **Traffic Suitability:** Rated for business use (light traffic), making it suitable for areas with moderate footfall.

4. Maintenance and Care

Proper care will extend the life and maintain the appearance of your Toli carpet.

Routine Cleaning:

- Regularly vacuum the carpet to remove dust and loose dirt.

- The anti-shedding feature means less fiber loss during vacuuming.

Spot Cleaning:

- In case of spills or stains, wipe immediately with a cloth dampened with a neutral detergent.
- Most stains can be easily removed due to the water repellent and stain resistant treatment.
- Avoid using harsh chemicals or abrasive cleaners, as these may damage the carpet fibers or finish.

Special Features for Easy Maintenance:

- **Anti-stain Processing:** Makes the carpet resistant to dirt and easy to clean.
- **Antibacterial:** Helps maintain hygiene by inhibiting bacterial growth.



Image 3: Detailed functional description of the carpet, illustrating its various protective and performance features.

5. Troubleshooting

While the Toli Filmie carpet is designed for durability and ease of use, here are some common concerns and their solutions:

- **Stains:** Refer to the 'Spot Cleaning' section under Maintenance and Care. Prompt action is key for effective

stain removal.

- **Creases/Ripples:** If minor creases appear after unrolling, allow the carpet to relax for 24-48 hours. Gentle pressure or warmth (e.g., from underfloor heating) can help.
- **Static Electricity:** The carpet has anti-static properties. If static is still noticeable in very dry conditions, consider increasing room humidity.
- **Fraying Edges:** The carpet features overlock processing to prevent fraying. If any edge damage occurs, contact customer support for advice.

6. Specifications

Attribute	Detail
Manufacturer	Toli
Model Number	FM1281
Material	BCF Nylon 100%
Size	130 x 190 cm (Rectangular)
Product Weight	4.7 kg
Weaving Type	Tufted
Care Instructions	Wipe with neutral detergent if soiled. Most stains can be easily wiped off.
Flame Retardant Test No.	ES2160165
Anti-static Performance	Human body potential 3.0kV or less

COLOR

毛足の長いカットパイルに際立つ華やかな艶間は、
糸や色へのこだわりの証です。




FM1282




FM1281



FM1283



FM1282



FM1284



FM1285

Detail

品種	タフテッドカーペット
	パイル　BCFナイロン100%（原着ナイロン）
	パッキング　ジュート
全厚	12.5㎜　（12㎜ カットパイル）
幅×長さ	3640㎜×22m（乱）　密度　1／8ゲージ　8.0ステッチ
重量	1.9kg／㎡

防炎　防炎性能試験番号　E2160165

制電　人体帯電圧　3.0kV以下　　防汚　撥水防汚加工

工法　グリッパー工法
全面接着工法（接着剤エコAR600）

<ご注意>

●カットパイルは、パイルの方向が部分的に乱れ、雲状の色ムラの様に見える事があります。この現象は、カットパイルの性質であり、品質上の欠陥ではありません。

●幅継ぎをする際は、耳部どうしでジョイントして下さい。

Image 4: Displays various color options for the Filmie carpet and a detailed table of its specifications.

7. Important Notes and Warnings

- **No Cancellations/Returns/Exchanges:** As this carpet is custom-made to your order, cancellations, returns, or exchanges are not accepted after the order is placed. Please confirm your size and specifications carefully before ordering.
- **Delivery Restrictions (Elevator Use):** If the product cannot be loaded into an elevator, delivery will be made to the 1st floor. Delivery services do not include carrying items up stairs. For carpets approximately 250cm or longer, please be especially mindful of elevator access. If an elevator cannot be used, the customer is responsible for carrying the product up the stairs.
- **Shipping Format:** The product is shipped rolled to prevent creases and cannot be folded.




Image 5: Important information regarding order policies, delivery procedures, and product shipping format.

8. Warranty and Support

For specific warranty information, please refer to the documentation provided at the time of purchase or contact your retailer. For product support or inquiries, please reach out to the Toli customer service department or your authorized dealer.

© 2024 Toli Corporation. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question