

[Manuals.plus](#) /

› [Cumbor](#) /

› Cumbor Baby Gate for Stairs and Doorways (Model S7V2)

Cumbor S7V2

Cumbor Baby Gate Instruction Manual

Model: S7V2 | Brand: Cumbor

IMPORTANT SAFETY INFORMATION

Read all instructions before assembly and use of the gate. Keep these instructions for future reference.

Failure to follow these warnings and instructions could result in serious injury or death.



Image: Detailed warning label with safety instructions.

- Children have died or been seriously injured when gates are not securely installed.
- **ALWAYS** install and use the gate as directed using all required parts.
- **STOP** using if a child can climb over or dislodge the gate.
- Use only with the latching mechanism securely engaged.
- Never use a gate to keep a child away from a pool.
- To prevent serious injury or death, securely install the gate and use according to manufacturer's instructions.
- This product will not prevent all accidents.
- Never leave a child unattended.
- Intended for use with children from 6 months through 24 months of age.
- Stop using the gate if any parts are missing or become damaged.
- Periodically check all fasteners to ensure they are tight and secure.
- Adult assembly is required.
- The surfaces that the gate is fixed to must be suitable for the purpose and must be structurally sound.
- This gate is not to be exposed to outdoor elements.
- Install this gate away from heaters and other sources of heat.
- Always follow the installation instructions and use every required part when setting up the gate.
- You **MUST** install wall cups to keep the gate in place. Without wall cups, a child can push out and

escape.

- Install gates at least 4 inches back from the first stair step.
- The warranty does not cover the use of third-party accessories, and the manufacturer assumes no responsibility for any consequences arising from such use.
- The gate must be installed against the floor while not using the ramp.
- When using the ramp, the ramp should be installed against the floor.
- Non-automatic closing system.

PRODUCT OVERVIEW

The Cumbor Baby Gate is a pressure-mounted safety gate designed to restrict access for children and pets in various areas of your home. It features a durable steel construction and an adjustable width for versatile placement.



Image: Cumbor Baby Gate installed at the bottom of stairs and in a doorway.

Key Features:

- **Adjustable Width:** Fits openings from 29.7 inches to 46 inches wide.
- **Height:** 30.5 inches.
- **Durable Construction:** Made from alloy steel, designed to withstand impacts up to 150 pounds.
- **Double-Lock Safety Release:** Provides enhanced security to prevent unintended openings by children or pets.
- **Auto-Close Feature:** The gate automatically closes when opened less than 90 degrees.
- **Hold-Open Feature:** The gate stays open when swung past 90 degrees for convenient passage.
- **Two-Way Opening:** Gate door swings in both directions.
- **Pressure Mounted:** Easy installation without the need for drilling or tools in most cases.



Image: Gate demonstrating adjustable width and initial gap.

Keep curves safe

The Y pressure mount for rounded banisters is a friendly, secure baby gate solution for curves

Pressure-mount installation

No tools or hardware required. Simply rotate the tension bolt until secure within opening

Image: Gate with an accessible ramp for strollers.

SETUP AND INSTALLATION

The Cumbor Baby Gate can be installed using pressure mounting, with optional hardware for added security. Installation typically takes less than 20 minutes.

Before Installation:

There may be a gap between the lock and door frame upon unboxing. This is normal for pressure-mounted gates and will resolve once installation is complete and the tension bolts are tightened.



Image: Pressure-Mount with Rotating Bolt.

Pressure-Mount Installation (No Hardware):

1. Place the gate in the desired opening.
2. Rotate the tension bolts on all four corners until the gate is secure and the gap between the lock and frame disappears. Ensure the gate is firmly in place and does not move.

Hardware-Assisted Installation (Recommended for Stairs):

For added security, especially at the top of stairs, use the included wall anchors and cups.

1. **Install Wall Anchors:** Place the gate where you plan to install it and use a pencil to mark the position of the screw holes for the wall anchors. Use a drill to punch the holes, insert the wall anchors, and tap into place with a hammer.




Image: Installing wall anchors.

2. **Attach Wall Cups:** Attach wall cups with screws using a screwdriver or drill. Place the gate into the wall cups and rotate the tension bolts to increase pressure until secure.



Image: Attaching wall cups.

3. **Close the Gap & Remove Zip Tie:** The gap between the lock and door frame will disappear as you rotate the tension bolts. Once the gap is fully closed and the gate is secure, you may remove the zip tie connecting the door and frame.



Image: Closing the gap and removing the zip tie.

4. **Y Pressure Mount for Rounded Banisters:** If installing on rounded banisters, use the Y pressure mounts (sold separately or included in some packages) for a secure fit.



Image: Y pressure mount for rounded banisters.

OPERATING INSTRUCTIONS

Opening the Gate:

1. Locate the double-lock safety release mechanism on the gate handle.
2. Press the button and lift the gate handle simultaneously to disengage the lock.
3. Push or pull the gate door in the desired direction to open.



Image: Double-lock safety release mechanism.

Closing the Gate:

- If the gate is opened less than 90 degrees, it will automatically swing shut and lock.
- If the gate is opened past 90 degrees, it will remain open for convenient passage. To close, gently push the gate door until it swings back and locks automatically.




Image: Gate door swing and auto-close features.

Video: Demonstration of the Cumbor Baby Gate's auto-close and hold-open features.

MAINTENANCE

- **Cleaning:** Wipe the gate with a damp cloth and mild soap. Do not use abrasive cleaners or harsh chemicals.
- **Inspection:** Regularly inspect all parts for wear, damage, or loose fasteners. Tighten any loose bolts or screws. Replace damaged parts immediately.
- **Storage:** If storing the gate, ensure it is clean and dry. Store in a cool, dry place away from direct sunlight.

TROUBLESHOOTING

Gate does not close or latch properly:

- Ensure the gate is installed correctly and the tension bolts are tightened sufficiently. The gap between the lock and frame should be minimal or closed.
- Check for any obstructions preventing the gate from swinging freely.
- Verify that the latch mechanism is clean and free of debris.

Gate feels unstable or wobbly:

- Retighten all four tension bolts.
- Ensure wall cups are installed and securely fastened, especially if using hardware-assisted installation.
- Confirm that the mounting surface is flat and structurally sound.

SPECIFICATIONS

Feature	Detail
Model Number	S7V2
Brand	Cumbor
Color	Black
Material	Alloy Steel
Adjustable Width	29.7 - 46 inches
Height	30.5 inches
Mounting Type	Pressure Mounted
Recommended Age Range	6-24 Months
Item Weight	33.8 pounds (for 2-pack)
UPC	850055912113

WARRANTY INFORMATION

This product is covered by a standard manufacturer's warranty. Please refer to the product packaging or contact Cumbor customer support for specific warranty terms and conditions. The warranty does not cover damage resulting from improper installation, misuse, or the use of third-party accessories.

Amazon's return policy allows for returns within 90 days of purchase for this item.

SUPPORT AND CONTACT

For further assistance, troubleshooting, or to inquire about replacement parts, please contact Cumbor customer support.

- **Online Support:** Visit the official Cumbor website for FAQs and support resources.
- **Email Support:** Refer to your product packaging for customer service email address.