Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

crecolife 12L/Day Dehumidifier

Crecolife 12L/Day Dehumidifier User Manual

Model: 12L/Day Dehumidifier
Brand: crecolife

1. Introduction

Welcome to your new Crecolife 12L/Day Dehumidifier. This appliance is designed to efficiently remove excess moisture from the air, creating a healthier and more comfortable environment in your home or office. Please read this manual thoroughly before operating the dehumidifier to ensure safe and optimal performance. Retain this manual for future reference.



Image: The Crecolife 12L/Day Dehumidifier, a compact and efficient unit designed to reduce humidity.

2. Important Safety Instructions

To reduce the risk of fire, electric shock, or injury when using your dehumidifier, follow these basic safety precautions:

- Read all instructions before using the appliance.
- Only use the dehumidifier on a stable, level surface to prevent tipping.

- Do not operate the dehumidifier with a damaged cord or plug. If the cord is damaged, it must be replaced by the manufacturer or a qualified service agent.
- Ensure the power supply matches the voltage specified on the rating label.
- Do not block the air inlet or outlet. Maintain at least 20 cm clearance around the unit for proper airflow.
- Do not insert fingers or foreign objects into the air vents.
- Unplug the dehumidifier before cleaning, moving, or performing any maintenance.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- The child lock function helps prevent accidental changes to settings.
- Do not use the appliance in areas where flammable liquids or gases are stored.

3. Product Features

The Crecolife 12L/Day Dehumidifier is equipped with advanced features for effective and convenient dehumidification:

- **Efficient Dehumidification:** Removes up to 12 litres of water per day, suitable for areas up to 20 m^2 (50 m^3).
- **Intelligent Humidity Control:** Automatically detects ambient humidity and operates until the desired level (30% to 80%) is reached. Real-time humidity display.
- **Energy-Saving Operation:** Low power consumption of 190W, designed for cost-effective use.
- **Three Dehumidification Modes:** Standard, Continuous, and Drying modes for various scenarios. The drying mode blows warm air to assist in drying clothes.
- **24-Hour Timer:** Schedule automatic power on/off to fit your routine.
- **Quiet Operation:** Operates at a noise level below 40 dB, ensuring a peaceful environment.
- **Automatic Defrost:** Prevents frost build-up on coils for continuous performance.
- **Child Lock:** Protects settings from unintended changes.
- **Two Emptying Options:** Features a 1.6-litre water tank with automatic shut-off when full, and a 1-metre drainage hose for continuous drainage.
- **Compact and Portable Design:** Equipped with 360° universal castors and a handle for easy movement.



Image: Illustration showing the dehumidifier's capability to remove 12L/Day and cover areas up to 20m² (50m³).



Image: Internal view highlighting the powerful compressor, indicating efficient and quiet operation.



Image: Graphic illustrating the low noise level (35.5dB) of the dehumidifier, suitable for undisturbed sleep.

4. Setup and Installation

4.1 Unpacking

Carefully remove the dehumidifier from its packaging. Inspect the unit for any shipping damage. If any damage is found, do not operate the unit and contact customer support immediately. Keep all packaging materials until you are sure the unit is working correctly.

4.2 Placement

For optimal performance, place the dehumidifier in a central location within the area you wish to dehumidify. Ensure there is at least 20 cm (8 inches) of space around all sides of the unit to allow for proper airflow. Do not place the unit directly against a wall or furniture. The unit is equipped with 360° universal castors for easy movement between rooms.



Image: Diagram showing the compact dimensions (19.5cm x 17.5cm x 45.9cm) and portability features like the handle and 360° universal castors.



Image: Close-up view of the 360° universal castors and integrated handle for easy mobility.

4.3 Initial Power-On

After placing the unit, ensure the power cord is securely plugged into a grounded electrical outlet. The unit features a convenient cable storage slot on the back to prevent tripping hazards.



Image: The dehumidifier in a bathroom setting, highlighting the cable storage slot for neat and safe power cord management.

5. Operating Your Dehumidifier

5.1 Control Panel Overview

The dehumidifier features an intelligent touch control panel for easy operation. The digital screen displays the current humidity level.



Image: Overhead view of the dehumidifier's intelligent touch control panel, showing buttons for Child Lock, Speed, Timer, Humidity Display, Mode, Humidity Setting, and Power.

5.2 Power On/Off

Press the **Power** button to turn the unit on or off. If the dehumidifier unexpectedly shuts off due to a power outage, it will automatically restart with the previous function settings once power is restored.

5.3 Setting Humidity Level

Press the **Humi** button to adjust the desired humidity level between 30% and 80% relative humidity (RH). The unit will operate automatically until this level is reached, then switch off. It will resume operation if the humidity rises above the set point.

5.4 Dehumidification Modes

Press the **Mode** button to cycle through the three available dehumidification modes:

- **Standard Dehumidification Mode:** Allows you to set both the desired humidity level and fan speed.
- **Continuous Dehumidification Mode:** The unit operates continuously regardless of humidity level. Fan speed can be set.

- **Drying Mode:** Specifically designed for drying clothes. The unit blows warm air. Humidity and wind speed cannot be set in this mode.



Image: Visual representation of the three dehumidification modes: Dehumidifying, Drying, and Continuous Dehumidification, showing their typical usage environments.



Image: The dehumidifier blowing warm air to dry clothes, illustrating its automatic humidity control feature.

5.5 Timer Function

Use the **Timer** button to set a 24-hour timer for automatic power on or off. Simply set the desired start and stop times, whether the unit is in standby or operating mode.



Image: A family returning home, symbolizing the convenience of setting the dehumidifier's 24-hour timer to customize its operation schedule.

5.6 Child Lock

To activate or deactivate the child lock, long press the**Child Lock** button for 3 seconds. This prevents accidental changes to the settings, ensuring safe operation around children.



Image: Children playing near the dehumidifier, with an overlay indicating the child lock feature for safety.

6. Maintenance

Regular maintenance ensures the longevity and efficiency of your dehumidifier.

6.1 Emptying the Water Tank

The dehumidifier is equipped with a 1.6-litre water tank. When the tank is full, the unit will automatically shut off, and an indicator light will alert you. Carefully remove the water tank from the unit and empty the collected water. Reinsert the tank securely until it clicks into place. The indicator light will turn off, and the unit can resume operation.

6.2 Continuous Drainage Setup

For continuous operation without manual emptying, use the included 1-metre drainage hose. Connect one end of the hose to the continuous drainage port on the back of the unit and direct the other end to a suitable drain (e.g.,

floor drain, large bucket). Ensure the hose is sloped downwards to allow gravity drainage.



Image: The dehumidifier showing both the removable 1.6L visible water tank and the option for continuous drainage via a hose.



Image: A detailed view of the two emptying options: the 1.6L visible water tank and the continuous drainage hose connection.

6.3 Filter Cleaning

The air filter should be cleaned regularly (every two weeks or more often depending on usage) to maintain optimal performance. A dirty filter can reduce efficiency and airflow. Refer to the product diagram for filter location. Gently remove the filter, clean it with a vacuum cleaner or mild soapy water, rinse thoroughly, and allow it to air dry completely before reinserting.

6.4 Storage

If the dehumidifier will not be used for an extended period, unplug it, empty the water tank, clean the filter, and store it in a cool, dry place away from direct sunlight and extreme temperatures.

7. Troubleshooting Guide

Before contacting customer support, please refer to the following table for common issues and their solutions:

Problem	Possible Cause	Solution
Dehumidifier does not turn on.	No power; Water tank full or not properly inserted; Child lock activated.	Check power connection; Empty and reinsert water tank correctly; Deactivate child lock by long pressing the button.
No water collected.	Humidity level too low; Room temperature too low; Air filter clogged; Unit in fan-only mode.	Adjust desired humidity lower; Ensure room temperature is above 5°C; Clean air filter; Select a dehumidification mode.
Unit is noisy.	Unit not on a level surface; Air filter clogged; Obstruction in fan.	Place on a flat, stable surface; Clean air filter; Check for and remove any obstructions.
Airflow is weak.	Air filter clogged; Air inlet/outlet blocked.	Clean air filter; Ensure clear space around the unit.
Frost on coils.	Room temperature too low.	The automatic defrost function will activate. If problem persists, increase room temperature.

8. Product Specifications

Detailed specifications for your Crecolife 12L/Day Dehumidifier:

Specification	Detail
Brand	crecolife
Model	12L/Day Dehumidifier
Colour	White
Product Dimensions	25.9D x 31.6W x 55.3H centimetres (approx. 9.5 x 9.5 x 11.5 cm as per some listings, refer to physical product for exact measurements)

Specification	Detail
Capacity	12 Litres/day
Power / Wattage	190 watts
Material	Plastic
Auto Shutoff	Yes (when water tank is full)
Number of Speeds	3
Item Weight	9.95 kg
Tank Volume	1.6 Litres
Recommended Uses	Home & Commercial
Special Features	Intelligent humidity control, energy-saving, 3 dehumidification modes, 24-hour timer, quiet operation, automatic defrost, child lock, 2 emptying options.

9. Warranty and Customer Support

Crecolife dehumidifiers are manufactured from high-quality materials to provide a reliable experience. We stand by the quality of our products.

- **Warranty:** This product comes with a two-year warranty from the date of purchase. During this period, if the product has quality problems due to manufacturing defects, it will be repaired or replaced free of charge.
- **Technical Support:** Lifetime technical support is provided for all Crecolife dehumidifiers.

For any questions, concerns, or technical assistance, please contact Crecolife UK customer service. Refer to your purchase documentation or the seller's information on the platform where you purchased the product for specific contact details.

© 2025 Crecolife. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CYL5PFJM

More documents and user manuals: **https://manuals.plus/**