

[Manuals.plus](#) /

› [DEWALT](#) /

› DEWALT DPG22 Type II Safety Helmet User Manual

DEWALT DPG22-SLATE

DEWALT DPG22 Type II Safety Helmet User Manual

MODEL: DPG22-SLATE

Comprehensive guide for the safe and effective use of your DEWALT DPG22 Type II Safety Helmet.

1. Introduction

The DEWALT DPG22 Type II Safety Helmet is engineered to provide advanced head protection in demanding work environments. Designed for safety and comfort, this helmet meets ANSI/ISEA Z89.1 Type II Class E standards, offering enhanced protection against top and side impacts.

Its lightweight yet durable construction, combined with customizable fit features, ensures reliable performance throughout your workday.



Figure 1: Key Features of the DEWALT DPG22 Type II Safety Helmet.

Your browser does not support the video tag.

Video 1: Product Overview of the DEWALT DPG22 Type II Safety Helmet. This video highlights the helmet's design, safety features, and comfort aspects, providing a visual introduction to its capabilities.

2. Setup and Adjustment

Proper fit is crucial for optimal protection and comfort. The DPG22 helmet features an adjustable articulating smooth-glide ratchet suspension and a soft leather chin strap to ensure a snug and secure fit for various head sizes.

2.1 Adjusting the Ratchet Suspension

To adjust the fit, locate the smooth-glide ratchet dial at the back of the helmet's suspension system. Rotate the dial clockwise to tighten the fit or counter-clockwise to loosen it. Ensure the helmet is centered and stable on your head without being uncomfortably tight.



SMOOTH GLIDE RATCHET ADJUSTMENT

Figure 2: Smooth Glide Ratchet Adjustment for a customized fit.

2.2 Adjusting the Chin Strap

The 4-point retention strap with a soft leather chin strap provides additional security. Adjust the straps to ensure they are snug under your chin and around your ears, preventing the helmet from shifting during movement or impact. The strap should be tight enough to keep the helmet in place but not cause discomfort.



ADJUSTABLE 4-POINT LEATHER CHIN STRAP

Figure 3: Adjustable 4-Point Leather Chin Strap for enhanced stability.

3. Operating and Safety Guidelines


Always wear the DEWALT DPG22 helmet correctly adjusted and secured when in environments requiring head protection. This helmet is designed to protect against top and side impacts, crucial for various industrial and construction settings.

3.1 Enhanced Protection Features

The helmet's lightweight Polycarbonate/ABS shell provides robust protection, while the EPS foam liner offers an additional layer of comfort and impact absorption. This combination ensures comprehensive head protection against various angles of impact.



Figure 4: DEWALT DPG22 Type II Safety Helmet.



POLYCARBONATE/ABS OUTER SHELL

Figure 5: Durable Polycarbonate/ABS Outer Shell.

3.2 Accessory Integration

The DPG22 helmet includes accessory slots that allow for integration with a variety of DEWALT hearing protection, visors, and other compatible accessories. Refer to specific accessory manuals for installation and usage instructions.



11 COLOR OPTIONS AND ACCESSORIES AVAILABLE

Figure 6: DEWALT DPG22 Helmet with various color options and compatible accessories.

4. Maintenance and Care

Regular maintenance ensures the longevity and effectiveness of your DEWALT DPG22 helmet. Always inspect the helmet for any damage prior to each use.

4.1 Cleaning Instructions

- The helmet's liner is removable and machine washable for easy cleaning.
- The helmet shell should be wiped down with a clean, damp rag. Avoid using harsh chemicals or abrasive cleaners, as these can damage the material.

4.2 Inspection

Before each use, visually inspect the helmet for cracks, dents, discoloration, or any signs of wear and tear. If any damage is observed, the helmet should be replaced immediately, as its protective capabilities may be compromised.

5. Troubleshooting

Most issues with the DEWALT DPG22 helmet can be resolved by ensuring proper adjustment and regular maintenance. If you experience discomfort or the helmet does not feel secure, re-adjust the ratchet suspension and chin strap as described in Section 2.

For persistent issues or concerns regarding the helmet's integrity or performance, please refer to the customer support section.

6. Technical Specifications

Specification	Detail
Brand	DEWALT
Model Name	DPG22 Type II Class E 4-Pt Ratcheting Safety Helmet
Part Number	DPG22-SLATE
Color	Slate
Size	ADULT
Style	Non-Vented
Material	Polycarbonate (PC), Acrylonitrile Butadiene Styrene (ABS)
Item Weight	2 Pounds
Closure Type	Ratchet
Specification Met	ANSI/ISEA Z89.1 Type II Class E
Included Components	1 EA Type II Class E 4-Pt Ratcheting Safety Helmet
UPC	674326380131

7. Warranty and Customer Support

7.1 Warranty Information

The DEWALT DPG22 Type II Safety Helmet comes with a 90-day limited warranty. Please retain your proof of purchase for any warranty claims. This warranty covers defects in materials and workmanship under normal use.

7.2 Contacting Customer Support

For technical assistance, warranty claims, or any questions regarding your DEWALT DPG22 helmet, please visit the official DEWALT website or contact their customer service department. Contact information can typically be found on the product packaging or the DEWALT official website.

Note: Always refer to the latest information provided by the manufacturer for the most accurate and up-to-date warranty and support details.

