

Candy CHAE 1452E

Candy CHAE 1452E Chest Freezer Instruction Manual

Model: CHAE 1452E

INTRODUCTION

This manual provides essential information for the safe and efficient operation of your new Candy CHAE 1452E chest freezer. Please read these instructions carefully before installation and use, and retain them for future reference. Proper installation, use, and maintenance will ensure optimal performance and longevity of your appliance.

IMPORTANT SAFETY INFORMATION

Always follow basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, and injury. This appliance is intended for household use only.

- Ensure the power supply voltage matches the rating label on the appliance.
- Do not damage the refrigerant circuit.
- Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- Unplug the appliance before cleaning or performing maintenance.
- Keep ventilation openings, in the appliance enclosure or in the built-in structure, clear of obstruction.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

SETUP AND INSTALLATION

Unpacking

Carefully remove all packaging materials. Inspect the freezer for any damage. Report any damage to your retailer immediately. Keep packaging materials out of reach of children.

Placement

Choose a suitable location for your freezer. It should be placed on a firm, level surface away from direct sunlight, heat

sources (such as ovens, radiators), and extreme cold. Ensure adequate ventilation around the appliance. The climate class for this model is SN-T, meaning it is designed to operate in ambient temperatures between 10°C and 43°C.



Image: The Candy CHAE 1452E chest freezer positioned in a room, demonstrating appropriate placement with surrounding space for ventilation.

Initial Cleaning

Before first use, clean the interior and exterior of the freezer with a damp cloth and a mild detergent. Dry thoroughly.

Power Connection

Connect the freezer to a dedicated, properly grounded electrical outlet. Do not use extension cords or multiple socket adapters. Allow the freezer to stand upright for at least 2-4 hours before plugging it in to allow the refrigerant to settle.

First Use

After plugging in, allow the freezer to operate empty for approximately 4-6 hours to reach its optimal operating temperature before loading food items.

OPERATING INSTRUCTIONS

Temperature Control

The freezer features a display for temperature monitoring. While there is no adjustable thermostat, the appliance is designed to maintain optimal freezing temperatures. The 4-star rating indicates suitability for freezing fresh food and long-term storage of frozen food.



Image: Front view of the freezer, highlighting the integrated display panel for temperature indication.

Fast Freeze Function

This freezer is equipped with a fast freeze function. To activate, refer to the specific instructions on the control panel or in the quick start guide provided with the appliance. This function is ideal for rapidly freezing fresh food to preserve its quality.

Loading Food

When loading food, avoid blocking the air circulation. Do not place hot food directly into the freezer. For best results, freeze food in small portions. The freezing capacity is 8.5 kg per 24 hours.



Image: The interior of the chest freezer, showing food items neatly arranged in storage baskets.

Power Outage

In the event of a power outage, the freezer can maintain the temperature for approximately 21 hours, provided the lid remains closed. Avoid opening the lid unnecessarily during a power failure to preserve the internal temperature.

MAINTENANCE AND CLEANING

Defrosting

This freezer does not feature an automatic defrost system. Manual defrosting is required when the ice layer reaches a thickness of approximately 5-10 mm. To defrost:

1. Unplug the freezer from the power outlet.

2. Remove all food items and store them in another freezer or a cool place.
3. Leave the lid open to allow the ice to melt naturally. Place towels or a shallow tray to collect water.
4. Once defrosted, clean the interior thoroughly and dry completely before plugging the freezer back in and reloading food.

General Cleaning

Regularly clean the interior and exterior of your freezer. Use a soft cloth with a mild, non-abrasive detergent. Do not use harsh chemicals or abrasive cleaners. Ensure all surfaces are dry before closing the lid.

Lid Seal Care

Inspect the lid seal regularly for any signs of damage or wear. A clean and intact seal ensures efficient operation. Clean the seal with a damp cloth and dry it thoroughly.

TROUBLESHOOTING

Before contacting service, please check the following common issues:

Problem	Possible Cause	Solution
Freezer not operating	No power supply	Check if the power plug is securely inserted and the circuit breaker is not tripped.
Temperature not cold enough	Lid not closed properly; too much warm food added; ambient temperature too high	Ensure lid is sealed; avoid overloading; ensure proper ventilation and ambient temperature within 10-43°C.
Excessive noise	Appliance not level; objects touching the back of the freezer	Adjust leveling feet; move objects away from the freezer.
Excessive ice build-up	Lid opened too frequently; lid seal damaged	Minimize lid openings; check and clean/replace lid seal.

TECHNICAL SPECIFICATIONS

Feature	Specification
Product Type	Chest Freezer
Installation Type	Freestanding
Color	White
Display	Yes
Net Freezer Capacity	137 Liters
Freezing Capacity	8.5 kg/24h
Power Outage Autonomy	21 hours
Freezer Rating	4-star
Climate Class	SN-T (10°C to 43°C)

Feature	Specification
No-frost System	No (Manual Defrost)
Automatic Defrost (Freezer)	No
Noise Emission Class	C
Acoustic Emission	39 dB
Fast Freeze Function	Yes
Cooling System	Static
Adjustable Thermostat	No
Internal Light	No
Energy Efficiency Class	E
Annual Energy Consumption	181 kWh
Connection Load	65 W
AC Input Voltage	220 - 240 V
AC Input Frequency	50 Hz
Current	0.6 A
Dimensions (W x D x H)	695 mm x 555 mm x 845 mm
Weight	27 kg



Image: The energy efficiency label for the Candy CHAE 1452E chest freezer, indicating an 'E' rating.

WARRANTY AND SUPPORT

Warranty Information

Your Candy CHAE 1452E chest freezer is covered by a manufacturer's warranty. Please refer to the warranty card included with your appliance for specific terms, conditions, and duration. Retain your proof of purchase for warranty claims.

Customer Support

For technical assistance, spare parts, or service requests, please contact Candy customer support. Contact details can typically be found in the warranty documentation or on the official Candy website. When contacting support, please have your model number (CHAE 1452E) and serial number ready.

For information regarding returns or defective products purchased through Amazon, please refer to Amazon's help pages

or contact Amazon customer service directly.


Related Documents - CHAE 1452E

 USER MANUAL CHEST FREEZER 	Candy Chest Freezer User Manual Comprehensive user manual for the Candy Chest Freezer, detailing installation, operation, safety guidelines, maintenance, and troubleshooting tips for optimal appliance performance.
USER MANUAL CHEST FREEZER 	CANDY Chest Freezer User Manual: Installation, Operation & Safety Guide Comprehensive user manual for CANDY Chest Freezers (models CCHH100, CCHH145, CCHH200). Provides essential information on installation, safe operation, maintenance, and troubleshooting.
 USER MANUAL CHEST FREEZER 	Candy Chest Freezer User Manual: Installation, Operation, and Care Guide Comprehensive user manual for Candy chest freezers. Includes safety information, installation instructions, operating procedures, energy-saving tips, defrosting, cleaning, and troubleshooting guidance for models like the BD-100.
OWNER'S MANUAL  	Smart Industries Crane Machine LCM Version Owner's Manual Official owner's manual for the Smart Industries Crane Machine LCM Version, detailing safety notices, components, specifications, game operation, system settings, wiring diagrams, and troubleshooting.
CANDY USER MANUAL CHEST FREEZER 	Candy Chest Freezer User Manual Comprehensive user manual for the Candy Chest Freezer, providing detailed instructions on installation, operation, safety precautions, troubleshooting, and maintenance.



Guida completa per l'utilizzo sicuro ed efficiente della tua lavastoviglie Candy. Include istruzioni su installazione, programmi, manutenzione e risoluzione problemi.

Documents - Candy – CHAE 1452E



[\[pdf\]](#)

CANDY CHAE 1452E Andrea Shop ENERGETICKY LIST OID 5AIA000901 m andreashop sk files kat
img |||

Candy **CHAE 1452E** 181 kWh/annum 137 L 39dB ABCD 2019/2016 ...
lang: **score:40** filesize: 65.21 K page_count: 1 document date: 2023-10-20

[illegible]

[\[pdf\]](#) Specifications Datasheet Borchure

Candy 37001561 CHAE 1452E Congelatore a pozzo Libera installazione 137 L E Bianco Brochure
product datasheet specifications MPN Icecat Marchio Codice prodotto Nome del CHAE chae1452e
leafletmultimedia yeppon it products chae1452e leaflet |||

Candy **CHAE 1452E** Congelatore a pozzo Libera installazione 137 L E Bianco
 Marchio : Candy Nome del prodotto : **CHAE 1452E** Codice prodotto: 37001561 -
 Sistema Freeze Circle Fresh: congelamento pi rapido e consumo energetico ridotto -
 Fino a 500 litri di capienza - Classe F **CHAE 1452E** Candy CHAE 14...
 lang:it score:40 filesize: 106.65 K page count: 2 document date: 2025-09-22



[\[pdf\]](#)

Candy CHAE 1452E Congelatore a pozzo Libera Adjustable thermostat x Performance Operating
temperature T 10 43 °C Ergonomics Interior light Power Energy efficiency scale A to G get t b p 186189 e
8059019060743 prezzodigitale it |||

Candy **CHAE 1452E** Congelatore a pozzo Libera installazione 137 L E Bianco
 Marchio : Candy Nome del prodotto : **CHAE 1452E** Codice prodotto: 37001561 - Fino
 a 500 litri di capienza - Classe F **CHAE 1452E** Candy **CHAE 1452E** Congelatore a
 pozzo Libera installazione 137 L E Bianco: Artico La prima e unica ...
 lang:en score:39 filesize: 103.1 K page_count: 2 document date: 2025-03-25

[illegible][illegible]

[\[pdf\]](#)

Info list CZ Chae 1452e mraznička pultová candy 40046782 info cz 92079902 mc static fast eu 40 |||
Informacn list vrobku **NAZEN KOMISE V PENESEN PRAVOMOCI EU 2019/2016** o
uvdn spoteby energie na energetickch sttcch chladicch spotebic Nzev nebo ochrann
znmkla dodavatele: Candy Adresa dodavatele: Candy Hoover Group contact, Comolli
16, 20861 Brugherio MB, IT Identifikacn znacka modelu: CHAE 1452...
lang:hr **score:38** filesize: 52.92 K page_count: 2 document date: 2023-02-16

Ražojuma informācijas lapa			
KOMISIJAS DELEĢĒTĀ REGULĀ (ES) 2019/2016 attiecībā uz aukstuma enerģijas ietaupījumiem			
Piegādātāja nosaukums vai preču zīme: Candy			
Piegādātāja adrese: Candy Hoover Group contact, Via Comolli 16, 20861 Brugherio MB, IT			
Modeļa identifikators: CHAE 1452E			
Aukstuma iekārtas veids:			
Iekārta ar zemu trokšņa līmeni:	Nē	Konstruktīvās veids:	Sūkņa
Viena uzgablieta iekārta:	Nē	Cita veida aukstuma iekārta:	Jā
Visu pārējo ražojuma parametru:			
Parametrs		Vērtība	
Kopējais jaudums (mm)	Augsmais	Kopējais tīrums (l/min vai l)	137
	Pasākums		
	555		
	555		
EER	100	Enerģoefektivitātes klase	E
Gaisma šķiršana emisija (dB(A) re1, p1)	39	Gaisma šķiršana emisija klase	C
Enerģijas patēriņš gada (kWh/gadā)	181	Klimata klase:	patēriņš mērenā, mērenā, subtropon, tropu
Minimālā apkures jauda temperatūrā (°C), kurā automātiski pārslēdzas uz sūkņa	10	Minimālā apkures jauda temperatūrā (°C), kurā automātiski pārslēdzas uz sūkņa	43
Zīmola nosaukums:			
Nedatļuma parametri:			
Nedatļuma parametri un vērtības			
Nedatļuma veids	Nedatļuma tips (l/min vai l)	Ieteicamā temperatūra sūkņa iekārta (°C) (l/min vai l)	Defrosting tips (l/min vai l) (l/min vai l)

lapa 1 / 2

[pdf]

Preces datu lapa CANDY Saldētava CHAE 1452E Saldētavas 201 52 EUR kvarcs lv

663a04a27d756711270293 storage app public 663 a04 a27 |||

Razojuma informcijas lapa KOMISIJAS DELET REGULA ES 2019/2016 attiecb uz aukstumiekrtru energomarjumu Piegdtja nosaukums vai precu zme: Candy Piegdtja adrese: Candy Hoover Group contact, Via Comolli 16, 20861 Brugherio MB, IT Modea identifikators: **CHAE 1452E** Aukstumiekrtras veids: lekrtā ar ze...

lang:tl **score:37** filesize: 53.18 K page_count: 2 document date: 2024-05-07

Informačný list výrobku			
DELEGOVANÉ NARIADENIE KOMISIE (EÚ) 2019/2016, podľa ktorého sa energetické označovanie chladničných spotrebičov			
Názov dodávateľa alebo jeho ochranná známka: Candy			
Adresa dodávateľa: Candy Hoover Group contact, Comolli 16, 20861 Brugherio MB, IT			
Identifikačný kód modelu: CHAE 1452E			
Typ chladničky spotrebičov:			
Spotrebič s nízkou hlučnosťou:	Nie	Disajn:	Valné skloje
Spotrebič na uchovávanie viena:	Nie	Iný chladničný spotrebič:	Ano
Všeobecné parametre výrobku:			
Parametr		Parametr	Hodnota
Celková účinnosť (v m3/linetroch)	Veľkosť	Celkový objem (v dm3 alebo l)	137
	Šírka		
	555		
	555		
EER	100	Trieda energetickú účinnosť	E
Urovň vyčistenia hluku pre vnútorné vzduchom (dB(A) re 1 p1)	39	Urovň vyčistenia hluku pre vnútorné vzduchom	C
Ročná spotreba energie (kWh/gad)	181	Klimatická trieda:	rozšírená miera, miera, subtropon, tropická
Minimálna teplota okolia (°C), pri ktorej je chladničný spotrebič vhodný	10	Maximálna teplota okolia (°C), pri ktorej je chladničný spotrebič vhodný	43
Zimné nastavenie:			
Parametre oddelení:			
Typ oddelenia	Parametre oddelenia oddelenia	Mrazivý oddelenie (kg/24 h)	Defrosting typ (l/min) (l/min) (l/min)

Strana 1 / 2

[pdf]

IL Candy CHAE 1452E sk InformaĀnĀ½ list 53 06 kB truhlicovĀj mrazniĀka Nay 2066993 cdn nay images orig 3 |||

Informacn list vrobku DELEGOVAN NARIADENIE KOMISIE E 2019/2016, pokia ide o energetick oznacovanie chladiacich spotrebičov Nzov dodvatea alebo jeho ochrann znmka: Candy Adresa dodvatea: Candy Hoover Group contact, Comolli 16, 20861 Brugherio MB, IT Identifikacn kd modelu: **CHAE 1452E** Typ chlad...

lang:hr **score:37** filesize: 53.06 K page_count: 2 document date: 2023-02-16

Karta informacyjna produktu			
ROZPORZĄDZENIE DELEGOWANE KOMISJI (UE) 2019/2016 w odniesieniu do etykietywania energetycznego urządzeń chłodniczych			
Nazwa dostawcy lub znak towarowy: Candy			
Adres dostawcy: Candy Hoover Group contact, Via Comolli 16, 20861 Brugherio MB, IT			
Identyfikator modelu: CHAE 1452E			
Rodzaj urządzenia chłodniczego:			
Urządzenie o niskim poziomie hałasu:	Nie	Typ:	Wielomiejscowe
Urządzenie do przechowywania viena:	Nie	Inne urządzenie chłodnicze:	Tak
Opisane parametry produktu:			
Parametr		Parametr	Wartość
Całkowite wymiary (w milimetrach)	Wysokość	Całkowita pojemność (l/min)	137
	Szerokość		
	555		
	555		
Wskaznik efektywności energetycznej:	100	Klasa efektywności energetycznej:	E
Poziom emisji hałasu akustycznego (dB(A) re1, p1)	39	Klasa emisji hałasu akustycznego:	C
Roczne zużycie energii (kWh/rocz)	181	Klasa klimatyczna:	rozszerzona umiarkowana, umiarkowana, subtropikalna, tropikalna
Minimalna temperatura otoczenia (°C), w której można użytkować urządzenie chłodnicze	10	Maximalna temperatura otoczenia (°C), w której można użytkować urządzenie chłodnicze	43
Urządzenie zimowe:			
Parametry komory:			
Rodzaj komory	Parametry komory i ich wartości	Zalecane ustawienia temperatury (°C) (l/min)	Defrosting typ (l/min) (l/min) (l/min)

Strona 1 / 2

[pdf]

Karta informacyjna produktu Zamrażarka CANDY CHAE 1452E cena opinie dane techniczne sklep internetowy Electro pl 15416590 1 electro products files 63 6372414 |||

Karta informacyjna produktu ROZPORZDZENIE DELEGOWANE KOMISJI UE 2019/2016 w odniesieniu do etykietowania energetycznego urzdzde chlodniczych Nazwa dostawcy lub znak towarowy: Candy Adres dostawcy: Candy Hoover Group contact, Via Comolli 16, 20861 Brugherio MB, IT Identyfikator modelu: CHAE 1452... lang:pl **score:37** filesize: 53.88 K page_count: 2 document date: 2024-04-22



Congelatori

CHAE 1452E

ENVIRONMENTAL PROPERTIES OR CHARACTERISTICS

Product recyclability	-
Recycled material in the product	0
Rare earths in the product, contains at least (mg)	100
Precious metals in the product, contains at least (mg)	500
Recycled material in the packaging	0
Possibility of reusing packaging	No

CARATTERISTICHE PRINCIPALI

Codice EAN	8059019060743
Codice prodotto	37001561
Modello	CHAE 1452E
Categoria prodotto	Congelatore a pozzetto
Tipologia d'installazione	Libera installazione

CARATTERISTICHE TECNICHE

Connettività	Contenti extra
Stornamento	
Display	
Sistema Frost Free	Static
Garanzioni	

[pdf]

objects icecat biz mmo 112130750 1708604640 6727 1871971 Candy CHAE 1452E Congelatore a pozzo Libera installazione 137 L E Bianco Prezzo Lampo ||| Congelatori **CHAE 1452E** ENVIRONMENTAL PROPERTIES OR CHARACTERISTICS Product recyclability - Recycled material in the product 0 Rare earths in the product, contains 100 at least mg Precious metals in the product, 500 contains at least mg Recycled material in the packaging 0 Possibili... lang:it score:35 filesize: 60.04 K page_count: 3 document date: 2024-02-22



Artico

CHAE 1452E

✓ Fino a 500 litri di capienza
✓ Classe F

Caratteristiche principali

Codice EAN	8059019060743
Codice prodotto	37001561
Modello	CHAE 1452E
Categoria prodotto	Congelatore a pozzetto
Tipologia d'installazione	Libera installazione

Caratteristiche tecniche

IoT App	NO
Connettività	Contenti extra
Sistema Frost Free	Static
Potenza (W)	65
Frequenza (Hz)	50
Tensione (V)	220-240

[pdf]

Artico Viefettrade Fino a 500 litri di capienza Classe F Caratteristiche principali Codice EAN 8059019060743 prodotto 37001561 Modello CHAE 1452E 573407 viefettrade shop articoli Candy ||| Artico **CHAE 1452E** Fino a 500 litri di capienza Classe F Caratteristiche principali Codice EAN Codice prodotto Modello Categoria prodotto Tipologia d installazione Caratteristiche tecniche IoT App Connettivit Sistema Frost Free Potenza W Frequenza Hz Tensione V 8059019060743 37001561 CHAE 145... lang:it score:34 filesize: 110.81 K page_count: 3 document date: 2024-08-22



Artico

CHAE 1452E

✓ Iki 500 l talpa
✓ F klasė

PAGRINDINĖ INFORMACIJA


EAN kodas	8059019060743
Gaminio kodas	37001561
Gaminio pavadinimas	CHAE 1452E
Gaminio kategorija	Dežės tipo šaldiklis
Įrenginys	Pastatomas (-ai)

TECHNINĖS SAVYBĖS

IoT aplikacija	NO
Ryšys	Išmaniosios funkcijos
Besirūšinė sistema	Statinis
Prijungimo galia (W)	65
Dabnis (Hz)	50
Tampa (V)	220-240

[pdf]

Artico CHAE 1452E Iki 500 l talpa F klasė PAGRINDINĖ INFORMACIJA EAN kodas 8059019060743 Gaminio 37001561 pavadinimas Gaminio productdetails lan LT sku mkt lt docgenerator candy it ||| Artico **CHAE 1452E** Iki 500 l talpa F klas PAGRINDIN INFORMACIJA EAN kodas Gaminio kodas Gaminio pavadinimas Gaminio kategorija rengimas TECHNINIS SAVYBS IoT aplikacija Rysys Beserksn sistema Prijungimo galia W Daznis Hz tampa V 8059019060743 37001561 **CHAE 1452E** Dezs tipo šaldiklis Pastatomas ... lang:es score:34 filesize: 118.88 K page_count: 3 document date: 2025-07-24




[pdf]

EU etichetta energeticaCandy CHAE 1452E Congelatore a Pozzetto Classe E Larghezza 69 5 cm 137 Litri Biancommo 112130750 1749178466 1556 3680794objects icecat biz objects mmo 3680794 ||| Candy **CHAE 1452E** 181 kWh/annum 137 L 39dB ABCD 2019/2016 ... lang:es score:33 filesize: 65.2 K page_count: 1 document date: 2024-02-28




[pdf]

Artico termékcsalád CHAE 1452E Gyorsabb fagyasztás Freeze Circle lel Hatalmas kapacitás F energiasztály FŐ JELLEMZŐK EAN kód 8059019060743 Termékkód 37001561 Modellnév productdetails lan HU sku mkt hu docgenerator candy it ||| Artico termkcsald **CHAE 1452E** Gyorsabb fagyaszs Freeze Circle-lel Hatalmas kapacits F energiasoztly F JELLEMZK EAN kd Termkkd Modellnv Termkkategria Bepthetsg TECHNIKAI JELLEMZK IoT applikci Kapcsolds Fagyasztsi rendszer Teljestmny W Frekvencia Hz Feszltsg V 8059019060743 37001561 **CHAE 1452E...** lang:no score:33 filesize: 118.92 K page_count: 3 document date: 2025-07-24




[pdf] Label

Label 1446489 eprel ec europa eu labels refrigeratingappliances2019 ||| Candy **CHAE 1452E** 181 kWh/annum 137 L 39dB ABCD 2019/2016 ... lang:no score:21 filesize: 65.21 K page_count: 1 document date: 2024-10-13



[pdf]
Energetický štítek Chae 1452e mraznička pultová candy 40046782 energy 92079902 mc static fast eu 40
|||
...
lang:hr score:18 filesize: 611.06 K page_count: 1 document date: 2023-04-20




[pdf]

CANDY Congelatore orizzontale CHAE 1452E Classe E 137 lt Bianco Euronics 232006043 euronics it on demandware static Sites Library default dw783cfd90 assets energyClass |||

Insert here product QR code SCUAPNPDLYIER S NAME A B C D E F G A
MODELCHDAEEN1T4I5F2IER B C D E 1X8Y1Z kWh/annum F G X1Y3Z7 L XYZ L
X3Y9dB AB CABD CD 2019/2016 ...

lang:hr score:16 filesize: 86.02 K page_count: 1 document date: 2023-05-28



[pdf]

UM CHAE1002F 1045F 2002F EN IT ES DE FR NL HU RO BG CS PL EL Karolina D browska Pobierz
Zamrażarka CANDY CHAE 1452E cena opinie dane techniczne sklep internetowy Electro pl Instrukcja
Obsługi electro products files 63 6372414 |||

lang:hr score:13 filesize: 8.78 M page_count: 10 document date: 2023-12-16



[pdf] Declaration of Conformity

UM CHAE1002F 1045F 2002F EN IT ES DE FR NL HU RO BG CS PL EL Test CAYCHAE1452E návod
CZ Návod k použití 20 34 MB Mraznička Candy CHAE 1452E bílá KASA cz doc 5554821 kasa document
1 2 8 |||

Dkujeme vm,e jste si zakoupili tento spotebi. Ped m, nebudete mrazk pouvat, pette si
pozorn pokyny v tto pue, abyste maximalizovali jeho vkon. Uhovejte dokumentai pro
nsledn poui nebo pro novho vlastnka. Tento spotebi je uren vhradn pro poui v
domnos nebo podobnh aplikah, jako jsou: - kuhyYsk kouty ...

lang:hr score:12 filesize: 20.34 M page_count: 33 document date: 2022-03-31

