

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Armytek](#) /

> [Armytek Wizard C2 Pro Max LR - 3870 Lumens Warm Light w/Battery, holster and Eco-Sensa USB C Charger, c2-pro-Max-Lr-Warm](#)

Armytek c2-pro-Max-Lr-Warm

Armytek Wizard C2 Pro Max LR Instruction Manual

Model: c2-pro-Max-Lr-Warm

1. PRODUCT OVERVIEW

The Armytek Wizard C2 Pro Max LR is a versatile, long-range multi-flashlight designed for various applications, including use as a headlamp, everyday carry light, and sports flashlight. It features powerful electronics, a durable aluminum body, and a warm light output of up to 3870 lumens with a beam distance of 180 meters.

Key features include:

- **Power Source:** Battery Powered
- **Material:** Aluminum construction
- **Light Path Distance:** 180 meters
- **Light Source Type:** LED
- **Brightness:** Up to 3870 lumens
- **Special Feature:** Rechargeable



Image: The Armytek Wizard C2 Pro Max LR flashlight shown with its included 5000 mAh battery, USB-C charger, holster, and product packaging. This image provides a comprehensive view of all components included with the product.

ARMYTEK

WIZARD C2 PRO MAX LR

Long-range version of the flagship product in the multi flashlight lineup

3870
MAX LUMENS

2
MONTHS RUNTIME

180
METERS THROW

WARM
LIGHT

RECHARGEABLE
Magnetic USB charger
and battery included

3 in 1

NO HASSLE
WARRANTY
10
YEARS



Image: An infographic highlighting the key features of the Wizard C2 Pro Max LR, including its maximum light output of 3870 lumens, a beam distance of 180 meters, and a runtime of up to 2 months. It also emphasizes its warm light, rechargeable nature, 3-in-1 versatility, and a 10-year warranty.

2. SETUP

2.1. Unpacking and Initial Inspection

Carefully remove all components from the packaging. Verify that the following items are included:

- Armytek Wizard C2 Pro Max LR Flashlight
- Battery (5000 mAh)
- Holster
- Eco-Sensa USB C Charger

Inspect the flashlight and accessories for any visible damage. If any components are missing or damaged, contact customer support.

2.2. Battery Installation and Charging

The flashlight comes with a rechargeable battery. Before first use, ensure the battery is fully charged.

1. Unscrew the tailcap of the flashlight.
2. Insert the included 5000 mAh battery with the positive (+) terminal facing towards the head of the flashlight.
3. Screw the tailcap back on securely.
4. Connect the Eco-Sensa USB C Charger to the magnetic charging port on the flashlight's tailcap. Connect the other end of the charger to a USB power source.
5. The indicator light on the charger will show charging status. Charge until the indicator shows a full charge.

2.3. Headmount and Clip Installation

The Wizard C2 Pro Max LR can be used as a headlamp or an everyday carry light with its removable clip.




Image: This image illustrates the Armytek Wizard C2 Pro Max LR being worn as a headlamp. It highlights the comfortable headmount with soft elastic bands and adjustable size, the solid body design, and the lightweight composite holder with a quick-release silicone ring for additional fixation. The image also demonstrates the one-motion installation and 180-degree rotation capability for easy adjustment.

Headlamp Use:

- Attach the flashlight to the comfortable headmount. The lightweight holder is made from composite material and includes a quick-release silicone ring for secure fixation.
- Adjust the elastic bands for a snug and comfortable fit on your head.
- The flashlight allows for 180-degree rotation in the mount for optimal light direction.

2. EVERY DAY CARRY LIGHT

Two options for clip installation on the flashlight



Reliable mounting on clothing, belt or bag



Deep fit on the pocket

Image: This image demonstrates the versatility of the Wizard C2 Pro Max LR as an everyday carry light. It shows two options for installing the removable stainless steel clip on the flashlight body. Additionally, it illustrates practical carrying methods, including reliable mounting on clothing, a belt, or a bag, and a deep fit in a pocket.

Everyday Carry (Clip) Use:

- The flashlight comes with a removable stainless steel clip.
- Choose one of the two available slots on the flashlight body to attach the clip, depending on your preferred carrying orientation.
- The clip allows for reliable mounting on clothing, belts, or bags, and provides a deep fit when carried in a pocket.

3. OPERATING INSTRUCTIONS

The Armytek Wizard C2 Pro Max LR features an enlarged side button for comfortable operation and offers two main types of operation: Simple and Advanced.

2. EVERY DAY CARRY LIGHT

Special matt anti-abrasive finish without rough knurling, convenient holding even with wet hands



Enlarged side button, softer and more comfortable pressing

Compact and lightweight body for the given light characteristics and power supply type

34.4 mm
HEAD DIAMETER

121.5 mm
LENGTH

81 / 151 g
WEIGHT WITHOUT / WITH BATTERY

Image: A detailed view of the Armytek Wizard C2 Pro Max LR, highlighting its special matt anti-abrasive finish for comfortable holding even with wet hands. It also shows the enlarged side button designed for softer and more comfortable pressing. The image includes key dimensions: 34.4 mm head diameter, 121.5 mm length, and weight of 81g (without battery) / 151g (with battery).

TWO TYPES OF OPERATION

PRO

1. SIMPLE OPERATION

6 modes by default, easy to use right out of the box

2. ADVANCED OPERATION

10 modes for professional application, quick access to the required mode

SWITCHING BETWEEN TYPES OF OPERATION

Unscrew the tailcap to 1/4 while the flashlight is off, press the button and tighten the tailcap while keeping the button pressed

SWITCHING BETWEEN THE MODES

is carried out using the button

AUTOMEMORIZING

After switching off the last used mode is memorized for quick access at next switching on



Image: This diagram explains the two types of operation for the Wizard C2 Pro Max LR: Simple Operation (6 modes by default, easy to use) and Advanced Operation (10 modes for professional application, quick access to required mode). It also details the process for switching between these operation types: unscrew the tailcap 1/4 turn while the flashlight is off, press the button, and then tighten the tailcap while keeping the button pressed. The flashlight features automemorizing, recalling the last used mode upon next activation.

3.1. Switching Between Operation Types (Simple/Advanced)


To switch between Simple (6 modes) and Advanced (10 modes) operation:

1. Ensure the flashlight is turned **OFF**.
2. Unscrew the tailcap by approximately 1/4 turn.
3. Press and hold the side button.
4. While still holding the button, tighten the tailcap completely.
5. The flashlight will indicate the change in operation type.

The flashlight features an automemorizing function, recalling the last used mode for quick access upon next activation.

3.2. Basic Operation (Common to both modes)

- **Turn ON/OFF:** Press the side button once.
- **Change Brightness Modes:** While ON, press and hold the side button to cycle through available brightness levels. Release the button to select the desired level.
- **Instant Access to Max Brightness:** (Specific to Advanced mode, or a quick double-click in Simple mode might activate Turbo) Refer to the detailed mode table for your selected operation type.



ARMYTEK | WIZARD C2 PRO MAX LR

3. SPORTS FLASHLIGHT

Several brightness modes for convenient use in the city or in nature

42 - 3870 LUMENS **180** METERS

New springs: stable operation during dynamic activities, additional battery and driver protection

Image: This image depicts the Armytek Wizard C2 Pro Max LR being used as a sports flashlight, illuminating a path for a runner in a forest at night. It highlights the flashlight's several brightness modes (ranging from 42 to 3870 lumens) suitable for both urban and natural environments, and its 180-meter beam throw. The image also mentions new springs for stable operation during dynamic activities and additional battery and driver protection.

POWERFUL ELECTRONICS

PRO

New generation electronics provides
impressive light output

 **3870**
LUMENS

Constant brightness even at low ambient
temperatures and not fully charged battery

 **from -25 °C to +40 °C**



Image: This image showcases the powerful electronics of the Armytek Wizard C2 Pro Max LR, with a man running in a snowy environment at night, illuminated by the flashlight. It emphasizes the impressive light output of 3870 lumens and the flashlight's ability to maintain constant brightness even at low ambient temperatures (from -25°C to +40°C) and with a partially charged battery.

4. MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your Armytek Wizard C2 Pro Max LR flashlight.

4.1. Cleaning

- Wipe the flashlight body with a soft, damp cloth to remove dirt and debris.
- For the lens, use a lens cleaning cloth and solution to avoid scratches.
- Do not use abrasive cleaners or solvents, as they may damage the finish or internal components.

4.2. O-Ring Lubrication

To maintain water resistance, periodically lubricate the O-rings located at the tailcap and head of the flashlight with silicone grease. This prevents drying and cracking.

4.3. Battery Care

- Always use the recommended battery type (5000 mAh 21700 Li-Ion).
- Store the battery in a cool, dry place when not in use.
- If storing the flashlight for an extended period, remove the battery to prevent potential leakage.
- Avoid overcharging or completely discharging the battery, as this can reduce its lifespan.

5. TROUBLESHOOTING

If you encounter issues with your Armytek Wizard C2 Pro Max LR, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Flashlight does not turn on.	Battery is dead or low. Battery inserted incorrectly. Tailcap is loose. Contact points are dirty.	Charge the battery fully. Ensure battery is inserted with positive (+) end towards the head. Tighten the tailcap securely. Clean battery contact points with a clean cloth.
Light output is dim or flickers.	Low battery level. Dirty contact points.	Recharge the battery. Clean battery contact points.
Flashlight gets hot quickly.	Operating on high brightness modes for extended periods. Poor heat dissipation.	This is normal for high-power flashlights. Reduce brightness if discomfort occurs. Ensure proper airflow around the flashlight.
Low battery level indication.	Battery level is below 25% of rated value.	Recharge the battery immediately. The LED will flash 2 times to indicate low battery.



Image: This image illustrates the low battery level indication feature of the Armytek Wizard C2 Pro Max LR. When the brightness of the current mode drops below 25% of its rated value, the LED will flash 2 times to alert the user to recharge the battery.

6. SPECIFICATIONS

Detailed technical specifications for the Armytek Wizard C2 Pro Max LR:

Feature	Detail
Model	c2-pro-Max-Lr-Warm

Feature	Detail
Special Feature	Rechargeable
Color	Black
Power Source	Battery Powered
Light Source Type	LED
Material	Aluminum
White Brightness	3870 Lumens (Max)
Included Components	Battery
Battery Cell Composition	Alkaline
Water Resistance Level	Water Resistant
Brand	Armytek
Brightness	3870 lumens
Style	Compact
Finish Type	Aluminum
Mounting Type	Head Mount
Recommended Uses	Outdoor activities, Emergency preparedness, Automotive repairs, Industrial/professional applications
Head Diameter	34.4 mm
Length	121.5 mm
Weight (without battery)	81 g
Weight (with battery)	151 g
Operating Temperature Range	-25°C to +40°C

Note: The product description and images indicate a 5000 mAh battery, which is typically Li-Ion for flashlights of this type and capacity. The "Alkaline" specification might be a general category or an error in the source data. Always use the battery provided or a compatible Li-Ion 21700 battery.

7. WARRANTY AND SUPPORT

7.1. Warranty Information


The Armytek Wizard C2 Pro Max LR comes with a **10-year "No Hassle" warranty**. This warranty covers manufacturing defects and ensures reliable operation under normal use conditions. For detailed terms and conditions, please refer to the official Armytek website or contact their customer service.

7.2. Customer Support

For any questions, technical assistance, or warranty claims, please contact Armytek customer support. You can typically find contact information on the official Armytek website or through the retailer where you purchased the product. Visit the [Armytek Store on Amazon](#) for more information and support resources.

Related Documents - c2-pro-Max-Lr-Warm

 <p>The catalog cover features the Armytek logo at the top left. Below it, the text 'FLASHLIGHTS', 'CHARGERS', and 'ACCESSORIES' is listed. The cover is a collage of images showing various flashlight models, charging stations, and accessories in use.</p>	<p>Armytek Flashlights, Chargers, and Accessories Catalog</p> <p>Explore the comprehensive range of Armytek high-performance flashlights, versatile chargers, and essential accessories. Discover tactical, multi-purpose, and everyday carry lights with detailed specifications and features.</p>
 <p>The manual cover has a yellow header with the Armytek logo and the product name 'WIZARD C2 PRO MAX LR'. Below the header is a technical drawing of the flashlight. A table of contents is visible at the bottom left.</p>	<p>Armytek Wizard C2 Pro Max LR Multi Flashlight User Manual</p> <p>Comprehensive user manual for the Armytek Wizard C2 Pro Max LR multi flashlight, covering specifications, set description, initial service, operation, battery and temperature indications, warnings, care, storage, and warranty information.</p>
 <p>The manual cover has a yellow header with the Armytek logo and the product name 'WIZARD C2 PRO MAX'. Below the header is a technical drawing of the flashlight. A table of contents is visible at the bottom left.</p>	<p>Armytek Wizard C2 Pro Max Multi Flashlight User Manual</p> <p>Comprehensive user manual for the Armytek Wizard C2 Pro Max multi-flashlight, detailing specifications, operation, maintenance, care, and safety guidelines.</p>
 <p>The manual cover has a yellow header with the Armytek logo and the product name 'WIZARD C2 PRO MAX'. Below the header is a technical drawing of the flashlight. A table of contents is visible at the bottom left.</p>	<p>Armytek Wizard C2 Pro Max Multi Flashlight User Manual</p> <p>Comprehensive user manual for the Armytek Wizard C2 Pro Max multi flashlight, detailing specifications, operation, maintenance, and warranty information.</p>
 <p>The manual cover features the Cecotec logo at the top left. Below it, the text 'Ready Warm Thermal Connected Electric Panel Heaters' is visible. The cover shows images of the electric panel heaters.</p>	<p>Cecotec Ready Warm Thermal Connected Electric Panel Heaters - User Manual and Specifications</p> <p>Comprehensive user manual for Cecotec Ready Warm Thermal Connected electric panel heaters (models 800-2500W). Includes safety instructions, installation guides, operation details, technical specifications, and warranty information.</p>



[Manual de Instrucciones Cecotec Ready Warm Serie Térmica](#)

Manual completo de instrucciones para los radiadores eléctricos térmicos Cecotec Ready Warm, modelos 800, 1200, 1800, 2000 y 2500. Incluye seguridad, montaje, funcionamiento, mantenimiento y especificaciones técnicas.

Documents - Armytek – c2-pro-Max-Lr-Warm



[Armytek Wizard C2 Pro Max LR Multi Flashlight User Manual](#)

Comprehensive user manual for the Armytek Wizard C2 Pro Max LR multi flashlight, covering specifications, set description, initial service, operation, battery and temperature indications, warnings, care, storage, and warranty information.

lang:en score:27 filesize: 355.93 K page_count: 34 document date: 2024-02-05

[\[pdf\]](#) User Manual Instructions Specifications Accessories

Download User ManualArmytek Wizard C2 Pro Max LR Multipurpose Rechargeable LED Torch Direct LimitedManual v4 ML full rev 00 0000cdn shopify s files 1 0764 4567 9921 Manual 0000 v 1746099042 LimitedWizard Magnet USB Warm High Power Headlamp ArmytekstoreManual 0000Manual 1746099042armytekstore index dispatch attachments getfile attachment id 504 ManualDownload LimitedArmytek 1746099042cdn Operating instructionsDownload ManualDownloadArmytek Multifunktionslampe mit hoher Reichweite Berger CampingArmytek Armytekstore1475605 501 428587Manual 0000fbr etailercdn de media org orgb A orgid 16303 1475605 428587cdn ManualDownloadDownloadArmytek ArmytekstoreWizard 504armytekstore 505 instructionsOperating Armytekstore1475602 3944801475605 1475602 394480fbr ||| ||| WIZARD C2 PRO MAX LR MULTI FLASHLIGHT 2 ENG USER MANUAL 6 GER BENUTZERANLEITUNG 10 FRA MANUEL D UTILISATEUR 14 RUS 18 FIN KYTTOHJE 22 SWE ANVNDARMANUAL 26 NOR BRUKSANVISNING 30 POL INSTRUKCJA OBSLUGI REV_00-0000 ENG USER MANUAL Thank you fo ||| WIZARD C2 PRO MAX LR MULTI FLASHLIGHT 2 ENG USER MANUAL 6 GER BENUTZERANLEITUNG 10 FRA MANUEL D UTILISATEUR 14 RUS 18 FIN KYTTOHJE 22 SWE ANVNDARMANUAL 26 NOR BRUKSANVISNING 30 POL INSTRUKCJA OBSLUGI REV_00-0000 ENG USER MANUAL Thank you fo ||| WIZARD C2 PRO MAX LR MULTI FLASHLIGHT 2 ENG USER MANUAL 6 GER BENUTZERANLEITUNG 10 FRA MANUEL D UTILISATEUR 14 RUS 18 FIN KYTTOHJE 22 SWE ANVNDARMANUAL 26 NOR BRUKSANVISNING 30 POL INSTRUKCJA OBSLUGI REV_00-0000 ENG USER MANUAL Thank you fo ||| WIZARD C2 PRO MAX LR MULTI FLASHLIGHT 2 ENG USER MANUAL 6 GER BENUTZERANLEITUNG 10 FRA MANUEL D UTILISATEUR 14 RUS 18 FIN KYTTOHJE 22 SWE ANVNDARMANUAL 26 NOR BRUKSANVISNING 30 POL INSTRUKCJA OBSLUGI REV_00-0000 ENG USER MANUAL Thank you fo ||| WIZARD C2 PRO MAX LR MULTI FLASHLIGHT 2 ENG USER MANUAL 6 GER BENUTZERANLEITUNG 10 FRA MANUEL D UTILISATEUR 14 RUS 18 FIN KYTTOHJE 22 SWE ANVNDARMANUAL 26 NOR BRUKSANVISNING 30 POL INSTRUKCJA OBSLUGI REV_00-0000 ENG USER MANUAL Thank you for choosing the products of Armytek. Ple... lang:en score:21 filesize: 355.93 K page_count: 34 document date: 2024-02-05



[\[pdf\]](#)

WIZARD C2 PRO MAX LR ManoManoAtemberaubendes Licht hoher Reichweite Die Wizard Pro Max ist die reichwei tenstarke Version des Flaggschiffs der Multi Taschenlampen Pro 7bbd20e40bb07fe2fc924a8bc4cac152205f948acd manomano pim dam img 350 104660425 7bbd20e40bb07fe2fc924a8bc4cac152205f948a Pro ArmyTek Warm LED Taschenlampe mit Gürtelclip Holster akkubetrieben 3870 lm 151 g kaufendatenblatt 3059157 armytek wizard c2 pro max lr warm led taschenlampe guertelclip holster pdcn 7bbd20e40bb07fe2fc924a8bc4cac152205f948aasset conrad media10 add 160267 c1 en 003059157DS00 datenblatt ||| ||| VOLLE GARANTIE 10 WIZARD C2 PRO MAX LR JAHRE CAMPING STADT SERVICE 4150 MAX LUMEN 181 METER REICHWEITE 2 MONATE LEUCHTDAUER WEIES, WARMES LICHT WIEDERAUFLADBAR Magnetisches USB-Ladegerät und Akku im Lieferumfang MAE Lnge 121.5 mm Kopfdurchme VOLLE GARANTIE 10 WIZARD C2 PRO MAX LR JAHRE CAMPING STADT SERVICE 4150 MAX LUMEN 181 METER REICHWEITE 2 MONATE LEUCHTDAUER WEIES, WARMES LICHT WIEDERAUFLADBAR Magnetisches USB-Ladegerät und Akku im Lieferumfang MAE Lnge 121.5 mm Kopfdurchmesser 34.4 mm Gewicht mit Akku 151 g SPORT IND... lang:de score:21 filesize: 2.82 M page_count: 5 document date: 2023-10-03

