

[Manuals.plus](#) /

> [LIFERUN](#) /

> LIFERUN 138" x 71" Retractable Side Awning Instruction Manual

LIFERUN B0CZ71PRKC

LIFERUN 138" x 71" Retractable Side Awning Instruction Manual

Model: B0CZ71PRKC | Brand: LIFERUN

1. INTRODUCTION

Thank you for choosing the LIFERUN 138" x 71" Retractable Side Awning. This product is designed to provide privacy and protection from sun and wind for your outdoor spaces such as patios, balconies, gardens, and courtyards. Constructed with durable aluminum alloy and PU-coated polyester fabric, it offers robust performance and ease of use. Please read this manual thoroughly before installation and operation to ensure safe and efficient use.

2. SAFETY INFORMATION

- **Drilling Required:** Installation of this retractable side awning requires drilling into both the wall and the ground. Ensure your installation conditions meet these requirements.
- **Measure Before Purchase:** Always measure your space area before purchasing to ensure the correct size and avoid installation issues.
- **Weather Conditions:** In case of strong winds, blizzards, or heavy rain, please retract the awning to prevent damage.
- **Anchoring:** Ensure proper anchoring of the awning to the wall and the ground for stability.
- **Minimum Clearance:** Maintain a minimum clearance of 80 inches from any obstructions.
- **Support Bar Angle:** The support bar is designed to be slightly inclined (88.5°) to stretch the fabric better.
- **Baseplate Screws:** Over-tightening the screws during shipping may result in uneven edges of the baseplate. This can be smoothed out with a hammer.

3. PACKAGE CONTENTS

Please verify that all components are present before beginning installation:

- Main Awning Unit (with retractable fabric)
- Wall Mounting Brackets
- Ground Mounting Posts/Brackets
- Handle for Retraction
- Fixing Screws and Wall Plugs (for concrete/brick)
- Instruction Manual

4. INSTALLATION GUIDE

The LIFERUN Retractable Side Awning is designed for easy installation on various surfaces. Follow these steps carefully.

4.1. Prepare for Installation

- Choose a suitable location. The awning requires a sturdy wall for the main unit and a stable ground surface for the receiving post.
- Ensure the wall height is sufficient (minimum 71 inches for the awning height).
- Avoid installing on incompatible walls such as those with insufficient height (<62.2 inches), thin walls (<1.2 inches thickness), or walls with brick ledges/water tables that prevent flush mounting.

INCOMPATIBLE WALLS



Image: LIFERUN Retractable Side Awning providing privacy on a patio.

Image: Examples of incompatible walls for awning installation.

4.2. Wall Mounting (Main Unit)

1. Attach the mounting brackets to the main awning unit using the provided screws.
2. Position the main awning unit against the desired wall. Use a pencil to mark the drilling points through the bracket holes.
3. Drill holes at the marked points. Insert the wall plugs (if necessary for your wall type, e.g., concrete or brick).
4. Secure the main awning unit to the wall using the provided screws. Ensure it is level and firmly attached.

Easy to Install



Suitable for use in the following places, but need to drill holes.



Image: Easy installation steps for the LIFERUN Side Awning.

4.3. Ground Mounting (Receiving Post)

1. Extend the awning fabric to its full length to determine the position of the receiving post.
2. Mark the drilling points for the receiving post's baseplate on the ground.
3. Drill holes at the marked points. Insert the appropriate anchors for your ground surface (concrete, hardwood, patio surfaces).
4. Secure the receiving post to the ground using the provided screws.



Image: Suitable installation surfaces for the awning.

4.4. Installation Videos

Your browser does not support the video tag.

Video: LIFERUN Retractable Side Awning overview and installation demonstration.

Your browser does not support the video tag.

Video: Detailed side awning installation demonstration.

5. OPERATION

The LIFERUN Retractable Side Awning features a telescopic spring mechanism for easy extension and retraction.

- **To Extend:** Grasp the handle on the retractable post. Pull the fabric horizontally from the main unit towards the receiving post. Secure the handle into the locking mechanism on the receiving post.

- **To Retract:** Release the handle from the receiving post's locking mechanism. Guide the retractable post back towards the main unit. The spring mechanism will smoothly retract the fabric.




Image: Awning extended for privacy on a patio.

6. MAINTENANCE

To ensure the longevity and optimal performance of your LIFERUN Retractable Side Awning, follow these maintenance guidelines:

- **Cleaning:** The high-density polyester fabric with PU coating is waterproof and easy to clean. Use a mild soap solution and a soft brush or cloth to clean the fabric. Rinse thoroughly with water and allow it to air dry completely before retracting.
- **Frame Care:** The aluminum alloy frame is rust-resistant. Wipe it down periodically with a damp cloth to remove dirt and debris.
- **Winter Storage:** In areas with harsh winters, it is recommended to keep the awning retracted when not in use.

for extended periods to protect it from heavy snow and ice.

- **Regular Inspection:** Periodically check all screws and mounting points to ensure they remain tight and secure.

7. TROUBLESHOOTING

- **Awning not retracting smoothly:** Check for any obstructions in the path of the fabric or the retractable post. Ensure the spring mechanism is not damaged.
- **Fabric appears loose or wrinkled:** Ensure the receiving post is installed at the correct distance and the support bar is angled correctly (88.5°) to maintain tension.
- **Awning feels unstable:** Re-check all wall and ground mounting screws and anchors to ensure they are securely fastened.

8. SPECIFICATIONS

Feature	Detail
Brand	LIFERUN
Model Number	B0CZ71PRKC
Size	138" (Width) x 71" (Height)
Projection Distance	138 Inches
Minimum Clearance	80 Inches
Material	Aluminum, Metal, Polyester
Fabric Type	Polyester (PU-coated)
Color	Dark Grey
Item Weight	22 Pounds
Operation Mode	Manual
Assembly Required	Yes



Privacy Protection



Waterproof



Anti-UV 50+



Block the Breeze



Both wall and ground drilling are required for installation




Image: Dimensions of the LIFERUN Retractable Side Awning.



Image: UV-resistant and waterproof fabric features.

9. WARRANTY AND SUPPORT

LIFERUN is committed to providing high-quality products. This product comes with a standard manufacturer's warranty against defects in materials and workmanship. For specific warranty details, claims, or technical support, please refer to the warranty card included with your purchase or contact LIFERUN customer service through the retailer where the product was purchased.

© 2026 LIFERUN. All rights reserved.

For more information, visit [LIFERUN Store on Amazon](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0CZ71PRKC>

More documents and user manuals: <https://manuals.plus/>