K&F Concept TM2324

K&F Concept Camera Tripod Instruction Manual

Model: TM2324

1. Product Overview

The K&F Concept 72-inch Aluminum Camera Tripod is a versatile and portable solution for photographers and videographers. Constructed from durable aluminum alloy, it offers excellent stability while remaining lightweight. Key features include a 360-degree rotating ball head, quick flip leg locks for rapid setup, and the ability to convert into a monopod for increased flexibility.



The K&F Concept 72-inch Aluminum Camera Tripod, showcasing its main components including the tripod, phone holder, remote, and quick release plate.

2. What's in the Box

Upon opening your K&F Concept tripod package, you should find the following items:

- K&F Concept Tripod x1
- Extra Quick Release Plate x1
- Cellphone Holder x1
- Bluetooth Remote x1
- K&F Concept Camera Bag x1
- Manual

- Screw Adapter Head
- Allen key




All components included in the K&F Concept tripod package.

3. Setup

3.1 Unfolding the Tripod

To set up your tripod, release the leg locks and extend each of the 5-section legs to your desired height. The quick flip locks allow for fast and secure adjustments. Ensure all leg locks are firmly closed before mounting any equipment.



The quick lock mechanism on the tripod legs for easy height adjustment.

3.2 Attaching the Camera/Device

Attach one of the quick release plates to the bottom of your camera or phone holder using the 1/4-inch screw. Then, slide the quick release plate with your device into the tripod's ball head until it clicks securely into place. Tighten the locking knob on the ball head to ensure stability.



The two quick release plates with 1/4-inch screws, compatible with cameras, phone clips, VCRs, and ring lights.

4. Operating Instructions

4.1 Adjusting Tripod Height

The tripod features 5-section legs and a two-section central column for maximum height adjustment up to 72 inches (184 cm). To extend, simply open the quick flip locks on each leg section and pull the leg outwards. For additional height, extend the central column by loosening its locking knob, pulling it up, and then re-tightening the knob. The minimum folded length is 16.92 inches (43 cm).



Visual representation of the tripod's 5-section adjustable height, from folded to fully extended, including monopod height.


4.2 Using the Ball Head

The 28mm ball head allows for smooth 360-degree rotation and supports a load capacity of up to 22 lbs (10 kg). Loosen

the main locking knob to adjust the camera angle freely. The base of the head includes 360-degree horizontal scales for precise panoramic shooting. Ensure the knob is tightened firmly after adjustment to prevent movement.




Detailed view of the 28mm ball head, highlighting its 22lbs (10kg) load capacity and large ball for stability.




The 360-degree panoramic shooting feature with an accurate scale on the ball head.

4.3 Monopod Conversion

One of the tripod legs can be detached and combined with the central column to form a monopod. To convert, unscrew the designated leg (usually marked) from the tripod body. Then, unscrew the central column from the main tripod base and attach the detached leg to the central column. The monopod height can be adjusted from 18.7 inches (47.5 cm) to 76.77 inches (195 cm). This feature is ideal for situations requiring quick mobility or as a trekking pole.



The tripod's detachable monopod feature, showing its dimensions and load capacity.



An individual utilizing the monopod for photography in an outdoor setting.

4.4 Using the Bluetooth Remote

The included Bluetooth remote control allows for remote shooting with your smartphone within a 10-meter range. This is particularly useful for group photos or self-portraits. Ensure your phone is securely mounted in the phone holder before use.



A group of people using the tripod with a smartphone and Bluetooth remote for phone photography.

5. Maintenance

Proper maintenance will extend the life and performance of your K&F Concept tripod:

- **Cleaning:** Wipe down the tripod legs and head with a soft, damp cloth after each use, especially if used in dusty, sandy, or wet environments. Avoid harsh chemicals.
- **Lubrication:** Periodically check the leg locks and ball head for smooth operation. If stiff, apply a small amount of silicone-based lubricant.
- **Storage:** Store the tripod in its provided carrying bag in a dry, cool place away from direct sunlight and extreme temperatures.
- **Inspection:** Regularly inspect all screws, knobs, and leg locks for tightness and wear. Tighten any loose components using the provided Allen key.

6. Troubleshooting

Problem	Possible Cause	Solution
Tripod is unstable or wobbly.	Leg locks not fully tightened; uneven ground; excessive load.	Ensure all leg locks are securely fastened. Adjust leg angles for stability on uneven surfaces. Do not exceed the 10 kg (22 lbs) load capacity.
Ball head does not hold position.	Main locking knob is loose; load exceeds capacity.	Tighten the main locking knob firmly. Reduce the weight of the mounted equipment if it exceeds 10 kg.
Leg sections are difficult to extend/retract.	Dirt or debris in leg sections; lack of lubrication.	Clean leg sections thoroughly. Apply a small amount of silicone lubricant to the moving parts.

Problem	Possible Cause	Solution
Bluetooth remote not connecting.	Battery low; not in pairing mode; out of range.	Replace the AAA battery in the remote. Ensure the remote is in pairing mode and your phone's Bluetooth is on. Stay within 10 meters of the phone.

7. Specifications

Feature	Detail
Model Number	TM2324
Material	Aluminum
Maximum Height	72.44 Inches (184 cm)
Minimum Height	16.92 Inches (43 cm)
Monopod Maximum Height	76.77 Inches (195 cm)
Item Weight	3.63 pounds (1.65 kg)
Weight Limit	10 Kilograms (22 lbs)
Tripod Head Type	Ball Head (28mm)
Leg Sections	5
Compatible Devices	Camera, Smartphone
Special Features	Foldable, adjustable-panning, compact, monopod conversion
Batteries (for remote)	1 AAA battery required

8. Warranty and Support

K&F Concept offers a **2-year after-sales service** for this camera tripod. This service covers repair and replacement for non-human damage. If you encounter any usage or quality issues, please contact our support team. We are committed to responding within 24 hours with a satisfactory solution.
For further assistance, please visit the official K&F Concept website or contact their customer service directly.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question