

[Manuals.plus](#) /

› [VINGLI](#) /

› VINGLI 24-Inch Laundry Sink Cabinet with Pull-Out Sprayer Faucet Instruction Manual

VINGLI LC0BROW

VINGLI 24-Inch Laundry Sink Cabinet with Pull-Out Sprayer Faucet Instruction Manual

Model: LC0BROW

INTRODUCTION

Thank you for choosing the VINGLI 24-Inch Laundry Sink Cabinet with Pull-Out Sprayer Faucet. This manual provides detailed instructions for the safe and efficient assembly, operation, and maintenance of your new utility sink. Please read this manual thoroughly before installation and retain it for future reference.

This product is suitable for various environments including utility rooms, kitchens, garages, workshops, art studios, basements, and vacation cabins.



Image: Front and side view of the VINGLI 24-inch laundry sink cabinet, featuring a brown finish, stainless steel sink, and a pull-out sprayer faucet.



Image: The VINGLI laundry sink cabinet integrated into a laundry room, demonstrating its functional placement alongside appliances.



Image: The VINGLI laundry sink cabinet positioned in a kitchen environment, showcasing its versatility.

PACKAGE CONTENTS

Your VINGLI Laundry Sink Cabinet will arrive in two separate boxes. Please ensure you have received both packages before beginning assembly.

- **Box 1 of 2:** Cabinet components with hardware and assembly manual.
- **Box 2 of 2:** Stainless steel sink, pull-out sprayer faucet, drain strainer, and pipe supply lines.

Note: The two boxes may arrive on different days. If one box arrives first, please allow 3-5 days for the second box to be delivered.



Upgraded Packaging!

Protect the edges, reduce the risk of damage



Warm Tips:

Ships in **2 boxes** per item.
May arrive separately,
usually 3-5 days apart.
For logistics inquiries,
please contact us.

Image: Packaging details showing the two-box delivery system for the laundry sink cabinet.

SETUP AND ASSEMBLY

Follow these steps for proper assembly and installation of your laundry sink cabinet. Refer to the included assembly manual for detailed diagrams and hardware identification.

1. Cabinet Assembly

Assemble the cabinet structure using the labeled panels and hardware provided in Box 1. Ensure all connections are secure.

Your browser does not support the video tag.

Video: Demonstration of 3-in-1 connector and wooden drawer installation for cabinet assembly. This video illustrates general cabinet assembly techniques.

The cabinet features a spacious storage area, ideal for laundry detergents, soaps, and other items. The cabinet dimensions upon assembly are approximately 24"W x 20"D x 34"H.

SS Faucet with Pull-out Sprayer

Available in Hot & Cold Inlets



Image: View of the cabinet's interior, showing the available storage space and how the drainage pipe is concealed.



Image: Detailed diagram illustrating the overall dimensions of the VINGLI laundry sink cabinet, including height, width, and depth.

2. Sink and Faucet Installation

Install the 304 stainless steel sink into the cabinet. Connect the pull-out sprayer faucet, drain strainer, and pipe supply lines as per the instructions provided in Box 2.

- The sink is crafted from premium 18-gauge T-304 stainless steel, offering durability and resistance to impact, corrosion, and oxidation.
- A thick grey sound-deadening pad is integrated to minimize noise and prevent moisture buildup.
- The faucet includes hot and cold inlets and a pull-out sprayer with spray and stream modes.

304 Food-grade Stainless Steel Sink

Brushed crafted sink, not prone to rust




Image: Detail of the 304 food-grade stainless steel sink, showing its 18-gauge thickness and brushed finish.

Space-saving Storage Cabinet

Hide the drainage pipe and utilizes the space beneath the sink



Warm Tips: Item might be shipped in 2 box on different days

Image: Detail of the stainless steel faucet with pull-out sprayer, indicating hot and cold inlets and connection size.

3. Anti-Tipping Device Installation (Optional but Recommended)

For enhanced safety, especially in households with children or pets, consider installing the anti-tipping device. Refer to the specific instructions for this component.

Your browser does not support the video tag.

Video: Demonstration of securing wall-mounting hardware for an anti-tipping device. This video provides guidance on how to properly anchor furniture to a wall.

OPERATING INSTRUCTIONS

Faucet Operation

- **Water Flow:** Adjust the single handle to control both water volume and temperature.
- **Sprayer Modes:** The pull-out faucet nozzle offers both spray and stream modes. Switch between modes by pressing the button on the sprayer head.
- **Pull-Out Function:** Gently pull the sprayer head from the faucet body to extend the hose for increased reach. Return it to its docked position when finished.

Sink Usage

The sink features a 9-inch deep basin with a 13-gallon water capacity, providing ample space for various tasks such as washing clothes, cleaning brushes, or bathing small pets.



Image: The spacious sink basin, illustrating its 9-inch depth and the included 3 1/2 inch basket strainer.

The included 3 1/2 inch basket strainer helps prevent debris from entering the drain, ensuring smooth operation.

MAINTENANCE AND CARE

Proper maintenance will ensure the longevity and appearance of your VINGLI laundry sink cabinet.

- **Cabinet Cleaning:** Wipe the cabinet surfaces with a damp cloth. Avoid abrasive cleaners or harsh chemicals that may damage the finish.
- **Stainless Steel Sink Care:** Clean the stainless steel sink regularly with a mild soap and water solution. For stubborn stains, use a non-abrasive stainless steel cleaner. Always wipe in the direction of the grain. Rinse thoroughly and dry to prevent water spots.
- **Faucet Maintenance:** Periodically check the faucet for any leaks or drips. Clean the faucet exterior with a soft cloth and mild soap.
- **Drain Strainer:** Regularly remove and clean the basket strainer to prevent clogs and maintain efficient drainage.

TROUBLESHOOTING

This section addresses common issues you might encounter. For problems not listed here, please contact customer support.

Problem	Possible Cause	Solution
Water Leakage	Loose connections at pipes or faucet. Damaged seals.	Check all pipe and faucet connections and tighten if necessary. Inspect seals and replace if damaged.
Low Water Pressure	Partially closed water supply valves. Clogged aerator.	Ensure hot and cold water supply valves are fully open. Remove and clean the faucet aerator.
Drain Clog	Accumulation of debris in the drain or P-trap.	Remove and clean the basket strainer. If necessary, disassemble and clean the P-trap.
Cabinet Doors Misaligned	Hinges not properly adjusted.	Adjust the cabinet door hinges according to the assembly manual to ensure proper alignment.

SPECIFICATIONS

Feature	Detail
Brand	VINGLI
Model Number	LC0BROW
Color	Brown
Materials	Engineered Wood (P2 Grade MDP), Plastic, Stainless Steel (T-304, 18-gauge)
Product Dimensions (Overall)	19.7"D x 23.6"W x 33.5"H
Sink Dimensions	9" Deep
Sink Water Capacity	13 Gallons
Installation Type	Freestanding
Drain Type	Grid (3 1/2" Basket Strainer)
Hole Count (Faucet)	1
Style	2 Doors
Shape	Rectangular
Product Care Instructions	Wipe with Damp Cloth

WARRANTY INFORMATION

Specific warranty details for this product may vary. Please refer to the warranty card included with your product or contact VINGLI customer support for comprehensive warranty information.

CUSTOMER SUPPORT

For any questions, assistance with assembly, missing parts, or troubleshooting, please contact VINGLI-Direct customer support. You can typically find contact information on the packaging or through the retailer where the product was purchased.

We are committed to providing quality products and support.